| 1  |
|----|
| 11 |
| 19 |
|    |

# Quality Control Check Repot. Stage: After Column Casting (villas)

| Recommendation:  Stop further work. Submit ATR on QC report Stop further work. Proceed with work after s Proceed with further work only after making Proceed with further work. ATR not required  | Checked By MD on | Previous stage report no.      | Project Manager | Prepared by     | Company          | Block No.  |
|---|------------------|--------------------------------|-----------------|-----------------|------------------|------------|
| Submit ATR on QC re<br>Proceed with work aft<br>work only after mak<br>work. ATR not requ   |                  | ).                             | K. Pursho Hen   | P. Son Kun Sign | Serice (CLP)     | 84         |
| Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team. Proceed with further work only after making corrections pointed out in the QC report. ATR not required. | MD Sign          | 31322                          | Sign            | Sign            | Project          | Column No. |
| ced only after recheck l<br>QC report to QC team<br>l out in the QC report.   |                  | Report filed and signed by PM? | A               | 24              | Soy              | 0)         |
| by QC. ATR not required.  | For filling      | ed by PM?                      | Date            | Date            | Phase            | SI. No.    |
|   | ☐Yes ☐No         | LYes □No                       | 2519118         | 25/4/18         | [ <del>7</del> ) | 31558      |

### Columns Position Check. Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab. Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

| 2. Choice each confect uniformly with green colour. Circle each incorrect dimension with red colour and mention at | nsion with red colour and mention actual dimension next to it. |
|--|--|
| Columns Position Check Plan enclosed?  | \ \(\Text{\gamma'}\text{Yes}\) \ \(\Delta\)\(\Omega\)\         |
| Slah Dimensions Check  |  |

### Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
  Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour

| 2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention | green colour. Circle each incorrect dimer | nsion with red colour and mention actual | dimension next to it.  |
|---|---|--|--|
| Slab Dimensions Check Plan enclosed?  | losed?                                    | ☐Yes ☐No ~\b}                            | A THE PERSON NAMED AND A PARTY OF THE PERSON NAMED AND A PARTY |
| Specified thickness of slab?  |   | Actual thickness of slab?                | •  |
|   |   |  |  |

| Quality of starters? | Quality of centering,                        | of cent                          |
|----------------------|--|----------------------------------|
| S and concl          | ity of centering, rod bending and concreting | Quality Conti                    |
| eting?               |  | ality Control Check Repot. Stage |
|                      |  | Stage: After Cal                 |
| Good                 | Casting (villas)                             |                                  |
| Avo Mad              |  |                                  |

# Quality Control Check Repot. Stage: After Column Casting (villas)

Columns height, plumb, steel & level marking check.

- Mark v for correct or minor mistake which does not require correction
   Mark X for minor mistake that requires minor correction.
   Mark X x for major mistake that requires correction by replacement or re-fixing.
   Mark X X for major mistake that cannot be corrected.
   Tolerance: Plumb 0.25".

SNo Circle actual height of columns if level differs from specified height by more than 1".

No Col No. | Col type | Height in ft | Steel ( v or x)

|                            |                        |          |           |          |           |          |         |             |         |                  | 7     | т-     | г—    |                      | —         |           |           |          |          |        |          |          |                 |
|----------------------------|------------------------|----------|-----------|----------|-----------|----------|---------|-------------|---------|------------------|-------|--------|-------|----------------------|-----------|-----------|-----------|----------|----------|--------|----------|----------|-----------------|
|                            | -                      | 1.       | 2.        | 3.       | 4         | 5.       | 6       | 1 .         | o .     | 0                |       | Į.     | 11.   | 12.                  | 13.       | 14.       | 15.       | 16.      | 17.      | 18.    | 19.      | 20.      | }               |
| 000                        |                        | P-       | D<br>1    | (ش)      | 7.2       | >        |         | -           | 2       | DI               | 1     | (3)    | 4     | カ                    | †1)<br>(  | (ک        | í         |          |          |        | -        |          |                 |
| 20,100                     |                        | C        | CU        | 2        | 3         | 3 1      | 5.5     | 1           | 62      | 2                | 2     | C1     | Ç     | _ [                  |           | 2         |           |          |          |        |          |          |                 |
| Spec.                      |                        | Stailong | ا بد<br>د | State ~  | 27.7      | 30       | - ×     | 117.83      | 8-4"    | 24               | 8.7°  | 1. te  | 0. 4. | _                    | 4         | 1         | ×. 7      |          |          |        |          |          |                 |
| Actual                     | 2000                   | Hance    | 016"      | chiese   | 2 2 2 2   | > ×      | 8.0     | 88.<br>22 = | 8)- u 1 | 119.8            | الخ.ع | 1.7.18 | 0.0   | 20                   | 0-0       | 9-0       | ×         |          | -        |        | -        |          |                 |
| No of                      | rods                   | 5        | ,         | , <      |           | K        | <       | <           | <       | 5                | 5     | 5      | ,     | <                    | <u> </u>  | <u> </u>  | <         |          |          |        |          |          |                 |
| Steel ( v or x) of Size of | rods                   | 5        |           | <        |           | <        | ζ       | ς           | <       | 5                | `     | ,      | , 5   | (                    | <         | <         |           |          |          |        |          | -        |                 |
| Honeycombs                 |                        |          | , 5       | 5        | <         | 5        | Ľ.      | ς.          |         | 5                | `     | K      | K     | <                    | <         | 5         | <         |          |          |        |          |          |                 |
| Plumb<br>Sida 1            | Side 1                 |          | 5         | 2        | <         | 5        | ς       |             |         | ς (              |       | 1      | 5     | 5                    | 5         | 5         | <         |          |          |        |          |          |                 |
| Plumb (v or x)             | Side 2                 |          | 5         | 1        | 5         | <        | ς       |             | 5       | <                |       | <      | 5     | 5                    | <         | 5         | <         |          |          |        |          |          |                 |
| Reference level            | marked on<br>  column? | ╢ "      |           |          | Lyres [No | √Yes  No | NYes No | 7           | 7/      | $\exists \Gamma$ | ٦ŀ٢   | 1/     |       | LyYes \( \sum_{No}\) | ∠Yes □ No | L√Yes □No | L√Yes □No | ∐Yes □No | ∐Yes □No | Yes No | ∐Yes ∐No | ∐Yes ∏No | Yes No          |
|                            |                        | 1        |           | <u> </u> |           |          |         |             |         | L                |       |        | L     |                      |           |           |           |          |          |        | L_,,     |          | <b>ا</b> ـــــا |