

## Quality Control Check Repot. Stage: After Column Casting (villas)

Block No.	* 84	Column No.	10	S1. No.	56368
Company	Voc LLP	Project	ρý	Phase	1
Prepared by	M. Teja Sindher	Sign	IFD	Date	17/03/18
Project Manager	A-Sovesh	Sign	Ar A	Date	17/03/18
Previous stage report no.	10.	29403	Report filed and signed by PM?	d by PM?	√Xes □No
Checked By MD on		MD Sign		For filling	☐ Yes ☐ No
Recommendation:  Stop further work. Submit ATR on QC report  Stop further work. Proceed with work after s  Proceed with further work only after making  Proceed with further work. ATR not required	Submit ATR on QC re Proceed with work after work only after maker work. ATR not requ	Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team.  Proceed with further work only after making corrections pointed out in the QC report. ATR n Proceed with further work. ATR not required.	eed only after recheck be QC report to QC team. I out in the QC report.	by QC.  ATR not required.	

### Columns Position Check. Notes:

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

Choice each correct dimension with green colour. Circle each incorrect dimension	ncorrect dimension wath red colour and mention actual dimension next to it.
Columns Position Check Plan enclosed?	Myes □No
2	

#### Slab Dimensions Check. Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outcr dimensions of slab. (Tolerance 2")
- Show length and width of balconies (Tolerance 1")
- Show location of sunken slab. Show inner dimensions of ducts and lift well. (Tolerance 1")
- 6 5 6 5 5 Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it

Specified thickness of slab?	Slab Dimensions Chcck Plan enclosed?	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention
Actual thickness of slab?	☐Yes ☐No —	orrect dimension with red colour and mention actual dimension next to it.

# Quality Control Check Repot. Stage: After Column Casting (villas)

Quality of centering, rod bending and concreting.		
Quality of centering, rod bending and concreting?	. A 0.11	☐ Good 🕶 Avg. ☐ Bad
Quality of starters?		☐ Good ☐ Avg. ☐ Bad
Number and size of honey combs?	and the second s	☐ High ☑ Medium. ☐ Low
Are the honey combs is slab and columns packed?		☐Good NAvg. ☐ Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	e than 1"	
Have 6 cubes each for columns and slab casted and numbered for testing?		NYes No
Remarks:		
Ouring		
Bunds for curing made on slab?	☐Yes ☐No	
Bund size is less than 100 sft?	□ Yes □ No	
Drum (200 lts) provided for curing?	√Ycs □No	
Gunny bags used for column curing?	Yes No	
Distance of tap from furthest distance that requires curing. (max permitted 100')	\$ 10:01	
Frequency of curing in number of times a day (enquire from labourers)	Limis	
Is the pressure in the curing pipe more than 15' head?	√Yes □No	
Quality of infrastructure for curing.	Good Avg.	Bad
Remarks:		

### Quality Control Check Repot.

Stage: After Column Casting (villas)

# Columns height, plumb, steel & level marking check, Notes:

- Mark 

  for correct or minor mistake which does not require correction
   Mark 

  for minor mistake that requires minor correction.
- Mark XX for major mistake that requires correction by replacement or re-fixing. Mark XXX for major mistake that cannot be corrected.

  Tolerance: Plumb 0.25".

17. 18.				S No College action S No Co
	7 2 2		<del>`</del>	Circle actual height of columns io
	11/18 11/18 11/18 11/18			Circle actual height of columns if level differs from specion Col No. Col type Height in ft Spec. Actual  A C 813"  B C 813"  B 31"  B 31"
	E = \	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	1 (2/4:/8 1 (2/4:/8 1 (3/4:/8	fied hei
	< < <		< < < <	<del> </del>
				Honeycombs Plus Side 1
	< < < <			Plumb ( or x) de 1 Side 2
	XYes No		┧┌┧┌┧┌┪┌┪	