Quality Control Check Repot. Stage: After Column Casting (villas)

Project VOC (LLP) Project VOC Sign Sign A SULLAP Sign Sign Report filed and signed WAD on MD Sign MD Sign Report filed and signed WHO on WHO on SyMD on Who could be provided by the roceed with work after submitting ATR on QC report to QC team. Proceed only after recheck by the roceed with work after submitting ATR on QC report to QC team. d with further work. ATR not required.	1111					
Project Sign S. Kuldeep Sign A. Susesh ort no. 32983 MD Sign MD Sign Report filed and signed by PM? MD Sign MD Sign For filling rk. Submit ATR on QC report to QC team. Proceed only after recheck by QC. ork. Proceed with work after submitting ATR on QC report to QC team. urther work only after making corrections pointed out in the QC report. ATR not required.	Block No.	25	Column No.	oh	Sl. No.	33271
Sign A-sureh MD Sign MD Sign Report filed and signed by PM? MD Sign MD Sign Report filed and signed by PM? For filling For filling rk. Submit ATR on QC report to QC team. Proceed only after recheck by QC. ork. Proceed with work after submitting ATR on QC report to QC team. urther work only after making corrections pointed out in the QC report. ATR not required.	Company	voc (LLP)	Project	VDC	Phase	\
ort no. Sign Date Ort no. 32983 Report filed and signed by PM? MD Sign MD Sign Report filed and signed by PM? For filling For filling For filling ork. Submit ATR on QC report to QC team. Proceed only after recheck by QC. ork. Proceed with work after submitting ATR on QC report to QC team. urther work only after making corrections pointed out in the QC report. ATR not required.	Prepared by	- 100	Sign	- Emponts	Date	28/03/19
ort no. 32983 Report filed and signed by PM? In MD Sign For filling For filli	Project Manager		Sign	É	Date	28/03/19
MD Sign For filling INTER: Submit ATR on QC report to QC team. Proceed only after recheck by QC. ork. Proceed with work after submitting ATR on QC report to QC team. For the team of the team. The team of the	Previous stage report	no.	32983	Report filed and signe	d by PM?	✓Yes □No
ork. Submit ATR on QC report to QC team. Proceed only after recheck ork. Proceed with work after submitting ATR on QC report to QC team urther work only after making corrections pointed out in the QC report. urther work. ATR not required.	Checked By MD on		MD Sign		For filling	□Yes □No
	Recommendation: Stop further work. Stop further work Proceed with furtl Proceed with furtl	Submit ATR on QC re. Proceed with work affer work only after make her work. ATR not required	port to QC team. Proceed ter submitting ATR on ing corrections pointed ired.		y QC. ATR not required.	

Columns Position Check.

- Inspection should be done after casting of columns at each stage and before starting centering works for each slab.
 Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1")
- Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.
- Circle each correct dimension with green colour Circle each in 4

2. Chere each correct dimension with great colour. Chere each incorrect difficultion with red colour and me	ntion actual dintension he
Columns Position Check Plan enclosed?	
Clab Dimensions Charle	

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolcrance 2")
- Show length and width of balconies (Tolerance 1")
- Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each inco

Specified thickness of slab?	Slab Dimensions Check Plan enclosed?	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and men
Actual thickness of slab?	☐Yes ☐No	-
		on next to it.

•	Quality (
•	Control
50 5 5 100 000 000 000 000 000 000 000 0	Control Check Repot.
	Stage: After Column Casting (villas)

☐ Good ☐ Avg. ☐ Bad
☐ Good ☑ Avg. ☐ Bad
☐ High ☑ Medium. ☐ Low
☐ Good ☐ Avg. ☐ Bad
Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"
√Yes ☐ No
∏-Yes □No
☐Yes ☐No
Yes No
∠Yes □No
20-0"
2 timbe
∑Yes
Good Avg. Bad

Columns height, plumb, steel & level marking check.

- Mark v for correct or minor mistake which does not require correction
 Mark X for minor mistake that requires minor correction.
 Mark XX for major mistake that requires correction by replacement or re-fixing.
 Mark XX for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of columns if local difference.

19.		18.	17.	16.	15.	14.	13.	12.	11. p3	10.	9. Cy	8. C ₃	7. G	6. B u	5. 82	4. b 1	3. Au	2. A3	1. A ,		S No Col No.	Circle actual he
									s,					, C3	Cy			<u></u>	C		lo. Col type	Circle actual height of columns if level differs from specified height by more than 1".
									1-111	8) u "	81-4"	81,41	etaw	11-18	81."	Stain	14-18	8)- 7"	817"	Spec.	Heig	f level differs
								-	8 - C	91-411	æ] • S "	8-6"	(Tow	81. 211	81-311	Stair	14 - (8)	81.51	81.61	Actual	Height in ft	from specifie
									<	٩	<	<	ζ	Ç		ς.	ς .	ς	ς .	No of rods	Steel (d height by n
									0	(<	<	<	ς	ζ.	<	<	ς.	Size of rods	Steel (v or x)	nore than 1".
			**						(<	(ζ.	ς	ς	×	<	ζ.	<	<		Honeycombs	
								DAME WILLIAM STATE	· ·	Ç	K	(Ç-	((((ζ.	(Side 1	Plumb	
No. of Control of Control									(<	<	((<	(<	<	ζ	<	Side 2	Plumb (• or ×)	
TYes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐Yes ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	✓ Yes ☐ No	Yes No	Yes ∐No				Yes No	Yes No	☐ Yes ☐ No	Yes No	Yes No	column?	Reference level	