	2.5	lab?	Actual thickness of slab?	511		Specified thickness of slab?
			NYes No		lan enclosed?	Slab Dimensions Check Plan enclosed?
ext to it.	dimension n	nention actual	nsion with red colour and m	c. Find an A3 size plan.  Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.	ion with green colour.	2. Circle each correct dimension
				well. (Tolerance I")	Show inner dimensions of ducts and lift well. (Tolerance 1") Show location of sunken slab.	1
				lerance 1")	Show length and width of balconies (Tolerance 1")	10
				k Plan as follows:	Slab (or plinth beams) Dimensions Check Plan Show outer dimensions of slab. (Tolerance 2**	<ol> <li>Prepare Slab (or plinth beams) Dimensions Check Plan as follows:</li> <li>a. Show outer dimensions of slab. (Tolerance 2")</li> </ol>
						Slab Dimensions Check, Notes:
			⊠Yes ∐No		Plan enclosed?	Columns Position Check Plan enclosed?
ext to it.	dimension n	nention actual	nsion with red colour and n	Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.	ion with green colour.	3. Circle each correct dimens
	-			alloo 1.5 )	olan.	
				nns. (Tolerance 1")	Show inner – inner space between columns. (Tolerance 1") Show diagonals for 20% of bays (Tolerance 1 5")	<ul> <li>c. Show inner – inn</li> <li>d. Show diagonals f</li> </ul>
				Tolerance 0.5")	Show size and orientation of columns. (Tolerance 0.5"	
	*				Columns Position Check Plan as follows Divide blocks into smaller sub-blocks.	<ol> <li>Prepare Columns Position Check Plan as follows:</li> <li>a. Divide blocks into smaller sub-blocks.</li> </ol>
		r each slab.	starting centering works fo	Inspection should be done after easting of columns at each stage and before starting centering works for each slab.	after casting of colum	5
						Columns Position Check.
·	not required.	ATR	d out in the QC report.	Proceed with further work only after making corrections pointed out in the QC report. ATR Proceed with further work. ATR not required.	work only after mal	Proceed with further work only after making of Proceed with further work. ATR not required.
		by QC.	xeed only after recheck 1 QC report to QC tean	Stop further work. Submit ATR on QC report to QC team. Proceed only after recheck by QC. Stop further work. Proceed with work after submitting ATR on QC report to QC team.	bmit ATR on QC vroceed with work a	Stop further work. Su
						Recommendation:
☐ Yes ☐ No	04	For filling		MD Sign	SCOTOR STATE OF STATE	Checked By MD on
NYes □No		ed by PM?	Report filed and signed by	28490	5 00 00 00 00 00 00 00 00 00 00 00 00 00	Previous stage report no.
41/21/50	*	Date	(X)	Sign .	K-SHIPLSH	Project Manager
41/21/50		Date	4	Sign	M. Tejassidhur	Prepared by
=	•	Phase	PMR-I	Project	PMR	Company
04886		SI. No.	90	Column No.	(15-21)	Block No.
	tments)	sting (Apar	Stage: After Column Casting (Apartments)		Quality Control Check Repot.	•
	•			*		•

Quality Control Check Repot. Stage: After Column Casting (Apartments)

		Remarks:
Bad	Quality of infrastructure for curing.	Quality
-1		Is the pro
	3 turns	Frequenc
	Distance of tap from furthest distance that requires curing, (max permitted 100') 30'. 011	Distance
	Gunny bags used for column curing?	Gunny b
Control of the Contro	Hink?	Danin (2)
A CONTRACT OF THE PARTY OF THE		Huma siz
		Curing.   Bands fo
few flaw.	Note: Honey Combs looking not done Property at	Remarks:
K xes □ No	Have 6 cubes each for columns and slab casted and numbered for testing?	Have 6 ci
	Number of beams that are sagging, bulging, caved or deflected in the slab by more than 1"	Number (
☐ Good MAvg. ☐ Bau	Are the honey combs is slab and columns packed?	Are the h
High   Medium.   Low	Number and size of honey combs?	Number a
Good Mavg. Bad	starters?	Quality of starters?
☐ Good MAvg. ☐ Bad	Quality of centering, rod bending and concreting?  Quality of centering, rod bending and concreting?	Quality o

Quality Control Check Repot. Stage: After Column Casting (Apartments)

Columns height, plumb, steel & level marking check, Notes:

Mark  $\checkmark$  for correct or minor mistake which does not require correction Mark  $\times$  for minor mistake that requires minor correction.

Mark  $\times$  for major mistake that requires correction by replacement or re-fixing. Mark  $\times$   $\times$  for major mistake that cannot be corrected.

Tolerance: Plumb 0.25".

'Circle actual height of columns if level differs from specified height by more than 1".

17.	16.	15.	14.	13.	12.	1.	-10.	, <b>c</b>	×	~	ĵ.		4.	'n	1,2	1-			S No
(	(	1	1	ļ	1	ſ	<b>P</b> E 1: 1		111	F		,	\ .	1	1	1			Col No.
63	C	72	25	CG	S	را د	$c_{L}$	۱, ر	(,)	<u> </u>		$\mathcal{Z}$	2	62	E	C		•	Col type
1,7,4,8	12/14:8	8:41/21	8:4/21	8: 6/21	81.41/21	11211218	81 (11/1),18	14 1 W	R1 (41), "	6,(11),4	1.914.18	1914:8	1/14:18	12/2/8	8,41,1	8:41/2"		Spec.	Heig
11.3.13	8181	1.578	81.511	81511	81.411	81-811	8/11/	F1.8.11		6.1. Ju	8/20	2,81	14:8	8,811	8:41	81411		Actual	Col No. Col type Height in ft Steel ( • or ×)
4	۲,	<	<	<	۲	ς	ζ,		4	ć	₹	<	<	<	<u>\</u>	<	rods	No of	Steel (
Z	`\	<	<	<	<	<	,	₹		<	۷,	<	<	۷,	<	<	rods	Size of	Steel ( v or x)
~	人	<	۷	*	<	< −	ξ.	Ċ	4	<	۲.	く	×	<	<	<			Honeycombs
۷.	۷	۷	۷.	<	く	<b>خ</b>		,		Ž,	<	<	<	<u> </u>	<	<		Side 1	Plumb
_	<	<	<	<	く.	ţ	•		P	<	<	ζ,	<	<	<	<	•	Side 2	Plumb ( or X)
☐Yes ☐No	☐Yes ☑No	☐ Yes ☑ No	Yes No	Yes No	Yes L. No	TYES No	TYES TNO	TYM DN	Yes   No	Yes   JNo	☐Yes ☐No	☐Yes ☑No	☐Yes ☑No	☐ Yes ☑ No	Yes No	☐Yes ☑No	column'?	marked on	Reference level

## Quality Control Check Repot. Stage: After Column Casting (Apartments)

							10 100																
39.	38.	37.	36.	35.	34.	33.	32.	31.	30.	29.	28.	27.	26.	25.	24.	23.	22.	21.	20.	19.	18.		S No
1	-	}		\	-	١	}	1		,		1	)	1.	-	1	١	1		Ţ	1		Col No.
Cr	( Y	$c_{r}$	5)	CS	C2 *	ç4	(2)	CS	C2	(2)	Clt	2	24	ch Ch	C4	C8	C2_	$c_2$	۲2	62	6		Col type
1,91,51,8	81.41/211	17,45,8	19/4/3	12/12/8	17/2/3	81.41/211	14-18	8121211	8171/211	12/12/8	8".41/2"	11914-18	81.4/21	8:212	8.612	81.41/21	11,117.18	11/12:18	19,4-3	12/12/8	8.4/2"	Spec.	Heigh
8-81	81.411	81,811	81.811	81.811	1.8.8	87.41	81,811	114.8	81.811	81.811	8. h11	2:4:8	8'.4'	8.8"	8.51	8,41	8,811	11818	8.811	14.8	8:81	Actual	Height in ft
<	1/	۷	~	<	<u>ر</u>	<	<	<	<	۷,	<	<	<	<	<	<	<	<	<	く	<	No of rods	Steel (
~	ζ,	<u></u>	<	ζ	<	<u> </u>	<b>4</b>	<	<	<	<	<	<	<	<	<	<	<	<	<	<	Size of rods	Steel ( or x)
4	ζ,	<	۷	~	<	ζ	٧	<	2	<	<	ζ.	火	۷.	<	<	<	<	<	<	<	-	Honeycombs
<	<	く	\ \	<	٤	2	<	۷	<	く	<	<	<	<b>4</b>	<	<	<	<	<	<	•	Side 1	
<	<	~	く	<	<	<	<	<	<	<	<	<	<	۷	<	<	く	۲	~	<	<	Side 2	Plumb (✓ or 🗙)
Yes No	☐Yes ☑No	☐ Yes ☑ No	☐Yes ☑No	☐Yes ☐No	□Yes ☑No	☐Yes ☑No	Yes No	☐Yes ☐No	☐Yes ☑No	☐ Yes ☐ No	☐Yes ☑No	Yes VNo	Yes No	Yes Nio	□Yes □Ño	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☑No	☐Yes ☑No	☐Yes \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Ycs No	marked on column?	Reference level

## Quality Control Check Repot. Stage: After Column Casting (Apartments)

61.	60.	59.	58.	57.	56.	55.	54.	53.	52.	51.	50.	49.	48.	47.	46.	45.	44.	43.	42.	41.	40.		S No
										•								(	(	1	١.		Col No.
					è				*	*								7.J	2	(3	C2		Col type
										i						•		814/2"	12/12/18	8:4124	1,9,418	Spec.	Heigh
						4													81.811	8.4"	1.6.8	Actual	Height in ft
														c				<	<	<	ζ	No of rods	Steel (
																			<	<	<	Size of rods	Steel ( v or x)
																		۷,	<	5	<		Honeycombs
							e e											<	<	3	5	Side 1	Plumb
					- PAPE													<	(	<	<	Side 2	Plumb ( v or X)
Yes No			1	$\ _{\square}$	1	1		1	-				1	$1 \Box$	┧┌	1	1	1			1	column?	Reference level