	Jua
	ality (
	Control Check Repot.
	01
	heck
ļ	Rer
)0t.
	(
	tage:
100	tage: After
200	tage: After Colu
	tage: After Column
	tage: After Column Cast
	tage: After Column Casting (
	tage: After Column Casting (villas)

Block No. 19 Column No. O SI. No. 27336						
phase Phase	Block No.	101	Column No.	10	Sl. No.	27336
n PAL Date n Report filed and signed by PM? Sign For filling For filling Eubmitting ATR on QC report to QC team. corrections pointed out in the QC report. ATR not required.	Company	2/0/gmo Mass	Project	Na Jame choto	Phase	C
Date Report filed and signed by PM? Sign Report filed and signed by PM? For filling to QC team. Proceed only after recheck by QC. ubmitting ATR on QC report to QC team. corrections pointed out in the QC report. ATR not required.	Prepared by		Sign	TE	Date	41(20/50
Report filed and signed by PM? Sign	Project Manager		Sign	Raber	Date	41/20/50
For filling to QC team. Proceed only after recheck by QC. ubmitting ATR on QC report to QC team. corrections pointed out in the QC report. ATR not required.	Previous stage report		これら	Report filed and signe	d by PM?	£Yes □No
to QC team. Proceed only after recheck by QC ubmitting ATR on QC report to QC team. corrections pointed out in the QC report. ATR	Checked By MD on		MD Sign		For filling	☐ Yes ☐ No
	Recommendation: Stop further work. Stop further work. Proceed with furth Proceed with furth	Submit ATR on QC re Proceed with work aft ther work only after maker work. ATR not requ	port to QC team. Processor submitting ATR on ing corrections pointed ired.	ced only after recheck by QC report to QC team. I out in the QC report.	y QC. ATR not required.	

Committee Losition Check.

Notes:

- Inspection should be done after easting of columns at each stage and before starting centering works for each slab.
- Prepare Columns Position Check Plan as follows:
- Divide blocks into smaller sub-blocks.
- Show size and orientation of columns. (Tolerance 0.5")
- Show inner inner space between columns. (Tolerance 1") Show diagonals for 20% of bays. (Tolerance 1.5")
- Print an A3 size plan.

Clab Dimensions Charles	Columns Position Check Plan enclosed?	choice each correct dimension with green colour. Circle each incorrect dimension with red colour and
	YYes □No	dimension with red colour and mention actual dimension next to it.

Notes:

- Prepare Slab (or plinth beams) Dimensions Check Plan as follows:
- Show outer dimensions of slab. (Tolerance 2")
- Show length and width of balconics (Tolerance 1")
 Show inner dimensions of ducts and lift well. (Tolerance 1")
- Show location of sunken slab.
- Print an A3 size plan.
- Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention actual dimension next to it.

Specified thickness of slab?	Slab Dimensions Check Plan enclosed?	2. Circle each correct dimension with green colour. Circle each incorrect dimension with red colour and mention ac
Actual thickness of slab?	☐ Yes ☐ No —	mension with red colour and mention actual dimension next to it.

Quality Control Check Repot. Stage: After Column Casting (villas)

Good Avg. Bad
☐ Good Avg. ☐ Bad
High Medium. Low
☐ Good ☑ Avg. ☐ Bad
)
✓ Yes ☐ No
JNo
]No ,
No
No
□No
]Avg. [] Bad
han I" Yes Yes You Good Good

Columns height, plumb, steel & level marking check.

- Mark for correct or minor mistake which does not require correction
 Mark × for minor mistake that requires minor correction.
 Mark × for major mistake that requires correction by replacement or re-fixing.
 Mark × × for major mistake that cannot be corrected.
 Tolerance: Plumb 0.25".
 Circle actual height of column 1.21".

Circle actual height of columns if level differs from specified height by more than 1".

No | Col No. | Col type | Height in ft | Steel (Cor x)

20.	19.	18.	17.	16.	15.	14.	13.	12.	5 F	10.	45	9 9	c :	. s	r j	η.	۲ از	2 1) -	-		5
						98	7.0	DS	DY	0	7	5 5	- - ا	-		30	83	3	7 7	÷		Col Ivo.
						01	CY	2	61	1.0	C2.	12	-	-	27	CY	6	S	C)			Corrype
-						1.4 h.8	8.4112	المالية المالية	21.5.8	Shris	8.7.1	\$ · 1 (l;	رخد.	10 m	8:3 1.7	8:2	311-6:8	1746.8	1714-8		Spec.	
						8.41	87.41	24.00	8,41	8,40	8.3.1		- 13 - 13 - 13	ランン	8.4%	la	Τ_	1.6.2	3,4,	2000	Actual	TINETH III
						<	۲,	4	<,	ζ.	K	≺ .	-	1	<	<	<	<		rods	No of	STEEL
						V	/	<	<	<	<u></u>	ĸ	ŗ	_	۲	<	<	7		rods	Size of	preer (v or X)
						<	<	7			<	<	٠	۲.	(5	5	7			Honeycombs
						<	<		`	<	<	ζ.	~	₹,	. <	<	1	1			Side 1	Plumb
						<				<	ζ.	ζ.	- ·	K.	(ζ.	<	ζ.	<.		Side 2	Plumb (v or x)
	1			Yes No	☐ Yes ☐ No	□Yes □No	✓ Yes □ No	Yes No	Yes No	√Yes No	V Yes No	J Yes No		Yes []No	Yes □No	Yes □No	☑Yes □No	✓Yes □No	Yes No	column?	marked on	Reference level