GREATER HYDERABAD MUNICIPAL CORPORATION TOWN PLANNING SECTION, BUILDING PERMIT ORDER

10										·		
SYED FURKHAN MEHDI								· ·				
H.NO:8-7-8/4,RAJA RAJESHWAI NAGR COLON BOWENPALLY.							962/04/05/2012					
Phone No:				Permit No: 12			131/DC/WZ/Cir-14/2012					
Mobile No:					Date	10-	JUN-201	2		.,		
Sir / Madam,				<u> </u>								
Sub: Building Permission – S	anction	ed – Reg],					· · · · · · · · · · · · · · · · · · ·				
Ref: Your Application dated: 1975.	04-MAY-	2012. u,	/s 388	3, 428 &	433 of HMC	Act, 195	5 and A	P.Urhan Area	e (Doy) A			
1973,							- u		s (Dev), Ac	π,		
Your application submitted in	the ref	erence b	ac ho	00 0100	*****	*****						
Your application submitted in permission is hereby sanction	ned cond	ditionally	as de	etailed be	inea with re elow:	erence t	o the rul	es and regula	itions in for	rce an		
A. Applicant And Licensed							"		•			
1.Applicant Name:					SYED FURKHAN MEHDI							
2.Developer/Builder/Owner:	.Developer/Builder/Owner:			- 		vo.: (0					
3.Architecture/Surveyor/Civil	Engg:		ANAND SAGAR			Lic.						
4.Structural Engineer:				0				CA/76/2898 0				
5.Others:	Others:			0				-				
B. Site Details									٠,			
1.Sy.No.:			35									
2.Door.No.:								•				
				8/3	· .							
3.Plot No.:				10, OLD BOWENPALLY VILLAGE								
4.Loacality:				RAJA RAJEHSWARI NAGAR ,14								
C. Details of Permission Sa	nction	ed:Usag	e=Re	esidentia	al;Parking:	=+;Grou	nd Floor	rs=G:Other	Finars-2			
1.Floors:	G+2	2	.Total	Builtup .	Area:	***		312.84	10013-2			
3.Parking Floors:	+							512.04	·			
	Front			A.Area of parking floors:				0				
5.Setbacks(m):	3.00			0 1.00		SideI		Side II				
6.Site Area(m2):						1.00		1.00		-		
	178.93			ot-lot Area(m2):				0				
3.Road affected area(m2):	0	9.Не		leight(m):				9				
10.Net Site Area(m2):	0	1.	1.Oth	ers:				0	· · · · · · · · · · · · · · · · · · ·			
D. Details of Fees Paid (Rs.	.):		· · · ·									
L.Building Permit Fee:	589	6	···	2.City Id	evel infrastr	ucture in	nact fee	: 0	·			
3.Development charges:	369	25		4.CDA Charges:			.pace ree	0				
5.Betterment charges(builtup irea):	313	00		6.Open space Constribution						<u>———</u>		
7.R.W.H charges:	250	4		8.Others:				0				
.V.L.T charges:	o			10.Ext. Betterment Charge				0				
1.Sub-Division charges:	0	0		area): 12.Impact fee:								
3.Compounding Fee:	О	o		14.Layout regulation cha			o Jes: O					
Challan No: 517/59			your regulation charges:				ĮV .	• .				
6.Challan Date:	4-M	y-2012	2	17.Total	Fee:	•		76625				
. Other Details								7 7023				
.Contractor's all Risk Policy o.:	o	Date:		3-Jun- 012	Valid Upto	:	18-Jun-	2012				
.Notarised Affidavit No.:	17000	03 Date: 7		Feb-)12	Floor Hand	or Handed Over:		FIRST FLOOR Area(m2): 33.5		2		
Entered in PPWR SI.No.:	537	10ate. 120		1-Jun-)12 S.R.O:			0					
Construction to be Commenced Before Construction to be Completed Before				Monday, June 17, 2013								
ote:Please obtain Occuper	ncy Ceri	erore ificate	[W from	ednesda GHMC h	ay, June 13	7, 2015			· · · · · · · · · · · · · · · · · · ·			
f the building.						pauVΠ						

18612 18612

The Building permission is sanctioned subject to following conditions:

The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.

If construction is not commenced within one year, building application shall be submitted afresh duly paying required fees. Sanctioned Plan shall be followed strictly while making the construction.

Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.

Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act.

Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.

Occupancy Certificate is compulsory before occupying any building.

Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.

Tree Plantation shall be done along the periphery and also in front of the premises.

Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.

Space for Transformer shall be provided in the site keeping the safety of the residents in view.

6. 7.

10.

12.

13.

Rain Water Harvesting Structure (percolation pit) shall be constituted.

Space for Transformer shall be provided in the site keeping the safety of the residents in view.

Garbage House shall be made within the premises.

Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters. Cellar and stilts approved for parking in the plan should be used exclusively for parking or vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost with out claiming any compensation at 16.

18.

19.

Strip of greenery on periphery of the site shall be maintained as per rules.

Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done,

- The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.
 The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost.
 A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for 22. 23.
- No front compound wall for the site abutting 18 mt. road width shall be allowed and only Iron grill or Low height greenery hedge shall be

If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.

All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC of 2005. 26

The mortgaged builtup area shall be allowed for registration only after an Occupancy Certificate is produced. 27.

28.

The Registration authority shall register only the permitted builtup area as per sanctioned plan.

The Financial Agencies and Institutions shall extend loans facilities only to the permitted builtup area as per sanctioned plan.

The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of 30.

Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the

Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).

As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),

a. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.

The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and

the owner, builder, Architect, Structural Engineer and site engineer are jointly a severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.

The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.

The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Cartificate is obtained from CHMC after providing all the regular service connections to each notion of the d. and until Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.

(ii)

Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.

Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.

An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.

Insurance Policy for the completed building for a minimum period of three years.

33. Structural Safety and Fire Safety Requirements shall be the responsibility of the Owner, Builder/ Developer, Architect and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005 like;

To provide one entry and one exit to the premises with a minimum width of 4.5mts. and height clearance of 5mts.

Provide Fire resistant swing door for the collapsible lifts in all floors. ii)

Provide Generator, as alternate source of electric supply. (iii iv)

Emergency Lighting in the Corridor / Common passages and stair case. V)

Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification No.2190-1992.

Manually operated and alarm system in the entire buildings;

vii) Separate Underground static water storage tank capacity of 25, 000 lits. Capacity.

Separate Terrace Tank of 25,000lits capacity for Residential buildings; viii)

ix) Hose Reel, Down Corner. X)

Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts. xi)

Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety. xii)

Transformers shall be protected with 4 hours rating fire resist constructions (iiix

To create a joint open spaces with the neighbours building / premises for maneuverability of fire vehicles. No parking or any constructions shall be made in setbacks area.

By order

for COMMISSIONER

Copy to

C.

1. The Assistant City Planner/City Planner, Circle -14, Kukatpally, GHMC.

The Assistant City Planner/City Planner, Office - 14, Nukatpany, Office.
 The Zonal Commissioner, West Zone, GHMC.
 The Manager Director, HMWS&SB.
 The Director, A.P. TRANSCO, Hyderabad.
 The Director General, Stamps and Registration Department, Hyderabad.
 The Director General, Fire Service Department, Govt. of A.P. Hyderabad.

7. The Neighbors (side1, side2 & rear)

8. The Licensed Technical Personnel / Structural Engineer / Builder.

GREATER HYDERABAD MUNICIPAL CORPORATION TOWN PLANNING SECTION, BUILDING PERMIT ORDER

То							· · · · · · · · · · · · · · · · · · ·	<u> </u>		
SYED MEHDI	•						·			
H.NO:8-7-8/5,RAJA RAJESHV BOWENPALLY VILLAGE.				8/04/05	/2012					
Phone No:		Permit No: 12130/ Date : 18-JUN-			30/DC/	DC/WZ/Cir-14/2012				
Mobile No:					. 107	014-2012	1	-		
Sir / Madam,										
Sub: Building Permission - S	anctioned	- Reg.					· · · · · · · · · · · · · · · · · · ·			
Ref: Your Application dated:0	4-MAY-20	12. u/s	388, 428 &	433 of HMC	Act, 1955	and A.F	Urban Areas	(Dev) Act		
1975.				· ·				(Dev), Act,		
Your application submitted in	the refere			******						
Your application submitted in permission is hereby sanctior	ed conditi	onally a	s detailed b	iinea with re elow:	rerence to	the rule	es and regulat	ions in force and		
A. Applicant And Licensed				12	7					
1.Applicant Name: '		SYED MEHDI								
2.Developer/Builder/Owner:			0			0.: 0	,	•		
3.Architecture/Surveyor/Civil	3.Architecture/Surveyor/Civil Engg:			NDND SAGAR			A/76/2898			
4.Structural Engineer:			0	Lic.No						
5.Others:	5.Others:			0						
B. Site Details	·									
1.Sy.No.:		- i	35			1,				
2.Door.No.:							············	···		
3.Plot No.:		8-7-8/5								
		12, OLD BOWENPALLY VILLAGE								
4.Loacality:			RAJA RAJEHSWARI NAGAR ,14							
C. Details of Permission Sa	nctioned	Usage	=Residenti	al;Parking=	+;Grour	d Floor	s=G;Other F	loors=2		
1.Floors:	G+2		otal Builtup				202.95			
3.Parking Floors:	+ '		Area of parking floors:				0			
ı	Front	Rea		· · · · · · · · · · · · · · · · · · ·	CidoT	<u> </u>	Cido II			
5.Setbacks(m):	3.00		0 TO 1.00		SideI		Side II			
6.Site Area(m2):					1.00		1.00			
	162.5		ot-lot Area(m2):	:					
· · · · · · · · · · · · · · · · · · ·	0	9.1	leight(m):					•		
10.Net Site 'Area(m2):	0	11.	Others:							
D. Details of Fees Paid (Rs.):				· .					
1.Building Permit Fee:	4145		2.City	level infrastr	ucture im	pact fee	: lo			
3.Development charges:	25325	;		4.CDA Charges:						
5.Betterment charges(builtup area):	20300)	6.Oper	space Cons	0 : 0					
7.R.W.H charges:	2000		8.Othe	rs:	0					
9.V.L.T charges:	.L.T charges: 0		10.Ext area):	. Betterment	o					
11.Sub-Division charges:	Sub-Division charges: 0			act fee:	0					
.Compounding Fee: 0			14.Lay	out regulatio	О					
15.Challan No:	.Challan No: 517/60				 _					
l6.Challan Date:	4-May	-2012	17.Tota	al Fee:			51770			
. Other Details										
L.Contractor's all Risk Policy No.:	0	Date:	18-Jun- 2012	Valid Upto):	18-Jun-	2012	-		
2.Notarised Affidavit No.:	110007	Date:	7-Feb- 2012	Floor Han	ded Over:	FIRST FLOOR	Area(m2):	22.09		
3.Entered in PPWR SI.No.:			14-Jun- 2012	S.R.O:	.R.O: (•			
 Construction to be Comp Construction to be Comp 		June 17, 2								
Note:Please obtain Occupe	netea Bet	icate f	Wedneso	lay, June 1	7, 2015	 		-		
of the building.	y certh	.cate fl	om GRMC	veine occi	upation	<u></u>				

18/6/12 Commissioner, GHMC

The Building permission is sanctioned subject to following conditions:

The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked U/s 450 of HMC Act 1955.

If construction is not commenced within one year, building application shall be submitted afresh duly paying required fees. Sanctioned Plan shall be followed strictly while making the construction.

Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view.

4.

5.

Commencement Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act.

Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act. 6

8.

Occupancy Certificate is compulsory before occupying any building.

Public Amenities such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.

Prior Approval should be obtained separately for any modification in the construction.

Tree Plantation shall be done along the periphery and also in front of the premises.

10

Tot-lot shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate. 11.

Rain Water Harvesting Structure (percolation pit) shall be constructed

Space for Transformer shall be provided in the site keeping the safety of the residents in view.

15.

Space for Transformer shall be provided in the site keeping the safety of the residents in view.

Garbage House shall be made within the premises.

Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted.

No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future

This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost with out claiming any compensation at 17.

Strip of greenery on periphery of the site shall be maintained as per rules.

Stocking of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, 19. failing which permission is liable to be suspended.

The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976. 20.

- The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost.

 A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for 22.
- No front compound wall for the site abutting 18 mt. road width shall be allowed and only Iron grill or Low height greenery hedge shall be 23.

25.

If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.

All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per

28.

The mortgaged builtup area shall be allowed for registration only after an Occupancy Certificate is produced.

The Registration authority shall register only the permitted builtup area as per sanctioned plan.

The Financial Agencies and Institutions shall extend loans facilities only to the permitted builtup area as per sanctioned plan. 29.

The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of 30.

Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the

GHMC.
Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).

As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),

a. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.

b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.

c. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions in the G.O.

The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following. building and duly submitting the following.

Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan.

Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.

(ii)

An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.

Insurance Policy for the completed building for a minimum period of three years.

- 33. Structural Safety and Fire Safety Requirements shall be the responsibility of the Owner, Builder/ Developer, Architect and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005 like;
 - To provide one entry and one exit to the premises with a minimum width of 4.5mts, and height clearance of 5mts. ii)

Provide Fire resistant swing door for the collapsible lifts in all floors.

iii) Provide Generator, as alternate source of electric supply. iv)

Emergency Lighting in the Corridor / Common passages and stair case. v)

Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. vi)

Manually operated and alarm system in the entire buildings; viil

Separate Underground static water storage tank capacity of 25, 000 lits. Capacity.

Separate Terrace Tank of 25,000lits capacity for Residential buildings, viii)

ix) Hose Reel, Down Corner.

Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts. X) xi)

Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety. xii)

Transformers shall be protected with 4 hours rating fire resist constructions. xiii)

To create a joint open spaces with the neighbours building / premises for maneuverability of fire vehicles. No parking or any constructions shall be made in setbacks area.

for COMMISSIONER

Copy to

- 1. The Assistant City Planner/City Planner, Circle -14, Kukatpally, GHMC.

- The Assistant City Planner/City Planner, Circle -14, Nukatpally, Grilvic.
 The Zonal Commissioner, West Zone, GHMC.
 The Manager Director, HMWS&SB.
 The Director, A.P. TRANSCO, Hyderabad.
 The Director General, Stamps and Registration Department, Hyderabad.
- 6. The Director General, Fire Service Department, Govt. of A.P, Hyderabad.
- 7. The Neighbors (side1, side2 & rear)
 8. The Licensed Technical Personnel / Structural Engineer / Builder.