

SURVEY NO 230 TO 243/PLOT.NO:15-B Crescentia Labs

Crescentia Labs Private Limited APPROVAL NO:

> . THE OWNER/BUILDER SHALL STRICTLY COMPLY WITH THE DIRECTIONS CONTAINED IN THE ORDER OF NATIONAL GREEN TRIBUNAL AS WELL AS THE MINISTRY OF ENVIRONMENT AND

SHEET NO.: 1/4

INWARD_NO.: IIC/0001/2022

- 2. THE OWNER/BUILDER SHALL STRICTLY COVER THE BUILDING MATERIAL STOCK AT SITE EVERY BUILDING OR OWNER SHALL PUT TARPAULIN ON SCAFFOLDING AROUND THE AREA OF
- 3. THE OWNER/BUILDER SHALL NO STOCK THE BUILDING MATERIAL ON THE ROAD MARGIN AND FOOTPATH CAUSING OBSTRUCTION TO FREE MOVEMENT OF PUBLIC AND VEHICLES, FAILING WHICH
- 4. ALL THE CONSTRUCTION MATERIAL AND DEBRIS SHALL BE CARRIED IN THE TRUCKS OR OTHER VEHICLES WHICH AREA FULLY COVERED AND PROTECTED . SO AS TO ENSURE THAT THE CONSTRUCTION DEBRIS OR THE CONSTRUCTION MATERIAL DOES NOT GET DISPERSED INTO THE AIR OR
- 5. THE DUST EMISSIONS FROM THE CONSTRUCTION SITE SHOULD BE COMPLETELY CONTROLLED AND ALL PRECAUTIONS SHALL BE TAKEN IN
- 6. THE VEHICLES CARRYING CONSTRUCTION MATERIAL AND DERBIES OF ANY KIND SHALL BE CLEANED BEFORE IT IS PERMITTED TO PLY ON THE
- 7. EVERY WORKER ON THE CONSTRUCTION SITE AND INVOLVED IN LOADING UNLOADING AND CARRIAGE OF CONSTRUCTION MATERIAL AND CONSTRUCTION DEBRIS SHOULD BE PROVIDE WITH MASK HELMETS, SHOES
- 8. OWNER AND BUILDER SHALL BE UNDER OBLIGATION TO PROVIDE ALL MEDICAL HELP, INVESTIGATION AND TREATMENT TO THE WORKERS INVOLVED IN THE CONSTRUCTION AND CARRY OF CONSTRUCTION
- 9. OWNER AND BUILDER SHALL MAINTAIN MUSTER ROLE OF ALL THE EMPLOYEES / WORKERS AND MAKE NECESSARY INSURGENCE TILL THE WORK IS COMPLETED FAILING WHICH THE SANCTION ACCORDED WILL BE
- 10.OWNER AND BUILDER SHALL TRANSPORT THE CONSTRUCTION MATERIAL AND DEBRIS WASTE TO CONSTRUCTION SITE , DUMPING SITE OR ANY OTHER PLACE IN ACCORDANCE WITH RULES AND INTERNS OF THIS ORDER.
- ENSURE THAT THE TERMS AND CONDITIONS OF THE ARGUER ORDER AND THESE ORDERS SHOULD STRICTLY BE COMPLIED WITH BY FIXING SPRINKLES
- 13.THERE PLANTATION SHALL BE SHALL BE DONE ALONG THE PERIPHERY AND ALSO IN FRONT OF THE PREMISES AS PER A.P. WATER LAND AND TREES
- 14.TOT LOT SHALL BE SHALL BE FENCED AND MAINTAINED AS GREENERY A OWNERS COST BEFORE ISSUE OF OCCUPANCY CERTIFICATE SHIP OF GREENERY ON PERIPHERY OF THE SITE SHALL BE MAINTAINED AS PER SLUES
- 15. IF GREENERY IS NOT MAINTAINED 10% ADDITIONAL PROPERTY TAX SHALL BE IMPROVED AS PENALTY EVERY YEAR TILL THE CONDITIONS FULFILLED .

APPROVING AUTHORITY SEAL AND SIGNATURE



The permission is here by sanctioned as per submitted plans and conditions laid down in the proceeding No:- IIC/0001/2022

- 1. The sanctioned building permission is valid for six years, if the work is commenced within 18 months (1 year 6 months) from the date of
- 2. This is only IALA permission for construction without prejudice to any body's
- 3. The applicant shall give commencement notice before commencement of work in the proposed site and also apply for issue of occupancy certificate after completion of work and before occupation of said building.

STRUCTURAL ENGINEER'S NAME AND SIGNATURE

800.99

0.00

MORTGAGE AREA

EXTRA INSTALLMENT MORTGAGE AREA

PROPOSED NUMBER OF PARKINGS

ABUTTING ROAD

COMMON PLOT

PROPOSED CONSTRUCTION

ROAD WIDENING AREA

EXISTING (To be retained)

ISO_A0_(841.00_x_1189.00_MM)

PROPOSED (BLOCK) | W1 | 3.80 X 2.10 | 02

PROPOSED (BLOCK) W1 4.79 X 2.10 01

 PROPOSED (BLOCK)
 W1
 9.67 X 2.10
 01

PROPOSED (BLOCK) W1 9.72 X 2.10 01

BUILDING USE/SUBUSE DETAILS

BUILDING NAME | BUILDING USE | BUILDING SUBUSE | BUILDING TYPE | FLOOR DETAILS

PROPOSED (BLOCK) | Industrial | Industrial Building | NA | 1 Ground + 2 upper floors |

CRESCENTIA LABS PRIVATE LIMITED PLAN SHOWING THE PROPOSED SURVEY NO 230 TO 243/PLOT.NO:15-B SITUATED AT , Medchal-Malkajgiri PLOT NO.15-B,MN PARK PHASE-1SURVEY NO:230 TO 240 MEDCHALSIDDIPET BELONGING TO : Mr./Ms./Mrs Private Limited TURKAPALLY VILLAGE, SHAMIRPET MANDAL, MEDCHAL-REP BY: MALKAJGIRI (DIST) TELANAGANA LICENCE NO: 5301bfd5 DATE: 03-01-2022 Building Plan Details **CONDITIONS:** . THE OWNER/BUILDER SHALL STRICTLY COMPLY WITH THE DIRECTIONS CONTAINED IN THE ORDER OF NATIONAL GREEN TRIBUNAL AS WELL AS THE MINISTRY OF ENVIRONMENT AND 2.50X2.73 FORESTS (MOEF) GUIDELINES 2010 WHILE RAISING MDCABIN 4.05X6.76 CONSTRUCTION. LADIESTOILET 3.09X8.34 3.08X3.09 2. THE OWNER/BUILDER SHALL STRICTLY COVER THE BUILDING MATERIAL STOCK AT SITE EVERY BUILDING OR OWNER SHALL ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE PUT TARPAULIN ON SCAFFOLDING AROUND THE AREA OF CONSTRUCTION AND THE BUILDING. 3. THE OWNER/BUILDER SHALL NO STOCK THE BUILDING MATERIAL ON THE ROAD MARGIN AND FOOTPATH CAUSING OBSTRUCTION TO FREE MOVEMENT OF PUBLIC AND VEHICLES, FAILING WHICH 3.82X14.94 PERMISSION IS LIABLE TO BE SUSPENDED. ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE 4. ALL THE CONSTRUCTION MATERIAL AND DEBRIS SHALL BE CARRIED IN THE TRUCKS OR OTHER VEHICLES WHICH AREA FULLY COVERED AND PROTECTED, SO AS TO ENSURE THAT THE CONSTRUCTION DEBRIS OR THE CONSTRUCTION MATERIAL DOES NOT GET DISPERSED INTO THE AIR OR ATMOSPHERE OR AIR IN ANY FORM WHAT SO EVER. 5. THE DUST EMISSIONS FROM THE CONSTRUCTION SITE SHOULD BE COMPLETELY CONTROLLED AND ALL PRECAUTIONS SHALL BE TAKEN IN ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE PACKINGOFFICE 2.68X13.20 6. THE VEHICLES CARRYING CONSTRUCTION MATERIAL AND DERBIES OF ANY KIND SHALL BE CLEANED BEFORE IT IS PERMITTED TO PLY ON THE 0 ROAD AFTER UNLOADING SUCH MATERIALS. 7. EVERY WORKER ON THE CONSTRUCTION SITE AND INVOLVED IN LOADING UNLOADING AND CARRIAGE OF CONSTRUCTION MATERIAL AND CONSTRUCTION DEBRIS SHOULD BE PROVIDE WITH MASK HELMETS, SHOES TO PREVENT INHALATION OF DUST PARTICLES AND SAFETY. ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE 8. OWNER AND BUILDER SHALL BE UNDER OBLIGATION TO PROVIDE ALL MEDICAL HELP, INVESTIGATION AND TREATMENT TO THE WORKERS INVOLVED IN THE CONSTRUCTION AND CARRY OF CONSTRUCTION 0 MATERIAL AND DEBRIS RELATABLE TO DUST EMISSION. 9. OWNER AND BUILDER SHALL MAINTAIN MUSTER ROLE OF ALL THE EMPLOYEES / WORKERS AND MAKE NECESSARY INSURGENCE TILL THE WORK IS COMPLETED FAILING WHICH THE SANCTION ACCORDED WILL BE ROOF SLOPE ROOF SLOPE ROOF SLOPE CANCELED WITHOUT FURTHER NOTICE. ROOF SLOPE 10.0WNER AND BUILDER SHALL TRANSPORT THE CONSTRUCTION MATERIAL AND DEBRIS WASTE TO CONSTRUCTION SITE , DUMPING SITE OR ANY OTHER 0 PLACE IN ACCORDANCE WITH RULES AND INTERNS OF THIS ORDER. 11.OWNER AND BUILDER SHALL, TAKE APPROPRIATE MEASURES AND TO OFFICE 13.14X19.50 ENSURE THAT THE TERMS AND CONDITIONS OF THE ARGUER ORDER AND THESE ORDERS SHOULD STRICTLY BE COMPLIED WITH BY FIXING SPRINKLES ROOF SLOPE ROOF SLOPE CREATION OF GREEN AIR BARRIERS. ROOF SLOPE ROOF SLOPE 12.OWNER AND BUILDER SHALL MANDATORY USE WELT JET IN GRINDING AND 0 STORE CUTTING, WIND BREAKING WALLS AROUND CONSTRUCTION SITE. 0 13.THERE PLANTATION SHALL BE SHALL BE DONE ALONG THE PERIPHERY AND ALSO IN FRONT OF THE PREMISES AS PER A.P. WATER LAND AND TREES 3.89x49.11 ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE 14.TOT - LOT SHALL BE SHALL BE FENCED AND MAINTAINED AS GREENERY A OWNERS COST BEFORE ISSUE OF OCCUPANCY CERTIFICATE SHIP OF GREENERY ON PERIPHERY OF THE SITE SHALL BE MAINTAINED AS PER SLUES 0 0 15. IF GREENERY IS NOT MAINTAINED 10% ADDITIONAL PROPERTY TAX SHALL BE IMPROVED AS PENALTY EVERY YEAR TILL THE CONDITIONS FULFILLED APPROVING AUTHORITY SEAL AND SIGNATURE ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE OFFICE 13.42X65.24 0 0 CLEANCONTAINER 4.04X7.90 ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE 0 TABLETINSPECTION 3.86X7.90 ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE The permission is here by sanctioned as per submitted plans and conditions laid down in 0 0 the proceeding No:- IIC/0001/2022 TABLETCOATING 5.91X7.90 Conditions: ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE 1. The sanctioned building permission is valid for six years, if the work is commenced within 0 18 months (1 year 6 months) from the date of 2. This is only IALA permission for ROOF SLOPE **TABLETCOATING** ROOF SLOPE ROOF SLOPE ROOF SLOPE construction without prejudice to any body's ROOF SLOPE civil right over the land. 3. The applicant shall give commencement notice before commencement of work in the ROOF SLOPE ROOF SLOPE ROOF SLOPE ROOF SLOPE TABLETCOMPproposed site and also apply for issue of 4.50X7.90 occupancy certificate after completion of work 0 0 0 and before occupation of said building. 3.63X3.79 ROOF SLOPE ROOF SLOPE 1.60X3.78 3.25X3.84 ROOF SLOPE ROOF SLOPE OWNER'S NAME AND SIGNATURE 1.74X3.84 ROOF SLOPE ROOF SLOPE BUILDER'S NAME AND SIGNATURE

4.00X7.90

3.15X5.64

ISO_A0_(841.00_x_1189.00_MM)

GROUND FLOOR®PLAN (SCALE=1:100)

ROOF PLAN 15.65M LEVEL

SCALE 1:100

Note: All dimensions are in meters.

ARCHITECT'S NAME AND SIGNATURE

STRUCTURAL ENGINEER'S NAME AND SIGNATURE


Crescentia Labs

Crescentia Labs Private Limited

SHEET NO.: 2/4

INWARD_NO.: IIC/0001/2022

APPROVAL NO:



CRESCENTIA LABS PRIVATE LIMITED PLOT NO.15-B,MN PARK PHASE-1SURVEY NO:230 TO 240 MEDCHALSIDDIPET TRUSS ROOF Private Limited TURKAPALLY VILLAGE, SHAMIRPET MANDAL, MEDCHAL-REP BY: MALKAJGIRI (DIST) TELANAGANA LICENCE NO: 5301bfd5 DATE: 03-01-2022 Building Plan Details **CONDITIONS**: STAIRCASE BRICK WALL PASSAGE CONSTRUCTION. SERVICE AREA DOUBLE HEIGHT STORES BELOW FALSE CEILING @ 3.00 MTR FALSE CEILING @ 3.00 MTR FALSE CEILING @ 3.00 MTR FALSE CEILING @ 3.00 MTF **BLENDING** AIRLOCK LADIES CH. GENTS CH. **GRANULE STORE** FBD BAG STORE OSD R.M. STAGING ROOM ROOM SECTION AA Conditions: SECTION TRUSS ROOF ROOF FLOOR 15.65 M LW <u>LW</u> LW NORTH EAST SIDE ELEVATION Elevation2

ISO_A0_(841.00_x_1189.00_MM)

PLAN SHOWING THE PROPOSED SURVEY NO 230 TO 243/PLOT.NO:15-B SITUATED AT , Medchal-Malkajgiri BELONGING TO: Mr./Ms./Mrs Crescentia Labs Crescentia Labs Private Limited APPROVAL NO: SHEET NO.: 4/4 INWARD_NO.: IIC/0001/2022 1. THE OWNER/BUILDER SHALL STRICTLY COMPLY WITH THE DIRECTIONS CONTAINED IN THE ORDER OF NATIONAL GREEN TRIBUNAL AS WELL AS THE MINISTRY OF ENVIRONMENT AND FORESTS (MOEF) GUIDELINES 2010 WHILE RAISING 2. THE OWNER/BUILDER SHALL STRICTLY COVER THE BUILDING MATERIAL STOCK AT SITE EVERY BUILDING OR OWNER SHALL PUT TARPAULIN ON SCAFFOLDING AROUND THE AREA OF CONSTRUCTION AND THE BUILDING. 3. THE OWNER/BUILDER SHALL NO STOCK THE BUILDING MATERIAL ON THE ROAD MARGIN AND FOOTPATH CAUSING OBSTRUCTION TO FREE MOVEMENT OF PUBLIC AND VEHICLES, FAILING WHICH PERMISSION IS LIABLE TO BE SUSPENDED. 4. ALL THE CONSTRUCTION MATERIAL AND DEBRIS SHALL BE CARRIED IN THE TRUCKS OR OTHER VEHICLES WHICH AREA FULLY COVERED AND PROTECTED, SO AS TO ENSURE THAT THE CONSTRUCTION DEBRIS OR THE CONSTRUCTION MATERIAL DOES NOT GET DISPERSED INTO THE AIR OR ATMOSPHERE OR AIR IN ANY FORM WHAT SO EVER . 5. THE DUST EMISSIONS FROM THE CONSTRUCTION SITE SHOULD BE COMPLETELY CONTROLLED AND ALL PRECAUTIONS SHALL BE TAKEN IN 6. THE VEHICLES CARRYING CONSTRUCTION MATERIAL AND DERBIES OF ANY KIND SHALL BE CLEANED BEFORE IT IS PERMITTED TO PLY ON THE ROAD AFTER UNLOADING SUCH MATERIALS. 7. EVERY WORKER ON THE CONSTRUCTION SITE AND INVOLVED IN LOADING UNLOADING AND CARRIAGE OF CONSTRUCTION MATERIAL AND CONSTRUCTION DEBRIS SHOULD BE PROVIDE WITH MASK HELMETS, SHOES TO PREVENT INHALATION OF DUST PARTICLES AND SAFETY. 8. OWNER AND BUILDER SHALL BE UNDER OBLIGATION TO PROVIDE ALL MEDICAL HELP, INVESTIGATION AND TREATMENT TO THE WORKERS INVOLVED IN THE CONSTRUCTION AND CARRY OF CONSTRUCTION MATERIAL AND DEBRIS RELATABLE TO DUST EMISSION. 9. OWNER AND BUILDER SHALL MAINTAIN MUSTER ROLE OF ALL THE EMPLOYEES / WORKERS AND MAKE NECESSARY INSURGENCE TILL THE WORK IS COMPLETED FAILING WHICH THE SANCTION ACCORDED WILL BE CANCELED WITHOUT FURTHER NOTICE. 10.OWNER AND BUILDER SHALL TRANSPORT THE CONSTRUCTION MATERIAL AND DEBRIS WASTE TO CONSTRUCTION SITE , DUMPING SITE OR ANY OTHER PLACE IN ACCORDANCE WITH RULES AND INTERNS OF THIS ORDER. 11.OWNER AND BUILDER SHALL, TAKE APPROPRIATE MEASURES AND TO ENSURE THAT THE TERMS AND CONDITIONS OF THE ARGUER ORDER AND THESE ORDERS SHOULD STRICTLY BE COMPLIED WITH BY FIXING SPRINKLES CREATION OF GREEN AIR BARRIERS. 12.OWNER AND BUILDER SHALL MANDATORY USE WELT JET IN GRINDING AND STORE CUTTING, WIND BREAKING WALLS AROUND CONSTRUCTION SITE. 13.THERE PLANTATION SHALL BE SHALL BE DONE ALONG THE PERIPHERY AND ALSO IN FRONT OF THE PREMISES AS PER A.P. WATER LAND AND TREES 14.TOT - LOT SHALL BE SHALL BE FENCED AND MAINTAINED AS GREENERY A OWNERS COST BEFORE ISSUE OF OCCUPANCY CERTIFICATE SHIP OF GREENERY ON PERIPHERY OF THE SITE SHALL BE MAINTAINED AS PER SLUES 15. IF GREENERY IS NOT MAINTAINED 10% ADDITIONAL PROPERTY TAX SHALL BE IMPROVED AS PENALTY EVERY YEAR TILL THE CONDITIONS FULFILLED . APPROVING AUTHORITY SEAL AND SIGNATURE The permission is here by sanctioned as per submitted plans and conditions laid down in the proceeding No:- IIC/0001/2022 1. The sanctioned building permission is valid for six years, if the work is commenced within 18 months (1 year 6 months) from the date of 2. This is only IALA permission for construction without prejudice to any body's civil right over the land. 3. The applicant shall give commencement notice before commencement of work in the proposed site and also apply for issue of occupancy certificate after completion of work and before occupation of said building. OWNER'S NAME AND SIGNATURE BUILDER'S NAME AND SIGNATURE ARCHITECT'S NAME AND SIGNATURE STRUCTURAL ENGINEER'S NAME AND SIGNATURE Note: All dimensions are in meters.