


PURCHASE DIVISION
Advice for approval for credit to supplier

Date: 14-09-22		Prepared by: Ixaseem		Serial no.	
Supplier name: Epane Technologies India Pvt. Ltd				HO inward no.	
Firm/Company: GVRC		Project: Innoparis		HO received date	
PO/WO date: 03/09/2020		PO/WO No. Manual / 163798		Scan ID.	
Sl no.	Bill no.	Bill date	Bill amount	Original attached	
1.	TS-PJ-22231214	25-06-2022	Rs. 2,30,242/-	☐ Yes ☐ No	
2.				☐ Yes ☐ No	
3.				☐ Yes ☐ No	
4.				☐ Yes ☐ No	
Amount A – Bills total (Excluding Transport & Hamali Charges):				Rs. 2,30,242/-	
Proof of delivery by way of: ☐ DCs/bill ☐ Steel report ☐ RMC pour report ☐ Solid block report ☐ Installation report					
MRN nos.:				Proof of delivery matches MRN	☐ Yes ☐ No
Amount B – Other Credits : Transportation charges				-	
Amount C – Other Debits :				-	
Amount D (D=A+B-C) – Amount to be credited to the supplier:				Rs. 2,30,242/-	
Amount E – PO / WO value:				-	
Amount F – Difference (A – E):				-	
Quantity received as per PO / WO		☐ Yes ☐ Excess received ☐ Short received ☐ Part received			
Close PO / WO		☐ Yes ☐ No – wait for balance material ☐ Other			
Payment – due date		19-09-2022			
Remarks: This is balance payment.					
Approved by	Purchase Officer	Purchase Manager	M D	Accountant	Accounts Manager
Name:		Ixaseem			
Sign:		<i>[Signature]</i>			
Date		14-09-2022			
Approval limit	Upto 20k	Above 20k	Above 100k	Upto 20k	Above 20k

Notes: 1. In case amount to be credited to supplier and the bills total does not match, accountants to prepare JV for debit or credit.
2. This set should only have 5 documents i.e., advice to credit to supplier, original bill, proof of delivery, original purchase order with barcode, original requisition. 3. Do not attach additional documents like weighment slips, RMC batch reports, duplicate documents, Eway bills, test reports, etc. 4. In Amount A, exclude transport, Hamali charges, etc., and instead include in Amount B. 5. This report must reach HO within one working day of approval by purchase officer/purchase manager.





Ack No.: 112213418330359
Ack Date: 2022-06-25 21:37:00
IRN No.:
a79586954981cf1447fc1c596fa6bc5ec1
786621d47904c169a7750ffa5262d8

Trane Technologies India Private Limited
(Formerly Ingersoll-Rand Climate Solutions Pvt. LTD.)
Survey No. 157,158,159, Kompalli Village
Outhbullapur Mandal, Ranga Reddy Dist,
Secundarabad, TS - 500 014
500014
India
Tel: 9000455099
Email:

PAN No: AACCS9663E
GST No: 36AACCS9663E1Z4
CIN No: U24233KA1996PTC093425
TAN No: MUMS21233C

Invoice: TS-PJ-22231214
Invoice Date: 25-JUN-22

Bill To: Customer Number 952341
GV RESARCH CENTER PVT LTD
5-4-187/3&4, SOHAM MANSION, 2ND
FLOOR, M.
SECUNDERABAD TS (State Code:36) 500003
India

Ship To: Customer Number 952341
GV RESARCH CENTER PVT LTD
Innopolis, Sy. No. 542, Plot No. 3,
Genome Valley
Kolthur, MEDCHEL-MALKJAGIRI District
KOLTHUR TS (State Code:36) 500078
India

GST No. 36AAHCG4562D1ZP
PAN No. AAHCG4562D

GST No.
PAN No.

Freight Terms

Shipment Date

Payment Terms
Payment Due Dt

PP PER CONTRACT
25-JUL-22

Country Of
Dispatch
Place of Supply

Remittance Instructions

Name & Address of the Bank: Citibank N.A. (Mumbai) 293,
Dr. D.N. Road, Bombay Mutual Building, Fort Mumbai
400001
Bank A/C. No. 0007337019, MICR No. 400 037 002
IFS Code CITI0100000
MUMBAI MH 400001 India

PO Number 163798 DT: 03.09.2020

Line Num	Item Customer Part Number	Description Serial No	HSN/ SAC Code- Desc.	Order Qty	Ship Qty	UOM	Unit Price (INR)	Amount (INR)	Disc %	Other Charges (INR)	Taxable Amt. (INR)	Tax Name	Tax Amount (INR)
1		Unloading, Positioning, Installation & Commissioning of 2#400 TR Air Cooled Chillers	99546 3 - 99546 3	1	1	EA	195,120.00	195,120.00		0.00	195,120.00	CGST@9% SGST@9%	17,560.80 17,560.80

Special Instructions : Unloading, Positioning, Installation & Commissioning of 2#400 TR Air Cooled Chillers @ Terrace floor

Less Discount
P & F charges 0.00
Freight 0.00
Insurance 0.00
Total Assessable Value 195,120.00
CGST@9% 17560.80
SGST@9% 17560.80

Total items Qty 1.00
No. of Pkgs 0.00

Comments :

Total 230,241.60
Less Advance 0.00
Please Pay(INR) 230,241.60
Advance Cash Receipt Number
Advance Cash Receipt Date

Taxes Payable Under Reverse Charge Basis – No Project Id: IN-75274



Declaration: Certified that all particulars given above are true and correct amount indicated represents amount actually charged and there is no additional consideration flowing directly or indirectly from buyer

Address for Communication: 302, CSR Estate
Plot No.8, Sector - 1
HUDA Techno Enclave, Madhapur, Hyderabad – 500081

Regd. Office : 8th Floor, Tower D, IBC Knowledge Park, No. 4/1,
Bannerghatta Main Road, Bangalore - 560029

Trane Technologies India Private Limited

Signature valid

Digitally signed by DS TRANE TECHNOLOGIES INDIA PRIVATE LIMITED
Date: 2022.06.27 12:21:16 IST
Authorised Signatory

TRANE
TECHNOLOGIES™



Ack No.: 112213418330359
Ack Date: 2022-06-25 21:37:00
IRN No.:
a79586954981cf1447fc1c596fa6bc5ec1
786621d47904c169a7750ffa5262d8

Trane Technologies India Private Limited
(Formerly Ingersoll-Rand Climate Solutions Pvt. LTD.)
Survey No. 157,158,159, Kompalli Village
Quthbullapur Mandal, Ranga Reddy Dist,
Secundarabad, TS - 500 014
500014
India
Tel: 9000455099
Email:

PAN No: AACCS9663E
GST No: 36AACCS9663E1Z4
CIN No: U24233KA1996PTC093425
TAN No: MUMS21233C

Invoice: TS-PJ-22231214
Invoice Date: 25-JUN-22

Terms and Conditions:

1. Payment should be made by cross and order cheques in favor of the Company or by online transfer to the above mentioned remittance account.
2. Interest @ 18% p.a. will be charged if the payment is not made within the due date as mentioned on the Invoice.
3. Goods are forwarded on account and risks of the buyers.
4. We reserve the rights to ourselves to demand the payment of this bill at any time before the due date.
5. If you find any discrepancy in our supply against this bill such as shortage, rejection etc., it should be intimated to us within seven days from date of receipt of materials at your end.
6. Risks and rewards relating to this sale passes as per the Terms of Delivery printed on the invoice.
7. The courts in Bangalore shall have exclusive jurisdiction over the interpretation on the terms of this invoice.
8. **General Terms and Conditions:** Refer https://www.trane.com/content/dam/Trane/Commercial/ap/india/Trane%20Technologies_India_TC_IRL_TERMS_OF_SALE.pdf for general terms and conditions of sale applicable. It is hereby deemed that you have gone through the terms and conditions of sale provided in the link above and acknowledge the same without any other right or demur.
9. Indemnity and Liability: Notwithstanding anything to the contrary in the Purchase Order, the agreement or the invoice the maximum liability for direct damages of the Company, its servants or agents, shall under no circumstances exceed an amount equal to this invoice Price. The Company shall not in any case be liable for loss of profit or special, punitive, exemplary, indirect or consequential losses whatsoever.

Declaration: Certified that all particulars given above are true and correct amount indicated represents amount actually charged and there is no additional consideration flowing directly or indirectly from buyer

Address for Communication: 302, CSR Estate
Plot No.8, Sector - 1
HUDA Techno Enclave, Madhapur, Hyderabad - 500081

Regd. Office : 8th Floor, Tower D, IBC Knowledge Park, No. 4/1,
Bannerghatta Main Road, Bangalore - 560029

Trane Technologies India Private Limited
Signature valid
Digitally signed by DS TRANE TECHNOLOGIES INDIA PRIVATE LIMITED
Date: 2022.06.27 12:21:16 IST
Authorised Signatory

TRANE
TECHNOLOGIES™

GV RESEARCH CENTER PVT. LTD

5-4-187/3&4, II floor, MG Road,
Secunderabad - 500 003.
Phone: +91-40-66325551
accounts@modiproperties.com

WORK ORDER

Requisition No.: 163798
Date of WO: 03/09/2020

M/s. Trane Technologies India Ltd,
302, CSR Estates, Plot No.8, Sector -1
Huda Techno Enclave, Madhapur,
Hyderabad - 500 081.
GST: 36AACCS9663E1Z4.

Dear Sir,

Sub: Towards Custom Clearance, Transportation, Unloading & Positioning, Installation, Supervision & Commissioning of 2# Air Cooled Screw Chillers of Trane chillers.

Your Ref: Proposal date 28th May 2021 (Trane Ref No: TTIPL/GVR/Rev 04).
Your E-mail Date 08th June 2021 & 13th June 2021 on final prices.

Our Ref: LOI Confirmation Reference E-mail Dated: 09th June 2021.


With reference to the proposal & subsequent discussion with you we are pleased to release this Work Order as per mentioned below:

Sl No.	Description	Unit/Qty	Rate (INR)	Amount (INR)
1	Customs Clearance, Transportation to Site for 2# 400TR Air Cooled Screw Chillers. Make: TRANE. (HSN: 995463).	2 nos.	97,560	1,95,120
2	Unloading, Positioning, Installation & Commissioning of 2# 400 TR Air Cooled Screw Chillers at Terrace floor. Make: TRANE. (HSN: 995463).	1 LOT	1,95,120	1,95,120
	Sub Total			390,240
	GST @ 18%			70,243
	Total			4,60,483

Total: Rs.4,60,483/- (Four Lakhs Sixty Thousand Four Hundred & Eighty Three Only).


Payment Terms: - 100% against prorata completion of works.

For M/s. GV Research Centers Pvt. Ltd.,



Authorized Signatory

Trane Technologies India Private Limited
302, CSR Estate, Plot No.8, Sector - 1
HUDA Techno Enclave, Madhapur
Hyderabad, Telangana 500081
Ph. +91 40 6826 6600
www.trane.com



Report #: Sadashiva Srinivasa 3.577255764

Job Number -

Job #: 631779

Customer Ord.: -

Serial number G21G02495 Uni. RTAG

Building name	Innopolis	Customer company	Innopolis
Building addr.	Shameerphet	Customer Nr	NA
Building city	Hyderabad	Job completed?	Yes
Building #	XXX	Must produce a quotation?	No
Risk Evaluation	Extra PPE required (specify which ones)	Ergonomic (lifting, position, constraints)	Average
	-	Fall	Average
		Confined spaces	Average
Reason of call	Start the unit		
Unit & plant status on tech arrival	Unit Stopped		
Unit & plant status on tech leaving	Unit Running		

Job description

First Start-Up according to the manufacturer's instructions. The detailed description of activities and related results are described in annex, where you can find the technical advice provided by Trane, which you must follow carefully for a safe, reliable and profitable use of your machine.

Technician name	Date	Trav. Start	Job start	Job end	Travel end	Pause	Job & travel	Travel mil.	Overnight
Sadashiva Srinivasa	6/3/2022	9:00	11:00	18:00	19:30	0:30	10:00	140	No
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
Subtotal e totale ore				Sadashiva Srinivasa		10:00		10:00	

Unit starts & Unit run hour

	Cmpr A	Cmpr B	Cmpr C	Cmpr D	Cmpr E	Cmpr F
Starts	-	-	-	-	-	-
Hours	-	-	-	-	-	-

Conclusions:

Installation is acceptable, unit can be started without any reserve.

Suggested repair / upgrading

Visited site, checked chiller physical condition, installation and level found acceptable. Checked chiller electrical connection found ok. Fixed flow switch and done the cabling. Checked electrical panel and done the panel cleaning. Power up the chiller, checked phase sequence and volts found ok. Checked and found motor megger value acceptable. After establishing water through evaporator done the refrigerant charge as per name plate. Then Started chiller, checked all parameter readings found Satisfactory.


Sadashiva Srinivasa

6/3/2022


Mr Akhil Murthy/ Position 1

Trane Technologies India Private Limited
302, CSR Estate, Plot No.8, Sector - 1
HUDA Techno Enclave, Madhapur
Hyderabad, Telangana 500081
Ph. +91 40 6826 6600
www.trane.com



Report #: Bhanu Jogi 3.570062586

Job Number -

Job #: 12345

Customer Ord.: -

Serial number G21G02496 Uni. RTAG 400

Building name	SYNGENE INNOPOLIS	Customer company	SYNGENE INNOPOLIS
Building addr.	ithuru Village, Shameerpet Mandal, Medchal Dist	Customer Nr	NA
Building city	Shameerpet	Job completed?	Yes
Building #	XXXX	Must produce a quotation?	No
Risk Evaluation	Extra PPE required (specify which ones) -	Ergonomic (lifting, position, constrains)	High
		Fall	High
		Confined spaces	High
Reason of call	Start the unit		
Unit & plant status on tech arrival	Unit Stopped		
Unit & plant status on tech leaving	Unit Running		

Job description

First Start-Up according to the manufacturer's instructions. The detailed description of activities and related results are described in annex, where you can find the technical advice provided by Trane, which you must follow carefully for a safe, reliable and profitable use of your machine.

Technician name	Date	Trav. Start	Job start	Job end	Travel end	Pause	Job & travel	Travel mil.	Overnight
Bhanu Jogi	27-02-22	9:00	10:30	15:00	16:30	0:15	7:15	95	No
	05-03-22	9:00	10:30	19:30	21:00	0:15	11:45	95	No
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-
Subtotal e totale ore				Bhanu Jogi		19:00		19:00	

Unit starts & Unit run hour

Starts	Cmpr A	Cmpr B	Cmpr C	Cmpr D	Cmpr E	Cmpr F
Hours	-	-	-	-	-	-

Conclusions:

Installation is only partly acceptable, unit can be started, but Customer have to perform the modifications described in "Installation Remarks"

Suggested repair / upgrading

Reported to the site, we did the pre-commissioning activity. Fixing the Evaporator water flow switch and laying of flow switch control cable. Power ON the Chiller, after oil heating. Charged the Refrigerant as per name plate. Started the Chiller and observed the parameters found working in normal. Please maintain water quality as per standards.


Bhanu Jogi

05-03-22


Mr. Akhil MEP



Technologies India Private Limited
(Formerly known as Ingersoll-Rand Climate Solutions Pvt.Ltd)
302, CSR Estate, Plot No.8
Sector - 1, Huda Techno Enclave
Madhapur, Hyderabad - 500081
Telangana, India

To,

03rd June 22

**GVRC Innopolis
Lalgadimalakpet, Village,
Shameerpet Mandal Shameerpet,
Hyderabad 500078**

HANDING OVER CERTIFICATE

MODEL	RTAG
ORDER REF	63I779
S.NO.	G21G02495

Thank you for choosing TRANE equipment.

The above equipment has been started and commissioned as per TRANE factory specifications and procedures for this type of chillers on **03th June 2022**

The Pre-commissioning checklist and the chiller service report as downloaded from chiller CH530 are enclosed. The unit is operating satisfactorily as per design specifications.

Ensure that the unit operates within the voltage parameters and maintain design water pressure drop across chiller for efficient and trouble-free operation. The warranty of the equipment will expire on **22nd Feb 2023**

We are confident that our equipment will give you many years of satisfactory service and once again thank you for choosing TRANE.

Thanking you and assuring you of our quality service always.

For **TRANE Technologies India Pvt Ltd**

Authorized signatory.

REGD. OFFICE: 8 FLOOR, TOWER D, IBC KNOWLEDGE PARK, NO. 411, BANNERGHATTA MAIN ROAD, BENGALURU - 560029, KARNATAKA, INDIA

TEL: +91.80.6747.6000, FAX: +91.80.2728.7482

CIN: U24233KA1996PTC093425

ALL AGREEMENTS CONTINGENT UPON STRIKES, ACCIDENT AND OTHER CONDITIONS BEYOND OUR CONTROL

ALL CONTRACTS ARE SUBJECT TO APPROVAL BY AN OFFICER OF THE COMPANY, QUOTATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE



Technologies India Private Limited
(Formerly known as Ingersoll-Rand Climate Solutions Pvt.Ltd)
302, CSR Estate, Plot No.8
Sector - 1, Huda Techno Enclave
Madhapur, Hyderabad - 500081
Telangana, India

To,

03rd June 22

**GVRC Innopolis
Lalgadimalakpet, Village,
Shameerpet Mandal Shameerpet,
Hyderabad 500078**

HANDING OVER CERTIFICATE

MODEL	RTAG
ORDER REF	63I779
S.NO.	G21G02496

Thank you for choosing TRANE equipment.

The above equipment has been started and commissioned as per TRANE factory specifications and procedures for this type of chillers on **05th March 2022**

The Pre-commissioning checklist and the chiller service report as downloaded from chiller CH530 are enclosed. The unit is operating satisfactorily as per design specifications.

Ensure that the unit operates within the voltage parameters and maintain design water pressure drop across chiller for efficient and trouble-free operation. The warranty of the equipment will expire on **22nd Feb 2023**

We are confident that our equipment will give you many years of satisfactory service and once again thank you for choosing TRANE.

Thanking you and assuring you of our quality service always.

For **TRANE Technologies India Pvt Ltd**

Authorized signatory.

REGD. OFFICE: 8 FLOOR, TOWER D, IBC KNOWLEDGE PARK, NO. 411, BANNERGHATTA MAIN ROAD, BENGALURU - 560029, KARNATAKA, INDIA

TEL: +91.80.6747.6000, FAX: +91.80.2728.7482

CIN: U24233KA1996PTC093425

ALL AGREEMENTS CONTINGENT UPON STRIKES, ACCIDENT AND OTHER CONDITIONS BEYOND OUR CONTROL

ALL CONTRACTS ARE SUBJECT TO APPROVAL BY AN OFFICER OF THE COMPANY, QUOTATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE




सत्यमेव जयते

INDIA NON JUDICIAL

Government of National Capital Territory of Delhi

e-Stamp

Certificate No.	: IN-DL63166881110119S
Certificate Issued Date	: 31-Jul-2020 10:29 AM
Account Reference	: IMPACC (IV)/ dl741903/ DELHI/ DL-DLH
Unique Doc. Reference	: SUBIN-DL74190334793267679132S
Purchased by	: TRANE TECHNOLOGIES INDIA PVT LTD
Description of Document	: Article 4 Affidavit
Property Description	: Not Applicable
Consideration Price (Rs.)	: 0 (Zero)
First Party	: TRANE TECHNOLOGIES INDIA PVT LTD
Second Party	: Not Applicable
Stamp Duty Paid By	: TRANE TECHNOLOGIES INDIA PVT LTD
Stamp Duty Amount(Rs.)	: 10 (Ten only)



Please write or type below this line.

TO WHOMSOEVER I MAY CONCERN

This is to certify that all of our employees are drawing gross salaries in excess of Rs. 21,000/- (Rupees Twenty One Thousand only). Hence the provisions of the Employees State Insurance Act (ESI) are not applicable on us.

Trane Technologies India Pvt. Ltd.



Attested as identified

Notary Public Delhi (India)

31 JUL 2020



Statutory Alert:

1. The authenticity of this Stamp Certificate should be verified at "www.shoilestamp.com". Any discrepancy in the details on this Certificate and as available on the website renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.



कर्मचारी भविष्य निधि संगठन
Employees' Provident Fund Organization

भविष्य निधि भवन, १४, भीकाजी कामा प्लेस, नई दिल्ली - ११००६६
Bhavishya Nidhi Bhawan, 14, Bhikaji Cama Place, New Delhi - 110066

Generated On 17/06/2022 16:06:

Payment Confirmation Receipt

TRRN No :	3172206008983
Challan Status :	Payment Confirmed
Challan Generated On :	10-JUN-2022 11:03:03
Establishment ID :	KDMAL0045834000
Establishment Name :	TRANE TECHNOLOGIES INDIA PRIVATE LIMITED
Challan Type :	Monthly Contribution Challan
Total Members :	279
Wage Month :	MAY-2022
Total Amount (Rs) :	33,60,790
Account-1 Amount (Rs) :	29,42,763
Account-2 Amount (Rs) :	64,390
Account-10 Amount (Rs) :	3,32,771
Account-21 Amount (Rs) :	20,866
Account-22 Amount (Rs) :	0
Payment Confirmation Bank :	State Bank of India
CRN :	002100622927062
Payment Date :	16-JUN-2022
Payment Confirmation Date :	13-JUN-2022
Total PMRPY Benefit :	0





**COMBINED CHALLAN OF A/C NO. 01, 02, 10, 21 & 22 (With
EMPLOYEES' PROVIDENT FUND ORGANISATION)**

TRRN 3172206008983

ECR Id 74003242

LIN : 1810743411

Establishment Code & Name KDMAL0045834000 TRANE TECHNOLOGIES INDIA PRIVATE LIMITED Dues for the wage month of May 2022
Address : UNIT NO.FF A 12-13, 1ST FLOOR,ART, GUILD HOUSE,PHOENIX MARKETCITY,, L.B.S MARGE,KURLA WEST, MUMBAI SUBURBAN, MAHARASHTRA

	EPF	EPS	EDLI
Total Subscribers :	279	267	279
Total Wages :	1,28,78,076	39,93,249	41,73,249

SL.	PARTICULARS	A/C.01 (Rs.)	A/C.02 (Rs.)	A/C.10 (Rs.)	A/C.21 (Rs.)	A/C.22 (Rs.)	TOTAL
1	Administration Charges	0	64,390	0	0	0	64,390
2	Employer's Share Of	12,12,596	0	3,32,771	20,866	0	1,56,233
3	Employee's Share Of	17,30,167	0	0	0	0	1,73,016
Grand Total : Thirty-Three Lakh Sixty Thousand Seven Hundred Ninety Rupees Only							33,60,790

(This is a system generated challan on 10-JUN-2022 11:03, the particulars shown in this challan are populated from the Electronic Challan Cum Return (ECR) uploaded by the establishment for the specified month and year.

Note :- The following amounts are being remitted directly by Government of India on account of PMRPY / ABRY.

	PMRPY	ABRY
A) A/C no 1 (Employer share) (Rs.) -	0	0
B) A/C no 10 (Pension fund) (Rs.) -	0	0
C) A/C no 1 (Employee share) (Rs.) -	0	0
D) Total (A + B + C) (Rs.) -	0	0
E) Total remittance by Employer (Rs.) -	33,60,790	
F) Total amount of uploaded ECR (D + E) (	33,60,790	

