

DELIVERY CHALLAN



Unit Address:-

UltraTech Cement
Survey No.133/2 & 133, Kandlakoi,
Hyderabad -501401 TELANGANA

GSTIN : 36AAACL6442L1ZB

CIN No : L26940MH2000PLC128420

Recipient Code: 40108762

Recipient PO No: 20221108001

Recipient PO Date: 03/11/2022

Name & Address of Recipient
DR NRKBIOTECH PRIVATE LIMITED
NEXTOPOLIS SY NO 230 TO 243 PLOT NO 1,
TURKAPALLY SHAMIRPET,
HYDERABAD501401

Name & Address of Delivery
DR NRKBIOTECH PRIVATE LIMITED
NEXTOPOLIS SY NO 230 TO 243 PLOT NO 1,
TURKAPALLY SHAMIRPET,
HYDERABAD501401

Delivery Challan No: 213610688
Delivery Challan Date: 12/11/2022
Order No: 990030305
Order Qty: 36.00
Cum Qty: 14.00
HSN Code: 3824 50 10
Plant Code: 414

Place of Supply: MEDCHAL
State Code: 36
Recipient GSTN/UIN No: 36AACCD2775Q1Z3

State Code: 36
State: TELANGANA

Description of Goods: M030-REGULAR CONCRETE

TM Qty (M3):- 7.00 Date & Time of Removal of Goods: 12/11/2022 09:58:47

Particulars	Quantity	UOM	Rate Per Unit (Im Rs.)	Amount (in Rs.)
-------------	----------	-----	------------------------	-----------------

Transporter Details:

Basic	7.00	M3	4322.03	30254.21
-------	------	----	---------	----------

Transporter Name: TS07UL4095
Vehicle No: By Road
Mode of Transport: LinePump
Pump Descp: LinePump
Destination: LR No: 12/11/2022
LR Date: 12/11/2022
Pump Qty: FOR
Inco Term: FOR

CGST @ 9.00%	2722.88
SGST @ 9.00%	2722.88
Round Off	0.03

DriverName: M.D.ISHAQ DriverMobNo: 9199256323

Total Invoice Value: 35700.00

Tax Amount In Words:- Five Thousand Four Hundred Forty-Five Rupees and Seventy Six Paise
Invoice Amount in Word:- Thirty-Five Thousand Seven Hundred Rupees and Zero Paise

Certified that the particulars given above are true & correct & the amount indicated represents the price actually charged and there is no flow of any additional consideration directly or indirectly from the recipient.

For ULTRATECH CEMENT LIMITED

Checked By

We hereby confirmed that we have received above referred material in good condition

Date:

INWARD	
Inward No: 2588	Dt: 12/11/22
MRN No:	Dt:
Received By: NEMA	Sign: NEMA
DR NRK BIOTECH PVT LTD	

Signature Name & Mobile No of Person/Party
Who receiving the material with ruber stamp

Cement Type:
Min Cem Content:
Max Size Aggr:
Slump at Site

Chemical Admix Type: ADMSPLAST
Mineral Admix Type: 125+
Slump Specifide:
Water Added at Site:

Batching Time: 09:57:49
Pour Structure:
Max W/C Ratio: 0.44
Admix added at Site

The delivery challan is being used for delivery of Continuous Material and Tax Invoice will be issued on consolidated basis under Rule 46 of CGST Rules 2017

Raw Material	Design Qty(Kg)	%Mois/%Abs/Corr(Kg)	Corrected(Kg)	Required(Kg)	Batched(Kg)	% Variation
CA12MM	442.00	-0.50	440.00	3080.00	3053.00	-0.88
FAMS	768.00	1.00	776.00	5432.00	5394.00	-0.70
CA20MM	665.00	-2.00	652.00	4564.00	4530.00	-0.74
C1	280.00	0.00	280.00	1960.00	1957.00	-0.15
C3	80.00	0.00	80.00	560.00	558.00	-0.36
ADMSPLAST	3.24	0.00 kg	3.24	22.68	22.68	0.00
WATERR	160.00	7.00 kg	167.00	1169.00	1173.00	0.34
TOTAL	2398.24	0.00	2398.24	16787.68	16687.68	-0.60

Checked & Verified
Q.C. LAB 30/12/23

1.CAUTION: WET CEMENT AND CONCRETE ARE CAUSTIC MATERIAL WHICH CAN CAUSE SERIOUS SKIN INJURY. TO AVOID RISK OF SUCH INJURY, PROTECTIVE CLOTHING (GLOVES, BOOTS ETC.) SHOULD BE WORN AT ALL TIMES DURING HANDLING OPERATION, WHERE DIRECT SKIN CONTACT OCCURS, IT SHOULD BE WASHED THOROUGHLY WITH CLEAN WATER, PROLONGED SKIN CONTACT SHOULD BE AVOIDED. COMPANY SHALL NOT RESPONSIBLE FOR THE SLUMP, STRENGTH OR QUALITY OF THE CONCRETE WHEN WATER HAS BEEN ADDED ON SITE AT THE REQUEST OF THE CUSTOMER.

2.WARRANTY DISCLAIMER:- UltraTech Cement Limited warrants that the products indentifie are in accordance with the appropriate BIS Specifications. No one is authorized to make any modifications or additions to this warranty. UltraTech Cement Limited makes no warranty or representation, either expressed or implied with respect to this product and disclaims any implied warranty or merchantability or fitness for particular purpose. As UltraTech Cement Limited has no control over the other ingredients mixed with the products or the final application. UltraTech Cement Limited does not and cannot warrant the finished work. In no event shall UltraTech Cement Limited be liable for Direct, Indirect, special, incidental or consequential damage including without limitation loss of profit or earnings arising out of the use of the product, even if you are notified or advised of the possibilities of such damages, in no case shall UltraTech Cement Limiteds liability exceed the purchase price of this product.

3.If necessary, additional dose of admixture may be added at project site to regain the workability of concrete with the mutual agreement between the consignor and the consignee.

4.Once Goods are loaded in vehicle the Goods will not be taken back.



DELIVERY CHALLAN

Unit Address:-
UltraTech Cement
Survey No.133/2 & 133, Kandlakoi,
Hyderabad -501401 TELANGANA



GSTIN : 36AAACL6442L1ZB		CIN No : L26940MH2000PLC128420	
Recipient Code: 40108762	Recipient PO No: 20221108001	Recipient PO Date: 03/11/2022	
Name & Address of Recipient ✓ DR NRKBIOTECH PRIVATE LIMITED NEXTOPOLIS SY NO 230 TO 243 PLOT NO 1, TURKAPALLY SHAMIRPET, HYDERABAD501401 Place of Supply: MEDCHAL State Code: 36 Recipient GSTN/UIN No: 36AACCD2775Q1Z3		Name & Address of Delivery DR NRKBIOTECH PRIVATE LIMITED NEXTOPOLIS SY NO 230 TO 243 PLOT NO 1, TURKAPALLY SHAMIRPET, HYDERABAD501401 State Code: 36 State: TELANGANA	
		Delivery Challan No: 213610683 Delivery Challan Date: 12/11/2022 Order No: 990030305 Order Qty: 36.00 Cum Qty: 7.00 HSN Code: 3824 50 10 Plant Code: 414	
Description of Goods: M030-REGULAR CONCRETE		TM Qty (M3):- 7.00 Date & Time of Removal of Goods: 12/11/2022 08:32:31	
Transporter Details:		Particulars	Quantity
		Basic	7.00
			M3
			4322.03
			30254.21
Transporter Name: Vehicle No: TS06UC2252 LR No: Mode of Transport: By Road LR Date: 12/11/2022 Pump Descp: LinePump Pump Qty: Destination: Inco Term: FOR		CGST @ 9.00% 2722.88 SGST @ 9.00% 2722.88 Round Off 0.03 Total Invoice Value: 35700.00	
DriverName: KULDEEP DriverMobNo: 8709056166			

Tax Amount In Words:- Five Thousand Four Hundred Forty-Five Rupees and Seventy Six Paise
Invoice Amount in Word:- Thirty-Five Thousand Seven Hundred Rupees and Zero Paise

Certified that the particulars given above are true & correct & the amount indicated represents the price actually charged and there is no flow of any additional consideration directly or indirectly from the recipient.

For ULTRATECH CEMENT LIMITED

Checked By

We hereby confirmed that we have received above referred material in good condition

Date:

INWARD	
Inward No: 2587	Dt: 12/11/22
MRN No:	Dt:
Received By: NIRA	Sign: [Signature]
DR NRK BIOTECH PVT LTD	

Medchal

Authorised Signatory

Signature Name & Mobile No of Person/Party
Who receiving the material with ruber stamp

Cement Type:	Chemical Admix Type: ADMSPLAST	Batching Time: 08:31:30
Min Cem Content:	Mineral Admix Type:	Pour Structure:
Max Size Aggr:	Slump Specifide: 125+-	Max W/C Ratio: 0.44
Slump at Site	Water Added at Site:	Admix added at Site

The delivery challan is being used for delivery of Continuous Material and Tax Invoice will be issued on consolidated basis under Rule 46 of CGST Rules 2017

Raw Material	Design Qty(Kg)	%Mois/%Abs/Corr(Kg)	Corrected(Kg)	Required(Kg)	Batched(Kg)	% Variation
CA12MM	442.00	-0.50	440.00	3080.00	3046.00	-1.10
FAMS	768.00	1.00	776.00	5432.00	5399.00	-0.61
CA20MM	665.00	-2.00	652.00	4564.00	4530.00	-0.74
C1	280.00	0.00	280.00	1960.00	1953.00	-0.36
C3	80.00	0.00	80.00	560.00	557.00	-0.54
ADMSPLAST	3.24	0.00 kg	3.24	22.68	22.68	0.00
WATERR	160.00	7.00 kg	167.00	1169.00	1171.00	0.17
TOTAL	2398.24	0.00	2398.24	16787.68	16678.68	-0.65

Checked & Verified
Q.C. LAB

30/12/23

1.CAUTION: WET CEMENT AND CONCRETE ARE CAUSTIC MATERIAL WHICH CAN CAUSE SERIOUS SKIN INJURY. TO AVOID RISK OF SUCH INJURY, PROTECTIVE CLOTHING (GLOVES, BOOTS ETC.) SHOULD BE WORN AT ALL TIMES DURING HANDLING OPERATION, WHERE DIRECT SKIN CONTACT OCCURS, IT SHUOLD BE WASHED THROUGHLY WITH CLEAN WATER, PROLONGED SKIN CONTACT SHOULD BE AVOIDED. COMPANY SHALL NOT RESPONSIBLE FOR THE SLUMP, STRENGTH OR QUALITY OF THE CONCRETE WHEN WATER HAS BEEN ADDED ON SITE AT THE REQUEST OF THE CUSTOMER.

2.WARRANTY DISCLAIMER:- UltraTech Cement Limited warrents that the products indentifie are in accordance with the appropriate BIS Specifications. No one is authorized to make any modifications or additions to this warranty. UltraTech Cement Limited makes no warranty or representation, either expressed or implied with respect to this product and disclaims any implied warrenty or merchantability or fitness for perticular purpose. As UltraTech Cement Limited has no control over the other ingredients mixed with the products or the final application. UltraTech Cement Limited does not and cannot warrant the finished work. In no event shall UltraTech Cement Limited be liable for Direct, Indirect, special, incidental or consequential damage including without limitation loss of profit or earnings arising out of the use of the product, even if you are notified or advised of the possibilites of such damages, in no case shall UltraTech Cement Limiteds liability exceed the purchase price of this product.

3.If necessary, additional dose of admixture may be added at project site to regian the workability of concreate with the mutual agreement between the consignor and the consignee.

4.Once Goods are loaded in vehicle the Goods will not be taken back.



DELIVERY CHALLAN

Unit Address:-

UltraTech Cement
Survey No.133/2 & 133, Kandlakoi,
Hyderabad -501401 TELANGANA



GSTIN : 36AAACL6442L1ZB

CIN No : L26940MH2000PLC128420

Recipient Code: 40108762

Recipient PO No: 20221108001

Recipient PO Date: 03/11/2022

Name & Address of Recipient

DR NRKBIOTECH PRIVATE LIMITED
NEXTOPOLIS SY NO 230 TO 243 PLOT NO 1,
TURKAPALLY SHAMIRPET,
HYDERABAD501401

Name & Address of Delivery

DR NRKBIOTECH PRIVATE LIMITED
NEXTOPOLIS SY NO 230 TO 243 PLOT NO 1,
TURKAPALLY SHAMIRPET,
HYDERABAD501401

Place of Supply: MEDCHAL

State Code: 36

Recipient GSTN/UIN No: 36AACCD2775Q1Z3

State Code: 36

State: TELANGANA

Delivery Challan No: 213610696

Delivery Challan Date: 12/11/2022

Order No: 990030305

Order Qty: 36.00

Cum Qty: 21.00

HSN Code: 3824 50 10

Plant Code: 414

Description of Goods: M030-REGULAR CONCRETE

TM Qty (M3):- 7.00

Date & Time of Removal of Goods: 12/11/2022 12:52:20

Transporter Details:

Basic

Quantity 7.00

UOM M3

Rate Per Unit (Im Rs.) 4322.03

Amount (in Rs.) 30254.21

Transporter Name:

Vehicle No: TS07UL4096

Mode of Transport: By Road

Pump Descp: LinePump

Destination:

LR No:

LR Date: 12/11/2022

Pump Qty:

Inco Term: FOB

CGST @ 9.00%

2722.88

SGST @ 9.00%

2722.88

Round Off

0.03

Total Invoice Value:

35700.00

Tax Amount In Words:-

Five Thousand Four Hundred Forty-Five Rupees and Seventy Six Paise

Invoice Amount in Word:-

Thirty-Five Thousand Seven Hundred Rupees and Zero Paise

Certified that the particulars given above are true & correct & the amount indicated represents the price actually charged and there is no flow of any additional consideration directly or indirectly from the recipient.

For ULTRATECH CEMENT LIMITED

Checked By

We hereby confirmed that we have received above referred material in good condition

Date:

INWARD		Medchal
Inward No: 2589	Dt: 12/11/2022	Authorized Signatory
MRN No:	Dt:	
Received By: [Signature]	Sign: [Signature]	
DR NRKBIOTECH PVT LTD		

Signature Name & Mobile No of Person/Party
Who receiving the material with ruber stamp

Cement Type:

Min Cem Content:

Max Size Aggr:

Slump at Site

Chemical Admix Type:

Mineral Admix Type:

Slump Specifide:

Water Added at Site:

ADMSPLAST

125+-

Batching Time: 12:51:56

Pour Structure:

Max W/C Ratio: 0.44

Admix added at Site

The delivery challan is being used for delivery of Continuous Material and Tax Invoice will be issued on consolidated basis under Rule 46 of CGST Rules 2017

Raw Material	Design Qty(Kg)	%Mois/%Abs/Corr(Kg)	Corrected(Kg)	Required(Kg)	Batched(Kg)	% Variation
CA12MM	442.00	-0.50	440.00	3080.00	3052.00	-0.91
FAMS	768.00	1.00	776.00	5432.00	5406.00	-0.48
CA20MM	665.00	-2.00	652.00	4564.00	4529.00	-0.77
C1	280.00	0.00	280.00	1960.00	1954.00	-0.31
C3	80.00	0.00	80.00	560.00	558.00	-0.36
ADMSPLAST	3.24	0.00 kg	3.24	22.68	22.68	0.00
WATERR	160.00	7.00 kg	167.00	1169.00	1169.00	0.00
TOTAL	2398.24	0.00	2398.24	16787.68	16690.68	-0.58

Checked & Verified
Q.C. LAB
30/12/20

1.CAUTION: WET CEMENT AND CONCRETE ARE CAUSTIC MATERIAL WHICH CAN CAUSE SERIOUS SKIN INJURY. TO AVOID RISK OF SUCH INJURY, PROTECTIVE CLOTHING (GLOVES, BOOTS ETC.) SHOULD BE WORN AT ALL TIMES DURING HANDLING OPERATION, WHERE DIRECT SKIN CONTACT OCCURS, IT SHUOLD BE WASHED THROUGHLY WITH CLEAN WATER, PROLONGED SKIN CONTACT SHOULD BE AVOIDED. COMPANY SHALL NOT RESPONSIBLE FOR THE SLUMP, STRENGTH OR QUALITY OF THE CONCRETE WHEN WATER HAS BEEN ADDED ON SITE AT THE REQUEST OF THE CUSTOMER.

2.WARRANTY DISCLAIMER:- UltraTech Cement Limited warrents that the products indentifie are in accordance with the appropriate BIS Specifications. No one is authorized to make any modifications or additions to this warranty. UltraTech Cement Limited makes no warranty or representation, either expressed or implied with respect to this product and disclaims any implied warrenty or merchantability or fitness for particular purpose. As UltraTech Cement Limited has no control over the other ingredients mixed with the products or the final application. UltraTech Cement Limited does not and cannot warrant the finished work. In no event shall UltraTech Cement Limited be liable for Direct, Indirect, special, incidental or consequential damage including without limitation loss of profit or earnings arising out of the use of the product, even if you are notified or advised of the possibilites of such damages, in no case shall UltraTech Cement Limiteds liability exceed the purchase price of this product.

3.If necessary, additional dose of admixture may be added at project site to regian the workability of concreate with the mutual agreement between the consignor and the consignee.

4.Once Goods are loaded in vehicle the Goods will not be taken back.