



Invoice No. 0471	Dated 15-Mar-2023
	Mode/Terms of Payment
Supplier's Ref. 20230303022	Other Reference(s)
Buyer's Order No.	Dated
Terms of Delivery	

Amount Chargeable (in words)

E. & O.E

INR Seventy Eight Thousand Four Hundred Only

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
38245010	66,440.64	9%	5,979.66	9%	5,979.66	11,959.32
Total	66,440.64		5,979.66		5,979.66	11,959.32

for SI Rmc Plant

Authorised Signatory

Plot No. 26, S.S. Villas, Markandeya Nagar, Kapra, Hyderabad, Telangana State - 500 062.
E-mail : slrmcplant@gmail.com GSTIN : 36ADNFS2288J1ZF

Internal memo no. 903/35/A
Annexure - B
RMC pour report

Company/ firm:	GV Research Centers Pvt Ltd	Block No.:	Attrium slab-6
Project	Innapolis	Flat / Villa no.:	
Supplier	SL RMC	Slab no.:	
Requisition nos.:	20230303019	A. Estimated quantity:	45M3
PO nos.:	20230303022	B. Requisition quantity:	45M3
Sign of Security	Sign of Admin	C. Actual quantity poured	16M3
		D. Difference (C-A)	29M3

Details of RMC pour

Sl. No	Date	Time of dispatch h from RMC plant	Time of receipt at site	Time of pour	Time poured	Batch no.	Specified wt @2400 kgs/m3	Measured weight (kgs)	Short fall in weight in kgs	Deduction for shortfall in Rs.	7 day cube test strength in kN/m2	28 day cube test strength in kN/m2
1	10.03.2023	08:36	09:36	10:00	08	7	19200	19250	-			
2	10.03.2023	13:56	14:56	15:20	08	770	19200	18990	230			
3												
4												
5												
6												
Total:							16m3	38400	20190	230		
Remarks	As per purchase order 45M3 but consumed 16M3 only											

Note: 1. Report to be sent on a daily basis to purchase & engineering dept. and report audit & mod properties. 2. Report must be prepared during pour and not later. 3. Report must be sent within one working day. 4. Multiple report can be sent for one PO. 5. Weight all vehicles. 6. 6 cubic meters vehicle should have a net weight of 14,110 kgs @ 2,400kgs/m3. If the shortfall is more than 50 kgs per load purchase to debit supplier shortfall amount on pro-rata basis. 7. Site to calculate shortfall. 8. Maintain original report + weightment slips + pour reports + test reports + photographs at site.