

$$\begin{array}{r} 1.00 \\ \hline 1.15 \end{array}$$

$$\begin{array}{r} 1.00 \\ \hline 1.15 \end{array}$$

$$\begin{array}{r} 1.15 \\ \hline \end{array}$$

Plastering also
in place of
chicken mesh
Room 3S - bed

Room 3S
Gypsum - 6' x 6' - solid blocks
12' x 12' - concrete

Caning

Size 1. i - 400 x 150 x 100 mm - 4"
Size 2. i - 400 x 150 x 200 mm - 6"

Size 1 without Ream 35 i -
① 260 KN $\rightarrow$ 43 kg/a²
② 250 KN $\rightarrow$ 41.6 kg/a²
Gumiflex

Size 1 with Ream 35 i -
① 310 KN $\rightarrow$ 51.6 kg/a²
② 325 KN $\rightarrow$ 54.1 kg/a²
avg 52 kg/a²

Size 2 without R35 i - ① 32.5 kg/a²
6"
with R35 - 11A

mixing method : uniform

Note:-
Therms
Foundable only - 35 only
Ground slab
first slab -
VRC -
A remanured -
Roofing
+ not needed!

भारतीय डाक



INDIA POST 000003

RLAD A 1449

Counter No:1, OP-Code:KL

To: COMHRA OF INDUSTRIES, ABIGG
HYDRABAD, PIN:001

Wt:20grams,

Amt:25.00 , 17/07/2002 , 11:04:10

Have a nice day,

भारतीय डाक



INDIA POST 000003

Counter No:1, OP-Code:KL

To: THE COMHRA OF INDS, CHIRAGALI LANE
HYDRABAD, PIN:001

Wt:20grams,

Amt:25.00 , 17/07/2002 , 11:04:10

Have a nice day

भारतीय डाक



INDIA POST 000003

RLAD A 1451

Counter No:1, OP-Code:KL

To: COMHRA OF INDUSTRIES, CHIRAGALI LANE
HYDRABAD, PIN:001

Wt:20grams,

Amt:25.00 , 17/07/2002 , 11:04:10

Have a nice day

भारतीय डाक



INDIA POST 000003

Counter No:1, OP-Code:KL

To: COMHRA OF INDS, CHIRAGALI LANE
HYDRABAD, PIN:001

Wt:20grams,

Amt:25.00 , 17/07/2002 , 11:04:10

Have a nice day