



Aaccess Tough Doors

Plot# 8 & 9, IDA Kukatpally, Gandhinagar
Balanagar
Hyderabad Telangana 500019
India
GSTIN 36ABXFA9913C1Z4

Estimate

#	: EST-003329	Place Of Supply	: Telangana (36)		
Estimate Date	: 23/06/2023	Sales person	: Abid		
Bill To		Ship To			
MODIPROPERTIES 5-4-187/ 3 & 4, M G Road, Secunderabad – 03 +91 40 66335551 Secunderabad Telangana India		gvdc Telangana India			
#	Item & Description	Qty	Rate	Dsct	Amount
1	General GI Powder Coated Double Leaf Door Luxa Door Frame thickness 1.2 mm GI Sheet with 100mm x 58mm. Door Shutter thickness 0.8 mm GI Sheet with 46 mm Honey comb craft paper infill. 1.Stiffeners 2.Motorgaurd 3.Hinges 'C' cups 4.Drop seal provision 5.Double Top Channel Number of Door Shutters Double Door Door Type Luxa Door Width : 1800 mm Height : 2400 mm Hinge Type Aaccess Ball bearing SS 304 Number of Hinges on single door Height from 2.1m to 2.5m - 4 Lock Type Dead Lock Dead Lock Type Luxa Door Closure Type 80 Kgs Number of Door Closures : 1 D Handle Type Luxa SS Handle How many sides D Handle? one Sides push plate Luxa Flush Bolt Required Glass Vision Panel? Fire Proof Wired Glass (200x300) Is your Door Wall Mounted Quantity : 9 NOTE : THESE ARE NOT FIRE DOORS NOTE : SITE NAME : GVDC QTY : 9 NOTE : THESE ARE NOT FIRE DOORS	23	36,936.00	20.00%	6,79,622.40

#	Item & Description	Qty	Rate	Dsct	Amount
	NOTE : SITE NAME : NRK QTY : 14 HSN: 73083000				
2	Installation General Double door (India) SAC: 995442	23	2,500.00	0.00	57,500.00
3	General GI Powder Coated Single Leaf Door Luxa Door Frame thickness 1.2 mm GI Sheet with 100mm x 58mm. Door Shutter thickness 0.8 mm GI Sheet with 46 mm Honey comb craft paper infill. 1.Stiffeners 2.Motorgaurd 3.Hinges 'C' cups 4.Drop seal provision 5.Double Top Channel Number of Door Shutters Single Door Door Type Luxa Door Width : 1200 mm Height : 2400 mm Hinge Type Access Ball bearing SS 304 Number of Hinges on single door Height from 2.1m to 2.5m - 4 Door Closure Type 80 Kgs Number of Door Closures : 1 Panic Bar for Fire and Emergency Doors Luxa (Single doors) Do you want Glass Vision Panel? Fire Proof Wired Glass (200x300) Is your Door Wall Mounted Quantity : 1 NOTE : THESE ARE NOT FIRE DOORS NOTE : SITE NAME : GVDC QTY : 1 NOTE : THESE ARE NOT FIRE DOORS NOTE : SITE NAME : NRK QTY : 12 HSN: 73083000	13	23,908.50	15.00%	2,64,188.92
4	Installation Emergency Exit Single door (India) SAC: 995442	13	2,000.00	0.00	26,000.00
5	General GI Powder Coated Double Leaf Door Luxa Door Frame thickness 1.2 mm GI Sheet with 100mm x 58mm. Door Shutter thickness 0.8 mm GI Sheet with 46 mm Honey comb craft paper infill. 1.Stiffeners 2.Motorgaurd 3.Hinges 'C' cups 4.Drop seal provision 5.Double Top Channel Number of Door Shutters Double Door Door Type Luxa Door Width : 1500 MM Height : 2400 MM Hinge Type	16	29,973.00	20.00%	3,83,654.40

#	Item & Description	Qty	Rate	Dsct	Amount
	Aaccess Ball bearing SS 304 Number of Hinges on single door Height from 2.1m to 2.5m - 4 Lock Type Dead Lock Dead Lock Type Luxa Door Closure Type 80 Kgs Number of Door Closures : 1 D Handle Type Luxa SS Handle How many sides D Handle? Two Sides Flush Bolt Required Glass Vision Panel? Fire Proof Wired Glass (200x300) Is your Door Wall Mounted Quantity : 16 NOTE : THESE ARE NOT FIRE DOORS NOTE : SITE NAME : GVDC QTY : 2 NOTE : THESE ARE NOT FIRE DOORS NOTE : SITE NAME : NRK QTY : 14 HSN: 73083000				
6	Installation General Double door (India) SAC: 995442	16	2,500.00	0.00	40,000.00
7	General GI Powder Coated Single Leaf Door Luxa Door Frame thickness 1.2 mm GI Sheet with 100mm x 58mm. Door Shutter thickness 0.8 mm GI Sheet with 46 mm Honey comb craft paper infill. 1.Stiffeners 2.Motorgaurd 3.Hinges 'C' cups 4.Drop seal provision 5.Double Top Channel Door Type Luxa Door Width : 1000 MM Height : 2300 MM Hinge Type Aaccess Ball bearing SS 304 Number of Hinges on single door Height from 2.1m to 2.5m - 4 Door Closure Type 80 Kgs Number of Door Closures : 1 Panic Bar for Fire and Emergency Doors Luxa (Single doors) Do you want Glass Vision Panel? Fire Proof Wired Glass (200x300) Is your Door Wall Mounted	6	21,701.00	20.00%	1,04,164.80

#	Item & Description	Qty	Rate	Dsct	Amount
	Quantity : 6 NOTE : THESE ARE NOT FIRE DOORS NOTE : SITE NAME : GVDC HSN: 73083000				
8	Installation Emergency Exit Single door (India) SAC: 995442	6	2,000.00	0.00	12,000.00
9	General GI Powder Coated Double Leaf Door Luxa Door Frame thickness 1.2 mm GI Sheet with 100mm x 58mm. Door Shutter thickness 0.8 mm GI Sheet with 46 mm Honey comb craft paper infill. 1.Stiffeners 2.Motorgaurd 3.Hinges 'C' cups 4.Drop seal provision 5.Double Top Channel Number of Door Shutters Double Door Door Type Luxa Door Width : 1500 MM Height : 2100 MM Hinge Type Aaccess Ball bearing SS 304 Number of Hinges on single door Height from 2.1m to 2.5m - 4 Lock Type Dead Lock Dead Lock Type Luxa Door Closure Type 80 Kgs Number of Door Closures : 1 D Handle Type Luxa SS Handle How many sides D Handle? Two Sides Flush Bolt Required Glass Vision Panel? Fire Proof Wired Glass (200x300) Is your Door Wall Mounted Quantity : 6 NOTE : THESE ARE NOT FIRE DOORS NOTE : SITE NAME : GMR HSN: 73083000	6	27,695.00	20.00%	1,32,936.00
10	Installation General Double door (India) SAC: 995442	6	2,500.00	0.00	15,000.00
11	General GI Powder Coated Single Leaf Door Luxa Door Frame thickness 1.2 mm GI Sheet with 100mm x 58mm. Door Shutter thickness 0.8 mm GI Sheet with 46 mm Honey comb craft paper infill. 1.Stiffeners 2.Motorgaurd 3.Hinges 'C' cups 4.Drop seal provision 5.Double Top Channel Number of Door Shutters Single Door	4	23,118.00	20.00%	73,977.60

#	Item & Description	Qty	Rate	Dsct	Amount
	Door Type Luxa Door Width : 1200 mm Height : 2100 mm Hinge Type Access Ball bearing SS 304 Number of Hinges on single door Height from 2.1m to 2.5m - 4 Door Closure Type 80 Kgs Number of Door Closures : 1 Panic Bar for Fire and Emergency Doors Luxa (Single doors) Do you want Glass Vision Panel? Fire Proof Wired Glass (200x300) Is your Door Wall Mounted Quantity : 4 NOTE : THESE ARE NOT FIRE DOORS NOTE : SITE NAME : GMR HSN: 73083000				
1 2	Installation Emergency Exit Single door (India) SAC: 995442	4	2,500.00	0.00	10,000.00
1 3	General GI Powder Coated Single Leaf Door Luxa Door Frame thickness 1.2 mm GI Sheet with 100mm x 58mm. Door Shutter thickness 0.8 mm GI Sheet with 46 mm Honey comb craft paper infill. 1.Stiffeners 2.Motorgaurd 3.Hinges 'C' cups 4.Drop seal provision 5.Double Top Channel Number of Door Shutters Single Door Door Type Luxa Door Width : 1200 mm Height : 2100 mm Hinge Type Access Ball bearing SS 304 Number of Hinges on single door Height from 2.1m to 2.5m - 4 Door Closure Type 80 Kgs Number of Door Closures : 1 Panic Bar for Fire and Emergency Doors Luxa (Single doors) Do you want Glass Vision Panel? Fire Proof Wired Glass (200x300) Is your Door Wall Mounted Quantity : 4 NOTE : THESE ARE NOT FIRE DOORS NOTE : SITE NAME : GVRC HSN: 73083000	4	24,950.00	20.00%	79,840.00
1 4	Installation Emergency Exit Single door (India) SAC: 995442	4	2,500.00	0.00	10,000.00

Items in Total 144

Total In Words

Indian Rupee Twenty-Two Lakh Twenty-Eight Thousand Eight Hundred Eighty-Three and Twenty-Six Paise Only

Sub Total	18,88,884.12
Total Taxable Amount	18,88,884.12
CGST9 (9%)	1,69,999.57
SGST9 (9%)	1,69,999.57
Total	₹22,28,883.26

Images are only mentioned for display purpose and may differ from actual product.

Orientation of door shutters, RAL color code confirmation and wooden finish design confirmation along with drawings should be approved separately.

Transportation charges will be on actual and are not included in the quote.

Looking forward for your business. Please send payments only to our company account and collect receipts immediately. Payments are not considered without receipts.

Always contact us on Toll Free number and not on sales personal numbers.

MAKE PAYMENTS ONLY TO

Aaccess Tough Doors

Kotak Mahindra Bank

Czech Colony, Fathe Nagar, Sanath Nagar, Hyderabad

Account : 0346137422

IFSC Code : KKBK0007469

Terms & Conditions

Terms and Conditions

1. All Doors/ Windows are manufactured as per the drawings approved by the Client at the time of Order Confirmation.
2. Customized Sizes are manufactured with additional charges and it's acceptance is subject to approval.
3. Changes in drawing cannot be accepted once the order is into production. If required, it can be treated as new order
4. Re-work charges are applicable and it's acceptance is subject to approval.
5. Order cancellation/Sizes amendment cannot accepted post drawing approval by the Client and no refund can be made.
6. If any Civil Works/Masonry Works will not be in AACCESS TOUGH DOORS scope.
7. Charges for Transport, Insurance & Unloading at your site will be to your Client Account.
8. Aaccess Tough Doors would not be the responsible to the Transport and any transport damages.
9. Payment terms: 50% advance with PO, 50% on Inspection and Before Delivery of material from our works
10. Dispatch of materials: 1 month from the date of complete technical and commercial acceptance from the Client.
11. Warranty: AACCESS TOUGH DOORS PVT LTD. warrants its manufacturing, materials.
12. Installation defects for normal usage of doors for period of 18 months from date of dispatch.
13. Cancellation of order: In the event of cancellation of order after payment of advance, the advance paid shall be forfeited without any Notice and shall not be refunded.
14. Force Majeure: Shall be applicable to cover the events such as natural calamities Strikes, Lockouts etc. and any other conditions beyond our control.
15. Neither Party will be liable for any failure or delay in performing an obligation under this Agreement that is due to any of the following causes (which causes are hereinafter referred to as "Force Majeure"), to the extent beyond its reasonable control: acts of God, accident, riots, war, terrorist act, epidemic, pandemic (including the Covid-19 pandemic), quarantine, civil commotion, breakdown of communication facilities, breakdown of web host, breakdown of internet service provider, natural catastrophes, governmental acts or omissions, changes in laws or regulations, national strikes, fire, explosion, or generalized lack of availability of raw materials or energy.
16. In the case of delay caused due to Force Majeure and during that delay if the price of the raw material is changed, then based on the new market price the difference amount shall be charged from the client.
17. The Parties hereby acknowledge that while current events related to the Covid-19 pandemic are known, future impacts of the outbreak are unforeseeable and shall be considered a Force Majeure event to the extent that they prevent the performance of a Party's obligations under this Agreement.
18. Idle Charges: In the event of wall openings, as mentioned in the wall openings clause, being not ready for commencing/carrying out installation on regular basis, idle charges @ 800/- per day will be charged

extra per team (of two members). The payment for the idle charges has to be released immediately failing which the installation crew shall be withdrawn.

19. Wall openings (inspection of wall fronts):

For sites with more than 100 doors requisite wall openings will be checked as per approved final signed off drawings and a detailed report submitted in writing.

20. Installation Stages: a) The Doors and frames stored in your stores shall be shifted to the point of installation to facilitate the installation as mentioned in the previous clause.

b) Finishing between door frames and wall openings shall be completed by your site personal at your cost.

21. Site readiness: a) Installation crew would be mobilized only if a minimum of 30% of wall openings is made ready initially and a minimum of 20 door wall openings in all respects is made available at any point of time for ensuring continuous work front for the installation teams.

b) Installation of doors and hardware will commence after receipt of written confirmation on readiness of wall openings in all aspects as above.

c) The finished size of the wall openings for installation of doors to be provided as given in the signed off drawings / specifications and indicated in your PO.

22. Security: Doors once installed and handed over will be your sole responsibility. We will not be responsible for any loss of material/service / damage thereafter partial / full handover or in the event of your site engineer or supervisor not taking charge on completion of the installation.

23. Disputes: All disputes arising under this contract shall be subject to the jurisdiction of the Secunderabad / Hyderabad courts only.

24. Technical Clearances Required are

- Drawings approval

- Color approval (as per given shades)

- Orientation approval

- Samples of accessories to be fixed by other agencies such as access control devices etc. with location drawings.

- Commercial Clearances Required are

- Quotation acceptance from Client.

- Our acceptance and confirmation of all items of the purchase order.

- Receipt of advance by RTGS/NEFT/D.D / Cheque payable at Hyderabad.

Customer Name :-

Customer Acceptance :-