

DELIVERY CHALLAN



R6 Infra

READY MIX CONCRETE AND BRICKS

Plot No. 15, S.S. Villas,
Markandeya Nagar, Kapra,
Hyderabad, Telangana - 500 062.

D.C. No. : 2345

Date : 29/8/2023

To, Silver oak villas. cheela Pally

M/s. TS307A 4488.

Vehicle No. :

S.No.	Grade	PARTICULARS	Qty.	Cum.	Value
01	M20	—	6.793	6.793	Dumping

Receiver's Signature

INWARD	
Inward No. 839	Dr. 29/8/23
MRN No:	Dr:
Received By:	Sign:
M H P L SOV III	

For **R6 Infra**

Authorised Signatory

Internal memo no. 903/35/A
Annexure - B
RMC pour report

Company/ firm:	MHPL SOV	Block No.:	For Nala retaining wall purpose
Project:	SOV-III	Flat / Villa no.:	For Nala retaining wall purpose
Supplier:	R6-Infra	Slab no.:	-
Requisition nos.:	20230818031	A. Estimated quantity:	15
PO nos.:	20230819008	B. Requisition quantity:	15
Sign of Security	Sign of Admin	Sign of Project Manger	C. Actual quantity poured
			D. Difference (C-A)
			-

Details of RMC pour

Sl. No	Date	Time of dispatch from RMC plant	Time of receipt at site	Time of pour	Quantity poured	Dc No. / Batch no.	Specified wt @2400 kgs/m3	Measured weight (kgs)	Short fall in weight in kgs	Deduction for shortfall in Rs.	7 day cube test strength in kN/m2	28 days cube test strength in kN/m2
1.	21/08/23	09:20	10:00	10:05	05	2310	12000	12500				
2.	21/08/23	14:45	15:25	13:30	04	2315	9600	9870				
3.	29/08/23	09:15	09:55	10:00	06	2345	14400	14965				
4.												
5.												
6.												
7.												
8.												
9.												
10.												
Total:					15		36000	37335				

Remarks Total received .please approve

Note: 1. Report to be sent on a daily basis to purchase@modiproperties.com and report-audit@modiproperties.com. 2. Report must be prepared during pour and not later. 3. Report must be sent within one working day. 4. Multiple report can be sent for one PO. 5. Weigh all vehicles. 6. 6 cubic meters vehicle should have a net weight of 14,110 kgs @ 2,400kgs/ m3. If the shortfall is more than 50 kgs per load purchase to debit supplier shortfall amount on pro-rata basis. 7. Site to calculate shortfall. 8. Maintain original report + weighment slips + pour reports + test reports + photographs at sit