

Company/ firm:	Crescentia Labs Pvt. Ltd.	Block No:	
Vehicle	GV ONE	Flat / Villa no:	solvent block columns
Supplier:	R6 Infra(M30)	Slab no:	
Requisition nos:	20240111018	A. Estimated quantity	150m ³
PO nos.:	20240117012	B. Requisition	150m ³
Sign of Security	Sign of Admin	Sign of Project Manger	C. Actual quantity poured on (17-01-24), 30m ³ used on (20-01-24), 3.5m ³ on (23-01-24), 30m ³ on (24-01-24), 39m ³
Details of RMC pour		D. Difference (C-A)	0.5m ³

Sl. No	Date	Time of dispatch from RMC plant	Time of receipt at site	Time of pour	Quantity poured (Cum)	De No. / Batch no.	Specified wt @2400 kgs/m ³	Measured weight (kgs)	Short fall in weight in kgs	Deduction for shortfall in Rs.	7 day cube test strength in kN/m ²	28 days cube test strength in kN/m ²
1	25-01-2024	12:28	12:38	13:21	8m ³	4164	19,200	19,120	80			
2	25-01-2024	14:20	14:30	15:09	8m ³	4167	19,200	19,270	-70			
3	25-01-2024	16:20	16:30	17:09	8m ³	4168	19,200	19,590	-390			
4	25-01-2024	16:45	16:56	17:30	8m ³	4169	19,200	19,370	-170			
5	25-01-2024	20:05	20:14	20:58	7m ³	4174	16800	16230	-570			
				Total	39m³		93,600	93,580	-1,120			

Remarks

Balanced quantity to be delivered later

Note: 1. Report to be sent on a daily basis to purchase@modiproperties.com and report-audit@modiproperties.com. 2. Report must be prepared during pour and not later. 3. Report must be sent within one working day. 4. Multiple report can be sent for one PO. 5. Weigh all vehicles. 6. 6 cubic meters vehicle should have a net weight of 14,110 kgs @ 2,400kgs/ m³. If the shortfall is more than 50 kgs per load purchase to debit supplier shortfall amount on pro-rata basis. 7. Site to calculate shortfall. 8. Maintain original report + weighment slips + pour reports + test reports + photographs at site.

DELIVERY CHALLAN


Plot No. 15, S.S. Villas,
Markandeya Nagar, Kapra,
Hyderabad, Telangana - 500 062.

PO: 20240117012

164

Date: 25-01-2024

Vehicle No.: TS 08DK. 2593
for one hydraulic pump (2024 013 1618)

No.	Grade	PARTICULARS	Qty.	Cum.	Value
1	60.30	INWARD Inward No: 3634 Date: 25/01/24 Received By:  CRESCENTIALABS PVT LTD	4000	4000	4000
Receiver's Signature					
For R6 Infra Authorised Signatory 					