

Supplier:		R6 Infra(M20)			Slab no:		Cellar grade slab casting					
Requisition nos:		20240315010			A. Estimated quantity:		230m3					
PO nos.:		20240316029			B. Requisition quantity:		230m3					
Sign of Security		Sign of Admin	Sign of Project Manager	C. Actual quantity poured		133m3 used on (29-03-24), 97m3						
				D. Difference (C-A)		-						
Details of RMC pour												
Sl. No	Date	Time of dispatch from RMC plant	Time of receipt at site	Time of pour	Quantity poured (Cum)	Dc No. / Batch no.	Specified wt @2400 kgs/m3	Measured weight (kgs)	Short fall in weight in kgs	Deduction for shortfall in Rs.	7 day cube test strength in kN/m2	28 days cube test strength in kN/m2
1	30-03-2024	13:05	13:14	13:56	7m3	5811	16,800	16,360	440			
2	30-03-2024	13:27	13:35	14:12	6m3	5812	14,400	14,040	360			
3	30-03-2024	13:37	13:46	14:28	7m3	5813	16,800	16,810	-10			
4	30-03-2024	14:13	14:22	14:58	7m3	5814	16,800	16,750	50			
5	30-03-2024	14:23	14:32	15:14	7m3	5815	16800	16860	-60			
6	30-03-2024	14:38	14:47	15:27	7m3	5817	16800	16610	190			
7	30-03-2024	15:45	15:55	16:38	8m3	4937	19200	19430	-230			
8	30-03-2024	16:20	16:30	17:05	8m3	4939	19200	19470	-270			
9	30-03-2024	16:35	16:45	17:32	8m3	4940	19200	19430	-230			
10	30-03-2024	17:05	17:15	17:51	8m3	4941	19200	19430	-230			
11	30-03-2024	17:20	17:30	18:12	8m3	4942	19200	19250	-50			
12	30-03-2024	17:45	17:55	18:33	8m3	4943	19200	19160	40			
13	30-03-2024	18:45	18:55	19:28	8m3	4944	19200	19670	-470			
14												
				Total	97m3		64800	63960	840			
Remarks		Balanced quantity to be used later										

DELIVERY CHALLAN

SL RMC PLANT
READY-MIX CONCRETE

Plot No. 26, S.S. Villas,
Markandeya Nagar, Kapra,
Hyderabad,
Telangana - 500 062.

C. No. :

5811

Date : 30/02/24

M/S. Giv one

Phone :- 2024-03160229

Vehicle No. : TS 08UV 8894

Thuvako Pally

S.No.	Grade	PARTICULARS	Qty.	Cum.	Value
1	M20	Time :- 13:14.	7m ³	7m ³	Pump

MRN-20240401030

INWARD

Inward No: 4303

Dr: 30/2/24

Received By:

Sign:

CRESCENTIA LABS PVT LTD

For **SL RMC PLANT**

Receiver's Signature

Authorised Signatory