Anx C - Guideline Rates Approval Form

Form Sl. No.	0.000.10			Date	20.04.2024	
Sl. No.	Description of work		Additional specs/remarks	Units	Rate	Rate ID
1.	Laying of granite - floo	oring - large spaces	NA	Sft	25.00	
2.	Laying of granite - Wa	Il cladding - large spaces	NA	Sft	45.00	
3.	Laying of granite - star	rease - steps and landing	NA	Sft	30.00	
4.		rease - risers and skirting	NA	Rft	30.00	
3)	Granite chamfering an	d polishing - 45 degrees - 6 to 10mm - 1F-116	NA	SFD of E	15.00	
6.	Groove for Treads on:	steps in granite – 4mm cut –TF-125	NA	(Sf) ist	10.00	
7.	600x600mm tile floori	ng - bathrooms/ lobby/ staircase - TF-192	NA	Sft	20.00	
8.		bathrooms/ lobby/ staircase	NA	Sft	20.00	
9.	600x600 tile flooring -	large spaces (>3k sft) - with line laser.	NA	Sft	16.00	
10.		large spaces (>3k sft) - Tile Skirting	NA	SA PAL	12.00	
11.	600x1200 in place of 6		NA	Sft	3.00	
(12)	1200x2400 in place of	600x600 - TF-189	NA	Sft	10.00	
13.	Granite patti for stairca	ase dado with edge polishing	NA	Rft	50.00	
14.	Granite soffit + Chami	ering for doors & windows	NA	Rft	40.00	***
(15.)	Edge polish - 15 to 20mm - TF-10G		NA	SPOrft	18.00	
16.	Floor chipping-Light		NA	Sft	1.00	
17.	Floor chipping - mediu		NA	Sft	2.00	
18.	Mortar / dust shifting -		NA	Sft	2.00	
19.	Mortar/dust shifting-Manual Lift charges pay 50 paise per floor above ground floor. In case crane is provided by builder pay 30 paise per floor above ground floor.		NA	Sft	30p/50p	
20.	Tile shifting -(600x600mm tiles) for ground floor + lift charges		NA	Sft	1.25 for ground floor 0.25 additional each for additional floor	
21.	Tile shifting -(1200x600mm tiles) - additional charges over 600x600 tiles		NA	Sft	0.25	
22.		400mm tiles) - additional charges over 600x600 tiles	NA	Sft	2.00	
23.	Granite shifting charges – additional charges over 600x600 tiles		NA	Sft	0.50	
Circular /IM no. N/A		Projects applicable	Lab Space Projects	Validity	Till further notic	
Rate includes GST? Not included  Remarks:		GST bill required?	Required	Work type	Labour charges	

- b. Granite must be cut in workshop established at site. Cut pieces must be shifted to required floors.

c. Fire doors of standard sizes are given in another memo. QS to issue another Annexure for lump sum charges based on above rates. Similarly, standard set of aluminum tended on a sum of the same to the same to

Approved by project manager	Approved by QS team	Approved by Direc	
Sign:	Sign:	Sign:	2 3 APR YOLV
Date	Date:	Date:	201
			NA MOU

intl memo no. 918-001 - Anx C - Guideline Rates Approval Form

## Annexure - FIN1- Ver 2 - updated on 05-04-2024

05 APR 2024

APPROVED BY

Details of labour rates for tiles & granite flooring/cladding works – lab space projects.

S No	Description	MANAGERS CHESTOS	Units	Rate in INR for lab
3110	beschiption			space projects
1.	Laying of granite - flooring - large spaces	NA	Sft	25
2.	Laying of granite - Wall cladding - large spaces	NA	Sft	45
3.	Laying of granite - staircase - steps and landing	NA	Sft	30
4.	Laying of granite - staircase - risers and skirting	NA	Rft	30
5.	Granite chamfering and polishing - 45 degrees - 6 to 10mm	NA	Sft	15
6.	Groove for Treads on steps in granite – 4mm cut	NA	Sft	10
7.	600x600mm tile flooring - bathrooms/ lobby/ staircase	ŃA	Sft	20
8.	600x600 wall cladding bathrooms/ lobby/ staircase	NA	Sft	20
9.	600x600 tile flooring - large spaces (>3k sft) - with line laser	NA	Sft	10
10.	600x600 tile flooring - large spaces (>3k sft) - Tile Skirting	NA	Sft	12
11.	600x1200 in place of 600x600	NA	Sft	3
12.	1200x2400 in place of 600x600	NA	Sft	16
13.	Granite patti for staircase dado with edge polishing	NA	Rft	50
14.	Granite soffit + Chamfering for doors & windows	NA	Rft	4(
15.	Edge polish - 15 to 20mm	NA	Sft	18
16.	Floor chipping-Light	NA	Sft	]
17.	Floor chipping - medium to heavy	NA	Sft	2
18.	Mortar / dust shifting - for ground floor	NA	Sft	2
19.	Mortar/dust shifting-Manual Lift charges pay 50 paise per floor above ground In case crane is provided by builder pay 30 paise per floor above ground floor	l floor. NA	Sft	30p/5 <b>0</b> p
20.	Tile shifting -(600x600mm tiles) for ground floor + lift charges	NA	Sft	1.25 for ground floo 0.25 additional each
				for additional floo

21.	Tile shifting -(1200x600mm tiles) - additional charges over 600x600 tiles	NA	Sft	0.25			
22.	Tile shifting -(2400x2400mm tiles) - additional charges over 600x600 tiles	NA	Sft	2			
23.							
24.	23. Grante shifting charges – additional charges over 600x600 tiles NA Sft 0.50  24. Notes:						
	<ul> <li>a. For staircases, lift cladding, soffits for fire doors – lumsum charges to be find an average area for different sizes across one project.</li> <li>b. Granite must be cut in workshop established at site. Cut pieces must be shed. Fire doors of standard sizes are given in another memo. QS to issue another Similarly, standard set of aluminum/UPC windows &amp; French windows are</li> </ul>	ifted to required annexure for l	l floors. umsum charges base	ed on above rates.			



Anx C - Guideline Rates Approval Form

Form Sl. No.	1045	Scan Id		Date	20.04.2024	
Sl. No.	Description of work		Additional	Units	Rate	Rate ID
		specs/remarks				
1.	Laying of granite - flooring - la	NA	Sft	25.00	TF211	
2.	Laying of granite - Wall claddi	NA	Sft	45.00	TF212	
3.	Laying of granite - staircase - s	steps and landing	NA	Sft	30.00	TF213
4.	Laying of granite - staircase - r	isers and skirting	NA	Rft	30.00	TF214
5.	Granite chamfering and polish	ing - 45 degrees - 6 to 10mm	NA	Sft	15.00	TF215
6.	Groove for Treads on steps in	granite – 4mm cut	NA	Sft	10.00	TF216
7.	600x600mm tile flooring - batl	nrooms/ lobby/ staircase	NA	Sft	20.00	TF217
8.	600x600 wall cladding bathroo	oms/ lobby/ staircase	NA	Sft	20.00	TF218
9.	600x600 tile flooring - large sp	paces (>3k sft) - with line laser	NA	Sft	16.00	TF219
10.	600x600 tile flooring - large sp	paces (>3k sft) - Tile Skirting	NA	Sft	12.00	TF220
11.	600x1200 in place of 600x600		NA	Sft	3.00	TF221
12.	1200x2400 in place of 600x60	0	NA	Sft	10.00	TF222
13.	Granite patti for staircase dado	with edge polishing	NA	Rft	50.00	TF223
14.	Granite soffit + Chamfering fo	r doors & windows	NA	Rft	40.00	TF224
15.	Edge polish - 15 to 20mm	NA	Sft	18.00	TF225	
16.	Floor chipping-Light		NA	Sft	1.00	TF226
17.	Floor chipping - medium to he	avy	NA	Sft	2.00	TF227
18.	Mortar / dust shifting - for grou	and floor	NA	Sft	2.00	TF228
19.	Mortar/dust shifting-Manual Lift charges pay 50 paise per floor above ground floor. In case crane is provided by builder pay 30 paise per floor above ground floor.		NA	Sft	30p/50p	TF229, TF230
20.	Tile shifting -(600x600mm tiles) for ground floor + lift charges		NA	Sft	1.25 for ground floor 0.25 additional each for additional floor	TF231,TF232
21.	Tile shifting -(1200x600mm tiles) - additional charges over 600x600 tiles		NA	Sft	0.25	TF233
22.	Tile shifting -(2400x2400mm tiles) - additional charges over 600x600 tiles		NA	Sft	2.00	TF234
23.	Granite shifting charges – additional charges over 600x600 tiles		NA	Sft	0.50	TF235
Circular /IM no	N/A		Projects applicable	Lab Space Projects	Validity	Till further notice
Rate includes C	SST? Not included		GST bill required?	Required	Work type	Labour charges

## Remarks:

- a. For staircases, lift cladding, soffits for fire doors lump sum charges to be fixed for each floor /lift/door. These should be based on an average area for different sizes across one project.
- b. Granite must be cut in workshop established at site. Cut pieces must be shifted to required floors.
- c. Fire doors of standard sizes are given in another memo. QS to issue another Annexure for lump sum charges based on above rates. Similarly, standard set of aluminum/UPC windows & French Windows are given in internal memo. QS to issue lump sum rates for the same

Approved by project manager	Approved by QS team	Approved by Director
Sign:	Sign:	Sign:
Date:	Date:	Date: