

Company/ firm:		Crescentia Labs Pvt. Ltd.				Block No:		Northern block				
Project:		GV ONE				Flat / Villa no:		col-6				
Supplier:		R6 Infra(M30)				Slab no:		-				
Requisition nos:		20240422037				A. Estimated quantity:		70m ³				
PO nos.:		20240422040				B. Requisition quantity:		70m ³				
Sign of Security		Sign of Admin		Sign of Project Manager		C. Actual quantity poured		28m ³ used on (04-05-24), 27m ³				
		18/05/2024				D. Difference (C-A)		15m ³				
Details of RMC pour												
Sl. No	Date	Time of dispatch from RMC plant	Time of receipt at site	Time of pour	Quantity poured (Cum)	Batch no.	Specified wt @2400 kgs/m ³	Measured weight (kgs)	Short fall in kgs	Deduction for shortfall in Rs.	7 day cube test strength in kN/m ²	28 days cube test strength in kN/m ²
1	10-05-2024	8:50	8:58	9:32	5m ³	5358	12,000	12,030	-30			
2	10-05-2024	13:40	13:51	14:33	8m ³	5359	19,200	19,610	-410			
3	10-05-2024	15:21	15:30	16:13	7m ³	6266	16800	16730	70			
4	10-05-2024	17:41	17:50	18:28	7m ³	6267	16800	16400	400			
					Total		64800	64770	30			
Remarks												
Balanced quantity to be delivered later												

Note: 1. Report to be sent on a daily basis to purchase@modiproperties.com and Report-audit@modiproperties.com. 2. Report must be prepared during pour and not later. 3. Report must be sent within one working day. 4. Multiple report can be sent for one PO. 5. Weight all vehicles. 6. 6 cubic meters vehicle should have a net weight of 14,110 kgs @ 2,400kgs/ m³. If the shortfall is more than 50 kgs per load purchase to debit supplier shortfall amount on pro-rata basis. 7. Site to calculate shortfall. 8. Maintain original report + weightment slips + pour reports + test reports + photographs at site.

Ros Infra

Plot No. 15, S.S. Villas,
Markandeya Nagar, Kapra,
Hyderabad, Telangana - 500 062.

5358

Date: 10-05-2024

M/s. Prathe.

thrice payed 20240422040

Vehicle No.: T509120, 0999 4

S.No.	Grade	PARTICULARS	Qty.	Cum.	Value
01	6930	11876 20240520001 INWARD Inward No: 4192 Dt: 10/5/24	5063	5063	Indiano

Receiver's Signature

For R6 Infra

Authorised Signatory