H- block passanges

Head Office & Regd. Office 1, East Main Road, Anna Nagar Western Extension, Chennai 600101 Phone 044 43152200 Email info@johnsonliftsltd.com Website www.johnsonliftsltd.com CIN No.: U27209TN1981PTC008718



LIFT No.	L-R5002
----------	---------

MODI REALTY MALLAPUR LLP

T&C/08/QR/03

SOHAM MANSION,M G ROAD, SECUNDERABAD, 500013

Our Quotation Ref No.

JL/60/TG01/01418/E/C01

Dear Sir/Madam,

Sub: Supply, Erection, Testing and Commissioning of above mentioned Johnson Lifts

MODI REALTY MALLAPUR LLP GULMOHAR RESIDENCY

SY NO:19

MALLAPUR HYDERABAD 500076

HANDING OVER CERTIFICATE

This day (1 1 0 6 / 2024) we have handed over to you in good working condition the Johnson Electrical Lift installed at the above premises after carrying out and completing all works enumerated in our quotation.

We have also handed over to you the Emergency Door Open Key and the Controller Key for the above Lift. Please sign and return to us the duplicate copy of this handing over letter at the earliest duly signed in token of having taken over the installation.

Also please be informed damages caused to the lift due to misuse/ water entry / leakage / seepage is not covered under the warranty.

Kindly note the warranty period for the above lift will be effective from



21/06/2024 to 20/06/2025

Lift taken over by: Signature

Handed Over By: Johnson Lifts Private Limited

For Service, Maintenance and breakdowns please contact: 040-23078881, 23078882, 23078883

ONLY FOR OFFICE USE HEAD OFFICE **BRANCH OFFICE** ROUTE CODE FSM ENTERED ON : RECEIVED ON SM NO FSM ENTERED BY **VERIFIED BY** SIGN BY S&M DEPT: CHECKED BY VERIFIED ON

Johnson Lifts Pvt Ltd

Johnson Lifts Private Limited

Pot No B-31 part, TIE Balanagar, Hyderabad 500 037

> S&M Phone 23023881/23/2/8 235655

2378881/27

website E-mail WWW.johnsonliftslid.com hyderabad@johnsonliftsltd com

CUSTOMER FEED BACK OF LIFT

HYDERABAD- 500076 MALLAPUR SY NO:19 GULMOHAR RESIDENCY MODI REALTY MALLAPUR LLP L-R5002

Dear valuable customer

lift & lift performance from you. Please give your valuable, feedback regarding the lifts whose details are given below. With reference to the above, we have supplied & installed the lift at your premises & we need the feed back of the

SL.NO	CUSTOMER CHECK LIST
-	CLEANING OF LIFT & MACHINE ROOM
2	LIFT COMFORT RIDE
ω	FUNCTION OF NON-STOP
4	SUFFICIENT CAR LIGHTTING
S	CAR FIXTURE ARE FIXED PROPERLY
6	WORKING OF EMERGENCY LIGHT & ALARM
7	WORKING OF FLOOR ANNOUNCIATOR
8	WORKING OF SCREEN SENSOR
9	DOOR OPERATION
10	FLOOR BUTTON OPERATION IN CAR & ALL FLOORS
11	FLOOR POSITION INDICATION IN CAR & ALL FLOORS
212	WORKING OF PRESS & SPEAK
13	DOES OVER LOAD DEVICE WORKS
14	DOES THE LIFT TAKES FULL LOAD
15	OVER ALL PAINTING WORKS / SS STICKERS
16	FMS OPERATION
17	WORKING OF AUTOMATIC RESCUE DEVICE

REMARKS IF ANY

YOUR SUGGESTION

CUSTOMER SIGNATURE

MECHANIC SIGNATURE

SIGNATURE SUPERVISOR



H O : Plot No. 1, East Main Road ,anna Nagar Western Extn, Chennai-600 101 Phone 26152200, 26152201, 26152202, 26152203 Fax26151614

CUSTOMER GENERAL INFORMATION LETTER

MODI REALTY MALLAPUR LLP L-R5002 HYDERABAD- 500076 MALLAPUR SY NO:19 GULMOHAR RESIDENCY

SUB: Safety/Operational Instructions of Johnson Elevator for Job no: L-R5002 installed at your premises

premises MODI REALTY MALLAPUR LLP and we advice you to kindly take care on the below listed points for safe and We would like to inform you that we have completed the installation, testing & Commissioning work of the lift at your

- 1. In case the lift is used for building material shifting and labor is using the lift for transport
- Lift cabins to be properly protected to avoid scratches and damages of the lift cabin & doors
- Proper security/lift operator to be assigned during usage of lift(s)

will not be responcible for any scratches in the lift panels which may occur in future, even if the lift was kept ideal without Any material damage is found due to missuse of labor and material shifting, will be replaced on chargeable basis only. JLPL

- materials which may lead to malfunctioning of lift doors and other lift equipments 2. Landing sills, car sills and all lift entrancess needs to be cleaned periodically to avoid accumulation of dust and other
- Power supply
- 3 phase supply to be maintained between 380 volts to 415 volts and the power supply to be permanent
- Earth to neutral voltage should be less than 4 volts and greater than zero voltage at the time of lift running and ideal conditions
- warranty Above said Imporper earthing and power supply may lead to equipment failure and the same will not be covered under

5

for any gum cleaning and rust in panels in future due to not removal of wrappers as per your request. JLPL will be cleaning stain in the panels and may lead to rusting of panels irrespective of panel make - SS or painted. JLPL will not be responcible panels and will mark a parmanent stain in the lift panels. Please contact our service team to take up with cleaning processes. 4. Should not use any acidic cleaning agents to clean the panels. Usage of improper agents may lead to corrossion of the lift . The panel proctective wrappers to be removed at the time of handing over and cleaned for gums. The gums may cause

Thanking you

over of the lifts

the panels only on cost basis if both rust and stain happens because of not removing the wrappers at the time of handing

Yours faithfully

For Johnson Lifts Private Limited,

Authorized Signatory

Customer Signature:

Customer Name:

Received Date:

Customer Phone No.:

Panel Protective wrappers - general instruction letter

L-R5002
MODI REALTY MALLAPUR LLP
GULMOHAR RESIDENCY
SY NO:19
MALLAPUR
HYDERABAD- 500076

Sub: Removal of panel protective wrappers. (job no L-R5002)

Dear sir,

sticker are intact. In this regards we are in need to remove panel protective wrappers before handing We have fixed the car body, landing doors, car doors & frames for the above lift at your site and safety

panel if we try to remove the same in latter stage. finish will not be up to the mark. Wrappers gum in the protective wrappers may leave stain marks in the If the panel protective wrappers are not removed immediately then the quality of panels & the final

is involved to remove the wrappers which can be done on cheargeable basis. impossible to remove the wrappers. In this case for removing the addhered wrappers additional process Also the wrappers will get addhered to the pannels due to heat in the environment and it will become

or dents in any of the lift panels. In addition, After handing over of the lift for your usage, JLPL will not be responcible for any scratches

Thanking you & assuring you of our best services at all times.

Yours sincerely,

for Johnson lifts Port, atd

Authorized Signatory

Accepted by......

Sign & Seal

Authorized signatory

ARD Maintanence and General instructions

I-R5002
GULMOHAR RESIDENCY
SY NO:19
MALLAPUR
MALLAPUR
HYDERABAD- 500076

Subject: ARD Maintanence and General instructions.

Dear sir,

Device) unit. If the 3 Phase power supply goes OFF, this ARD unit will operate the lift to nearest floor fully charged condition. with the help of battery incorporated in the system. In this regard we have to maintain these Batteries We would like to inform you that the above lift is installed with ARD (Automatic Rescue

switch OFF the lifts main suppy which is the direct scorce for battery charging. If the main is switched failes ARD will not operate. The defected batteries should be replaced on chargeable basis OFF, the batteries charging voltage will be discharged and will lead to failure of Batries. If the batteries Here we advice/suggestion to keep lift main power supply always ON condition. Please don't

avoide battry discharge This is for your kind information and Keep the lift Power supply always in ON condition to

Yours singerely 18 a for John son with 1969 Lud Authorized Signatory

Customer signature

Date

JLPL service center Information letter

To, L-R5002 MODI REALTY MALLAPUR LLP GULMOHAR RESIDENCY SY NO:19 MALLAPUR HYDERABAD- 500076

Subject: JLPL service center informations

Dear sir,

We have handed over the lift JOB NO L-R5002 In a good working condition on.....

Please note our service center numbers below

Phone number

- 040 23078881
- 040 20378882
- 040 23078883
- 9600069695
- 9600068592

Customer calls will be attended by our service center from 9AM to 9PM on all days including sundays and national holidays.

Please inform the below details to our service center at the time of your call for effective and quick services.

• Lift Number : L-R5002

Name and location of building :

• Contact person name :

• Contact person mobile number :

Thanking you and assuring you our best services.

Regards

Yours sincerely,

for Johnson lifts Pvt. Itd

Authorized Signatory

Customer Signature

LOAD TEST & RESCUE PROCEDURE

TO, L-R5002 MODI REALTY MALLAPUR LLP GULMOHAR RESIDENCY SY NO:19 MALLAPUR HYDERABAD- 500076

Dear sir,

We have completed testing work and we have explained the emergency operation to

the following persons at your site.

Emergency Operation explained to,

Name Signature

Load test checked along with the following persons,

Name Signature

Yours moerely, oz

Authorized Signatory

CUSTOMER INFORMATION LETTER

L-R5002 MODI REALTY MALLAPUR LLP GULMOHAR RESIDENCY SY NO:19 HYDERABAD- 500076 MALLAPUR

Dear Sir,

We would like to inform you that we have completed installation/ testing & commissioning work for your elevator .the following pending works to be completed.

3 PHASE PERMANENT POWER SUPPLY TO BE PROVIDE.

be replaced on chargeable basis only . In case of any damage of the materials and lift equipments due to the above said reasons, the same will

Thanking you & assuring you of our best service at all times.

yours faithfully

For Johnson ts Private Limited

Authorized Signatory

Customer Phone No:

Customer Name

Customer Signature:

Received Date

Johnson Lifts Private Limited

Head Office : No. 1, East Main Road, Anna Nagar Western Extension, Chennal - 600 101

Phone : 26152200 (6 Lines)

Grams: "LIFTS"
Fax: 91-44-26151614
E-mail: info@johnsonliftsitd.com

Website

www.johnsonliftsltd.com

You are now the owner of and DON'Ts ₫ using ŧ Ę "JOHNSON" Lift/s. We are listing below some of the efficiently and ಕ avoid frequent breakdowns and

- consequent inconveniences. Before informing us about the break-down, please check the following
- If not power supply, please call Electricity Board.

 b) Check if all three phase Power Supply are available:

If not, Please call Electricity Board.

9

Check for Power Supply -

- O If they are blown out, Please rewire it or call Electricity Board. Check the incoming main fuses -
- ع Check whether all the landing gates and lift gates are closed properly
- œ Please check whether all the three phases are in sequence If not, close it
- f) Please check whether the MPCB is in "ON" Position -

If not, call Electricity Board.

If not, switch it on.

g) Please check if any phase linking is there

If so, call Electricity Board.

E If your Lift is not running even after all the above check Ups, Please get in touch with our service Department on Phone No. 26152003, 26152004, 26152005, 26152006.

NU

DO's and DON'Ts

- 1. Please keep your Machine Room under lock and key.
- 'n Please identify "JOHNSON LIFTS" Service Personnel before allowing them to attend to your lift.
- ώ Please do not allow unidentified persons to attend or check your lift
- 4. Please put the lift lights "ON" Permanently

Do not load the Lift beyond the rated load

Ò

- Ģ Do not put your hands through the gates when the Lift is on the landing or away from it.
- Do not put your hands through the gates when the Lift is on the landing or away from it.
- Do not allow water to enter into the lift well and to the machine room
- Do not touch the Lift parts without switching off the Power Supply
- Do not tamper with any of the Controller Circuits

For relieving the Passengers trapped inside the Lift, the following steps maybe observed:

- landings. Select that landing for carrying out rescue operations. If the Lift has stopped in between floors, Normally a large portion would be visible from one of the
- Open the door lock. The door will open freely without any obstruction. If any obstruction is observed, reinsert the key a little deeper till the lock releases and gate open freely. Insert the Door Open Key in the provision provided above the Push Box, Push the Door Open Key and
- provided for stepping on, please hold it firmly so as to prevent it from slipping into Lift Shaft Help the Passengers to come out of the Lift. See that he does not slip into the Lift Shaft. If any stool is

"CAUTION"

carry out the rescue operations. The Rescue Operation should only be carried out by responsible members. Please do not allow children to

appointment to explain the various procedures to contact us at the above address so that we may be in a position to depute our personnel with a prior any difficulty in operation, or you require any guidance regarding the proper usage of the Lift please feel free should for help. Do not press any of the buttons unnecessarily while the rescue operation is on. If you have If you are trapped in a Lift, please do not panic. Nothing will happen. Please press the ALARM BELL or

4

expiry of One Year Guarantee period, we offer Two types of Services period of One Year. Our personnel will be coming periodically to carry out the maintenance of your Lift. After You are entitled for periodical Free Service of the Lift both preventive and Corrective maintenance for a

- 1) Comprehensive Servicing and Maintenance Plan.
- 2) Routine Servicing and Maintenance Plan

However, we will be getting in touch with you in this regard before the expiry of the warranty period.

GENERAL INFORMATION REGARDING TESTING COMPLETED SITE STATUS

JOB NO .: (- R 5002

NAME OF THE SITE : Model

DATE: 11 106/2024

		TRAP DOOR ARRANGEMENTS	16.
	(1	MACHINE ROOM WHITE WASH	15.
	(8 SWG COPPER EARTHING - 2 NOS.	14.
	(CORRECT RATING OF 3 PHASE MAIN SWITCH	13.
	(SEPARATE 3 PHASE MAIN FOR LIFT CONTROLLER	12.
	(CORRECT RATING OF SINGLE PHASE MAIN SWITCH	11.
	(SEPARATE SINGLE PHASE MAIN FOR CAR LIGHTING.	10.
	(LIFT MACHINE ROOM VENTILATOR ARRANGEMENTS	9.
	\	LIFT MACHINE ROOM STEPS OR LADDER PROVISION	œ
	(LIFT ENTRANCE WALL TILES FIXING COMPLETION	7.
	(LIFT ENTRANCE FLOORING COMPLETION	б.
. (j	IF THERE IS ANY POSSIBILITY OF WATER ENTRY INTO THE LIFT SHAFT THROUGH THE LANDING FLOORS	ួអ
(IF THERE IS ANY POSSIBILITY OF WATER ENTRY INTO THE LIFT MACHINE ROOM / PIT	4
	(LIFT SHAFT LIGHTING / MAIN ARRANGEMENT	μ
	ζ.	LIFT MACHINE ROOM LIGHTING ARRANGEMENT	5
	<	LIFT MACHINE ROOM WITH LOCKABLE ARRANGEMENT	-
8	YES	DESCRIPTION	SL.NO.

SIGNATURE OF TECHNICIAN

SIGNATURE OF SITE AUTHORITY

