Head Office & Regd. Office 1, East Main Road, Anna Nagar Western Extension, Chennai 600101 Phone 044 26152200 Email info@johnsonliftsltd.com Website www.johnsonliftsltd.com

CIN No.: U27209TN1981PTC008718



LIFT No. L-P8874

MODI REALTY MALLAPUR LLP

5-4-187/3 & 3

II FLOOR

SOHAM MANSION,M G ROAD, SECUNDERABAD, 500013

T&C/08/QR/03

Our Quotation Ref No.

JL/59/TG01/00647/E/C01

Dear Sir/Madam.

Sub: Supply, Erection, Testing and Commissioning of above mentioned Johnson Lifts

Installed at:

MODI REALITY

SY NO 19, GULMOHAR RESIDENCY

MALLAPUR

NEAR NFC

MALLAPUR

HYDERABAD

500076

HANDING OVER CERTIFICATE

This day ($\sqrt[4]{0}$ / 0 $\sqrt[8]{2022}$) we have handed over to you in good working condition the Johnson Electrical Lift installed at the above premises after carrying out and completing all works enumerated in our quotation.

We have also handed over to you the Emergency Door Open Key and the Controller Key for the above Lift. Please sign and return to us the duplicate copy of this handing over letter at the earliest only signed in token of having taken over the installation:

Also please be informed damages caused to the lift due to misuse/ water entry / leakage / seepage is not covered under the warranty.

Kindly note the warranty period for the above lift will be effective from

15/07/2022 to 14/07/2023

Lift taken over by:

Handed Over By

Johnson Lifts F

Signature with	Seal.	·	(Operation lead)							
For Service, Mai	intenance	and breakdowns please contact :	040-23078881, 23078882, 23078883							
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ONLY FOR OFFICE	USE							
Original HOC Re	eceived by	Name: Sign	n: Date:							
		BRANCH OFFICE	HEAD OFFICE							
ROUTE CODE	:	FSM ENTERED ON :	RECEIVED ON :							
SM NO	:	FSM ENTERED BY :	VERIFIED BY :							
O'CNI DV CRM DI	EPT.	CHECKED BY .	VEDICIED ON							

Johnson Lifts Pvt Ltd

Phone 23023881/23/2/8 235655

Johnson Lifts Private Limited

Pot No B-31 part, TIE Balanagar, Hyderabad 500 037

S&M 2378881/2

E-mail website

hyderabad@johnsonliftsltd com

WWW.johnsonliftsltd.com

CUSTOMER FEED BACK OF LIFT

LIFT No. L-P8874
MODI REALTY MALLAPUR LLP
SY NO 19, GULMOHAR RESIDENCY
MALLAPUR
NEAR NFC
MALLAPUR
HYDERABAD
500076

Dear valuable customer,

With reference to the above, we have supplied & installed the lift at your premises & we need the feed back of the lift & lift performance from you. Please give your valuable feedback regarding the lifts whose details are given below.

SL.NO	CUSTOMER CHECK LIST	OK	NOT OK	IF NOT OK, REMARKS
1	CLEANING OF LIFT & MACHINE ROOM	/		
2	LIFT COMFORT RIDE			
3	FUNCTION OF NON-STOP			
4	SUFFICIENT CAR LIGHITING	~		
5	CAR FIXTURE ARE FIXED PROPERLY	~		
6	WORKING OF EMERGENCY LIGHT & ALARM			
7	PIT CLEANING ·	/		
8	WORKING OF SCREEN SENSOR			
9 .	DOOR OPERATION	~		
10	FLOOR BUTTON OPERATION IN CAR & ALL FLOORS	/		
11	FLOOR POSITION INDICATION IN CAR & ALL FLOORS			
12	WORKING OF PRESS & SPEAK			
13	DOES OVER LOAD DEVICE WORKS			
14	DOES THE LIFT TAKES FULL LOAD			
15	OVER ALL PAINTING WORKS / SS STICKERS			
16	FMS OPERATION			
17	WORKING OF AUTOMATIC RESCUE DEVICE			

REMARKS IF ANY

YOUR SUGGESTION

CUSTOMER SIGNATURE MECHANIC SIGNATURE SUPPRVISOR SIGNATURE H BM SIONATURE

HO: Plot No. 1, East Main Road ,anna Nagar Western Extn, Chennai-600 101 Phone 26152200, 26152201, 26152202, 26152203 Fax26151614

CUSTOMER GENERAL INFORMATION LETTER

LIFT No. L-P8874
MODI REALTY MALLAPUR LLP
SY NO 19, GULMOHAR RESIDENCY
MALLAPUR
NEAR NFC
MALLAPUR
HYDERABAD
500076

SUB: Safety/Operational Instructions of Johnson Elevator for Job no: L-P8874 installed at your premises Dear Sir.

We would like to inform you that we have completed the installation, testing & Commissioning work of the lift at your premises MODI REALTY MALLAPUR LLP, and we advice you to kindly take care on the below listed points for safe and trouble free usage of lift.

- 1. In case the lift is used for building material shifting and labor is using the lift for transport,
 - Lift cabins to be properly protected to avoid scratches and damages of the lift cabin & doors
 - Proper security/lift operator to be assigned during usage of lift(s)

Any material damage is found due to missuse of labor and material shifting, will be replaced on chargeable basis only. JLPL will not be responsible for any scratches in the lift panels which may occur in future, even if the lift was kept ideal without usage.

- 2. Landing sills, car sills and all lift entrancess needs to be cleaned periodically to avoid accumulation of dust and other materials which may lead to malfunctioning of lift doors and other lift equipments.
- 3. Power supply

((

- 3 phase supply to be maintained between 380 volts to 415 volts and the power supply to be permanent
- Earth to neutral voltage should be less than 4 volts and greater than zero voltage at the time of lift running and ideal conditions.

Above said. Imporper earthing and power supply may lead to equipment failure and the same will not be covered under warranty.

- 4. Should not use any acidic cleaning agents to clean the panels. Usage of improper agents may lead to corrossion of the lift panels and will mark a parmanent stain in the lift panels. Please contact our service team to take up with cleaning processes.
- 5. The panel proctective wrappers to be removed at the time of handing over and cleaned for gums. The gums may cause stain in the panels and may lead to rusting of panels irrespective of panel make SS or painted. JLPL will not be responsible for any gum cleaning and rust in panels in future due to not removal of wrappers as per your request. JLPL will be cleaning the panels only on cost basis if both rust and stain happens because of not removing the wrappers at the time of handing over of the lifts.

Thanking you,

Yours faithfully,

For Johnson Lifts Private Limited,

Authorized Signatory

Customer Signature:

S

Customer Name: Received Date: Customer Phone No:

Panel Protective wrappers - general instruction letter

Date: 10 08 2022

LIFT No. L-P8874
MODI REALTY MALLAPUR LLP
SY NO 19, GULMOHAR RESIDENCY
MALLAPUR
NEAR NFC
MALLAPUR
HYDERABAD
500076

1. Sub: Removal of panel protective wrappers. (job no – L-P8874)

Dear sir,

((

We have fixed the car body, landing doors, car doors & frames for the above lift at your site and safety sticker are intact. In this regards we are in need to remove panel protective wrappers before handing over.

If the panel protective wrappers are not removed immediately then the quality of panels & the final finish will not be up to the mark. Wrappers gum in the protective wrappers may leave stain marks in the panel if we try to remove the same in latter stage.

Also the wrappers will get addhered to the pannels due to heat in the environment and it will become impossible to remove the wrappers. In this case for removing the addhered wrappers additional process is involved to remove the wrappers which can be done on cheargeable basis.

In addition, After handing over of the lift for your usage, JLPL will not be responcible for any scratches or dents in any of the lift panels.

Thanking you & assuring you of our best services at all times.

Yours sincerely,

for John lifts Pvt., ltd

Accepted by.....

Sign & Seal

Authorized signatory

ARD Maintanence and General instructions

LIFT No. L-P8874
MODI REALTY MALLAPUR LLP
SY NO 19, GULMOHAR RESIDENCY
MALLAPUR
NEAR NFC
MALLAPUR
HYDERABAD
500076

Subject: ARD Maintanence and General instructions.

Dear sir,

We would like to inform you that the above lift is installed with ARD (Automatic Rescue Device) unit. If the 3 Phase power supply goes OFF, this ARD unit will operate the lift to nearest floor with the help of battery incorporated in the system. In this regard we have to maintain these Batteries fully charged condition.

Here we advice/suggestion to keep lift main power supply always ON condition. Please don't switch OFF the lifts main suppy which is the direct scorce for battery charging. If the main is switched OFF, the batteries charging voltage will be discharged and will lead to failure of Batries. If the batteries failes ARD will not operate. The defected batteries should be replaced on chargeable basis. This is for your kind information and Keep the lift Power supply always in ON condition to avoide battry discharge.



Customer signature	
Date	

HYDERABAD MALLAPUR NEAR NEC MALLAPUR SY NO 19, GULMOHAR RESIDENCY MODI REALTY MALLAPUR LLP LIFT No. L-P8874

Subject: JLPL service center informations

500076

Dear sir,

We have handed over the lift JOB NO. L-P8874 in a good working condition on ...10.108 [2022]

Please note our service center numbers below

Phone number

- 040 23078881
- 040 20378882
- 040 23078883
- 9600069695
- 9600068592
- sundays and national holidays. Customer calls will be attended by our service center from 9AM to 9PM on all days including

services. Please inform the below details to our service center at the time of your call for effective and quick

Lift Number L-P8874 mg, Ram

Contact person mobile number Contact person name

83099

Thanking you and assuring you our best services.

Regards

Engineer

Customer Signature

LIFT No. L-P8874
MODI REALTY MALLAPUR LLP
SY NO 19, GULMOHAR RESIDENCY
MALLAPUR
NEAR NFC
MALLAPUR
HYDERABAD
500076

We have completed testing work and we have explained the emergency operation to

the following persons at your site.

Emergency Operation explained to,

Me. Rajahuton Reddy,

2

ω

Load test checked along with the following persons,

Name

Signature

I. M.R. Rajoshetan Really

S

ω

Thanking you

For JOHNSON LIFTS PVT.LTD. AASO

CUSTOMER INFORMATION LETTER

MODI REALTY MALLAPUR LLP MALLAPUR MALLAPUR SY NO 19, GULMOHAR RESIDENCY LIFT No. L-P8874 HYDERABAD NEAR NFC

500076

work for your elevator having , for contracts and found the below list of work needs to be done from your We would like to inform you that we have completed installation / testing & Commissioning completed

1. 3 PHASE PERMANENT POWER SUPPLY TO BE DONE

In case of any damage of the materials and lift equipments due to the above said reasons ,the same will be replaced on chargeable basis.

Thanking you & assuring you of our best service at all times

Yours faithfully

Authorized Signatory nson Lifts Private Limited

Customer Signature:

Customer Phone No.: Customer Name: Received Date:

Phone Grams 26152200 (6 Lines)

S

91-44-26151614

Fax Website

E-mail info@johnsonliftsttd.com

www.johnsonliftsttd.com

"JOHNSON" Lift/s. We are and ಠ avoid frequent breakdowns listing below some

consequent inconveniences. Before informing us about the break-down, please check the following You are now the owner of

a If not power supply, please call Electricity Board Check for Power Supply -

9 Check if all three phase Power Supply are available:

If not, Please call Electricity Board

C If they are blown out, Please rewire it or call Electricity Board. Check the incoming main fuses . Check whether all the landing gates and lift gates are closed properly

9

Please check whether all the three phases are in sequence If not, close it.

0

If not, call Electricity Board. Please check whether the MPCB is in "ON" Position -

If not, switch it on.

3

g) Please check if any phase linking is there

If so, call Electricity Board.

If your Lift is not running even after all the above check Ups, Please get in touch with our service

Ė

Department on Phone No. 26152003, 26152004, 26152005, 26152006.

DO's and DON'Ts

Please keep your Machine Room under lock and key

Please identify "JOHNSON LIFTS" Service Personnel before allowing them to attend to your lift.

ω do not allow unidentified persons to attend or check your lift

2

4. put the lift lights "ON" Permanently

Ġ Do not load the Lift beyond the rated load

Do not put your hands through the gates when the Lift is on the landing or away from it.

9 Do not put your hands through the gates when the Lift is on the landing or away from it

7.

œ, water to enter into the lift well and to the machine room.

9 Do not tamper with any of the Controller Circuits Do not touch the Lift parts without switching off the Power Supply

6

N

For relieving the Passengers trapped inside the Lift, the following steps maybe observed :

- landings. Select that landing for carrying out rescue operations. If the Lift has stopped in between floors, Normally a large portion would be visible from one of the
- the key a little deeper till the lock releases and gate open freely. Open the door lock. The door will open freely without any obstruction. If any obstruction is observed, reinsert Insert the Door Open Key in the provision provided above the Push Box, Push the Door Open Key and
- provided for stepping on, please hold it firmly so as to prevent it from slipping into Lift Shaft Help the Passengers to come out of the Lift. See that he does not slip into the Lift Shaft. If any stool is

"CAUTION"

carry out the rescue operations The Rescue Operation should only be carried out by responsible members. Please do not allow children to

appointment to explain the various procedures. to contact us at the above address so that we may be in a position to depute our personnel with a prior any difficulty in operation, or you require any guidance regarding the proper usage of the Lift please feel free should for help. Do not press any of the buttons unnecessarily while the rescue operation is on. If you have If you are trapped in a Lift, please do not panic. Nothing will happen. Please press the ALARM BELL or

period of One Year. Our personnel will be coming periodically to carry out the maintenance of your Lift. After expiry of One Year Guarantee period, we offer Two types of Services You are entitled for periodical Free Service of the Lift both preventive and Corrective maintenance for a

- 1) Comprehensive Servicing and Maintenance Plan.
- Routine Servicing and Maintenance Plan.

However, we will be getting in touch with you in this regard before the expiry of the warranty period.

 $\overset{,}{\bowtie}$

Block.

GENERAL INFORMATION REGARDING TESTING COMPLETED SITE STATUS

4588 d7: ON BOF

NAME OF THE SITE: made leading (GMR)

			13	12	1	10		8		6	. O		4.	ω	2		SL.₩O.
16.	15.	4.	ω	5	>	Ö	.9	β.	7.		5.						Ö
TRAP DOOR ARRANGEMENTS	MACHINE ROOM WHITE WASH	8 SWG COPPER EARTHING - 2 NOS.	CORRECT RATING OF 3 PHASE MAIN SWITCH	SEPARATE 3 PHASE MAIN FOR LIFT CONTROLLER	CORRECT RATING OF SINGLE PHASE MAIN SWITCH	SEPARATE SINGLE PHASE MAIN FOR CAR LIGHTING.	LIFT MACHINE ROOM VENTILATOR ARRANGEMENTS	LIFT MACHINE ROOM STEPS OR LADDER PROVISION	LIFT ENTRANCE WALL TILES FIXING COMPLETION	LIFT ENTRANCE FLOORING COMPLETION	IF THERE IS ANY POSSIBILITY OF WATER ENTRY INTO THE LIFT SHAFT THROUGH THE LANDING FLOORS	IN IC THE LIFT MACHINE ROOM FIT	IF THERE IS ANY POSSIBILITY OF WATER ENTRY	LIFT SHAFT LIGHTING / MAIN ARRANGEMENT	LIFT MACHINE ROOM LIGHTING ARRANGEMENT	LIFT MACHINE ROOM WITH LOCKABLE ARRANGEMENT	DESCRIPTION
		1) [1	1) (7			i				5	3	YES
								1)			\	(NO

SIGNATURE OF TECHNICIAN

SIGNATURE OF SITE AUTHORITY

