

Internal memo no. 903/35/A
Annexure - B
RMC pour report

Company/ firm:	SJK	Block No.:	Front gate
Project:	DP24	Flat / Villa no.:	DP24
Supplier:	R6 Infra	Slab no.:	-
Requisition nos.:	20240711027	A. Estimated quantity:	4 cub meter
PO nos.:	20240711032	B. Requisition quantity:	4 cub meter
Sign of Security	Sign of Admin	C. Actual quantity poured	4 cub meter
Akash.	P. D. J.	D. Difference (C-A)	0 cub meter

Details of RMC pour

Sl. No	Date	Time of dispatch from RMC plant	Time of receipt at site	Time of pour	Quantity poured	Dc No. / Batch no.	Specified wt @2400 kgs/m3	Measured weight (kgs)	Short fall in weight in kgs	Deduction for shortfall in Rs.	7 day cube test strength in kN/m2	28 days cube test strength in kN/m2
1.	18-07-2024	14:50	15:20	16:00	4 m3	6160	9600	9640				
2.												
3.												
4.												
5.												
6.												
7.												
8.												
9.												
10.												
11.												
Remarks												

Note: 1. Report to be sent on a daily basis to purchase@modiproperties.com and report-audit@modiproperties.com. 2. Report must be prepared during pour and not later. 3. Report must be sent within one working day. 4. Multiple report can be sent for one PO. 5. Weigh all vehicles. 6. 6 cubic meters vehicle should have a net weight of 14,110 kgs @ 2,400kgs/ m3. If the shortfall is more than 50 kgs per load purchase to debit supplier shortfall amount on pro-rata basis. 7. Site to calculate shortfall. 8. Maintain original report + weightment slips + pour reports + test reports + photographs at site.

DELIVERY CHALLAN



R6 Infra

READY MIX CONCRETE AND BRICKS

Plot No. 15, S.S. Villas,
Markandeya Nagar, Kapra,
Hyderabad, Telangana - 500 062.

D.C. No. :

6160

To,

Shahad Jayanthilal Kadarkia

M/s.

PONO! - 20240711032

Date : 18/7/24

Vehicle No. : TS 09UE 0996

Diamond Point

S.No.	Grade	PARTICULARS	Qty.	Cum.	Value
✓ M20			4m ³		Dump

INWARD	
Inward No: 636	Dr: 18/07/24
MVN No.	Dr.
Received By:	Sign:
Plot No 24, DP 24	

Receiver's Signature

For **R6 Infra**

Authorised Signatory