(e)

GREATER HYDERABAD MUNICIPAL CORPORATION

TOWN PLANNING SECTION BUILDING PERMIT ORDER

W.C.out

Bhavesh V. Mehta & Mehul V. Mehta

Plot No. 21, Babubagh Colony, , 1st Floor, Prenderghast Road, Secunderabad, telangana Sir / Madam,

FILE No.	1:	1/C1/03199/2018
PERMIT No.	:	1/C1/02082/2019
DATE	1:	04 February, 2019

Sub: Building Permission - sanctioned - Reg

Ref: Your Application dated: 16 February, 2018 u/s 388, 428 & 433 of HMC Act, 1955 & A.P. Urban Areas (Dev), Act, 1975 and A.P.Building Rules 2012.

Your application submitted in the reference has been examined with reference to the rules and regulations in force and permission is hereby sanctioned conditionally as detailed below:

A	APPLICANT AND LICENSED PERSO									
1	Applicant			/, Meh	nta					
2	Developer / Builder	Bhavesh V. Mehta & Mehul V. Mehta Modi Properties Pvt Ltd Lic.No. BL/1171/2008 valid up 16.10.2018								
3	Licensed Technical Person	M DATTATRI RAO (Structural Engineer)				Lic.No.	134/STR-ENG/TP10/GH			
4	Structural Engineer	M Dattatri I	Rao				Lic.No.	GHMC Licence No. 134		
5	Others	NA								
В	SITE DETAILS									
	T.S. No./Survey no./Gram khantam/Abadi	82/1								
2	Premises No.	4								
3	Plot No./Door No./House No.	NA	NA							
4	Layout / Sub Divn. No.	NA								
5	Road/Street	Mallapur Main Road								
6	Locality	Mallapur Main Road								
7	Town/ City	Hyderabad	tt							
С	DETAILS OF PERMISSION SANCT									
ildin	ng - BLDG (RESIDENTIAL) (Height (Davids a flares		
1	Floors		Ground	1		pper floors		Parking floors	rea (m2)	
2	Use	No.	Area (m2)	-	No.	Area (m2)		- 1101	Area (m2)	
а	Residential	1	3,028.2	-	9	27,77	79.78 Cellar	2	10,211.99	
<u>а</u> b	Commercial	0	0.0	10	0		0.00 G/U Floors		0.0	
	Others	0	0.0	10	0		0.00 Stilt	0	0.0	
C			Ground + 9							
d	No. of floors	625.84 RM								
е	Compound Wall		Front		R	lear	Side I		e II	
f	Set backs (m)	10.12			1	0.17	10	1	10	
3	Site Area (m2)	9092.23								
4	(m2)	586.04								
5	Nala affected area (m2')	0								
6	Net Area(m2)	8506.19								
	Tot-lot (m2)	970.55								
8	Height (m)	29.10								
9	No. of RWHPs	16								
10	No. of Tree	450 Trees	S							
11	Others	NA								
D						D. 1141 2	uit Face : D-c-	nd Covered builting	3 354 300	
	DETAILS OF FEES (RS.):	nnound wall	12,51		2			ed Covered builtup area	3,254,200. 5,000.	
1	Building Permit Fees : Proposed compound wall		4,881,30	0.00	4	Building Perm Charges	Building Permit Fees : Advertisment & Postage			
3	B.C. & E.B.C. on built up area,		5,068,15		6	B.C. & E.B.C.	B.C. & E.B.C. on site area,			
5	Development Charges : Proposed b	127,59		8		Rain Water Harvesting Charges,				
7	Sub Division Charges,	230,75		10		Shelter Fees,				
9	Vacant Land tax,	1,427,05		12	City Level In	frastructure Impa	act Fees,	8,350,075		
11	Environmental Impact Fees,		1,063,27	15.00						
13	Proportionate Layout Charges,		1,003,2					TOTAL	27,015,427	

1/C1/02082/2019

OTHER DETAILS :								
contractor's all Risk Policy No Notarised Affidavit No.	. 61240444170300000005			Valid Upto	22 December, 2023			
		Date	22 December, 2017	Valid Opti	3635.71			
Inter Sr. No. in prohibitory Pr	operty Watch Regist	Date	10/10/2018	Area (m2)	19 October, 2018			
Hoor handed over	Ground & First Ct			Date	19 October, 2010			
Construction to be Commenced Before Construction to be Completed Before		S.R.O. Kapra						
		04 Augu	04 August, 2020					
The state of the s			04 February, 2025					

The Building permission is sanctioned subject to following conditions: The Building permission is satisfication subject to following conditions:
The applicant should follow the clause 5.f (xi) (iii) (iv) (v) & (vii) of G.O.Ms.No.168, MA dt:07.04.2012.

_{he Building} permission is sanctioned subject to following conditions:

- The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission at the revoked U/s 450 of HMC Act 1955. will be revoked U/s 450 of HMC Act 1955.
- will be revoked of a small be followed strictly while matter that the submitted afresh duly paying required fees.
- If construction and the followed strictly while making the construction.
- Sanctioned Plan copy as attested by the GHMC shall be displayed at the construction site for public view. Sanctioned that Notice shall be submitted by the applicant before commencement of the building U/s 440 of HMC Act.
- Commencement of the building U/s 440 of FIRE Act.

 Completion Notice shall be submitted after completion of the building & obtain occupancy certificate U/s 455 of HMC Act.
- Occupancy Certificate is compulsory before occupying any building.
- Occupancy States as Water Supply, Electricity Connections will be provided only on production of occupancy certificate. Prior Approval should be obtained separately for any modification in the construction.
- Prior Approved in the construction and also in front of the premises.
- 10. Tree Plantage and Shall be fenced and shall be majoritative and also in front of the premises.

 11. Tot-lot shall be fenced and shall be majoritative as greenery at owners cost before issue of occupancy certificate. 11. Tot-lot shall be structure (percolation pit) shall be constructed.

 12. Rain Water Harvesting Structure (percolation pit) shall be constructed.
- 12. Rain water that shall be provided in the site keeping the safety of the residents in view.
- Space to the Site
 Garbage House shall be made within the premises.
- 14. Garbage mode shall be converted for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose at any time in future as per undertaking submitted.
- 16. No. of units as sanctioned shall not be increased without prior approval of GHMC at any time in future
- 10. No. or units accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per 17. This sanction is accorded on surrendering of Road affected portion of the site to GHMC free of cost without claiming any compensation at any time as per the undertaking submitted.
- 18. Strip of greenery on periphery of the site shall be maintained as per rules.
- 18. Strip or greater, and the strip of Building Materials on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.
- The permission accorded does not bar the application or provisions of Urban Land Ceiling & Regulations Act 1976.
- 20. The Developer / Builder / Owner to provide service road wherever required with specified standards at their own cost.
- 21. The Developer, a standard of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension 22. A safe distance of minimum 3.0mts. Vertical and Horizontal Distance between the Building & High Tension Electrical Lines and 1.5mts. for Low Tension
- 23. No front compound wall for the site abutting 18 mt. road widths shall be allowed and only Iron grill or Low height greenery hedge shall be allowed.
- 24. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled. 25. All Public and Semi Public buildings above 300Sq.mts. shall be constructed to provide facilities to physically handicapped persons as per provisions of NBC
- 01. 2003. 26. The mortgaged built-up area shall be allowed for registration only after an Occupancy Certificate is produced.
- 27. The Registration authority shall register only the permitted built-up area as per sanctioned plan.
- 28. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built-up area as per sanctioned plan.
- 29. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified
- 30. Architect / Structural Engineer if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the GHMC.
- 31. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).
- 32. As per the undertaking executed in terms of G.O. Ms. No. 541 MA, dt. 17-11-2000 (wherever applicable),
 - a. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action. b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and

 - sultury in accordance with sanctioned plan.

 c. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the
 - building construction and should strictly adhere to all the conditions in the G.O.

 d. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy d. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy d. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy d. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy d. The Owner / Builder should not deliver the possession of any part of built up area of the building and duly submitting the following. Certificate is obtained from GHMC after providing all the regular service connections to each portion of the building and duly submitting the following.

 - Building Completion Certificate issued by the Architect duly certifying that the building is completed as per the sanctioned plan. Building Completion Certificate issued by the Architect daily contribution of the Structural Engineer duly certifying that the building is structurally safe and the construction is it. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is
 - An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect. in accordance with the specified designs.
 - Insurance Policy for the completed building for a minimum period of three years.
- 3. Structural Safety and Fire Safety Requirements shall be the responsibility of the Owner, Builder/ Developer, Architect and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005 like;
 - a. To provide one entry and one exit to the premises with a minimum width of 4.5mts. and height clearance of 5mts.
 b. Provide Size of the collegible lifts in all floors.
 - b. Provide Fire resistant swing door for the collapsible lifts in all floors.

 - d. Emergency Lighting in the Corridor / Common passages and stair case.

 d. Emergency Lighting in the Corridor / Common passages and stair case.

 e. Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k extinguishers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k extinguishers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k extinguishers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k extinguishers water type fire extinguishers for every 600 Sq.mts. numbers water type fire extinguishers for every 600 Sq.mts. or 1000 area with minimum or rour numbers fire extinguishers per floc DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification No.2190-1992.

 - f. Manually operated and alarm system in the entire buildings; 9. Separate Underground static water storage tank capacity of 25, 000 lts. Capacity. h. Separate T.

 - h. Separate Terrace Tank of 25,000 lts. Capacity for Residential buildings.
 - J. Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts.

 - k. Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety.

 Transformers and installation shall be certified fire resist constructions. I. Transformers shall be protected with 4 hours rating fire resist constructions.

 I. Transformers shall be protected with 4 hours rating fire resist constructions for maneuverability of fire vehicles. No parking or any constructions for maneuverability of fire vehicles. No parking or any constructions for maneuverability of fire vehicles. No parking or any constructions for maneuverability of fire vehicles. I. Transformers shall be protected with 4 hours rating fire resist constructions.

 In the contract of the cont
 - shall be made in setbacks area.

Special Conditions for Proceeding Letter at some and the right to cancel the permission it is falls that the permission is obtained by framed misrepresentation OR by mistake of fact.

By order

Name: S BEWERDERREDDY Designation: GUNS Date: 04-Feb-2019 11: 21:01

1. The Manager Director, HMWS&SB.
2. The Director, T.S. TRANSCO, Hyderabad.
3. The Director General, Stamps and Registration Department, Hyderabad.
4. The Director General, Telangana State Disaster Response and Fire Services, Hyderabad.
5. The Neighbors (side1, side2 & rear).
6. The Licensed Technical Personnel / Structural Engineer / Builder.

This is computer generated letter, doesn't require any signatures.

Page 3 of 3