

SHIVA SALES AGENCIES

{ONE STOP SOLUTION FOR ALL FIRE FIGHTING , FITTINGS & ALARM SYSTEMS}

DEALERS IN : FIRE FIGHTING, CRI PUMPS, APOLLO FIRE ALARM SYSTEMS

H . NO. : 5-4-23/23/1, 24/24/1, ISPAT BHAVAN, DISTILLERY ROAD,
SECUNDRABAD– 500003

Mobile : 7670841570, 8309081159

Email ID: shivasales.hyd@gmail.com

Quotation No: 2025/25

Date: 05-02-2025

To,

B. Meenakshi

Engineer

GV Research Centers Pvt. Ltd

5-4-187/3&4, IInd Floor Soham Mansion M.G.Road

Secunderabad, TELANGANA, 500003

GSTNO:36AAHCG4562D1ZP

SUB: QUOTATION

Dear Madam,

Please find the below most competitive offer for CRI Booster Pumps

S.no	Description	LPM	Flow in m3h	Head mtr	Model	HP	Qty	Basic Price INR	GST 18%	Amount
1	Booster Pump	900	54	35m	BP-12.5H4	12.5	1	₹ 45,745.00	₹ 8,234.10	₹ 53,979.10
2	Booster Pump Control Panel						1	₹ 11,500.00	₹ 2,070.00	₹ 13,570.00
Grand Total										₹ 67,549.10

TERMS AND CONDITIONS:

- 1) The above prices are Excluding transportation
- 2) Delivery – Ready Stock
- 3) Offer Validity – 15 DAYS.
- 4) Payment within 30days from the date of delivery.

THANKING YOU

S Ramesh

7670841570.

For SHIVA SALES AGENCIES

Authorised Signatory



C.R.I. PUMPS
Pumping trust. Worldwide.

Technical Data

Pump Model
BP 12.5H4

Project Name :	Project ID :
Company Name :	
Department :	
Phone number :	
e-mail address :	

Requested Data

Flow :	Fluid :
Head :	Density :
Available system NPSH :	Viscosity :
Inlet Pressure :	Temperature :
Altitude :	pH-value at t A :
	Vapour pressure at t A :

Pump

Pump Model :	Minimum Continuous Flow :
No. of Stages :	Flow Nominal :
Inlet / Outlet size :	Max- :
Speed :	Min- :
Direction of Rotation :	Head Nominal :
Impeller type :	Max- :
Impeller Design :	Min- :
Pumpset Weight (Approx) :	Efficiency Overall Efficiency :
Pump Standard :	Pump Efficiency :

Motor

Motor Model :	Insulation Class :
Frequency :	Frame size :
Phase :	Degree of Protection :
Rated Voltage :	Method of Starting :
Rated current :	Service factor :
Rated Power P2 :	Power factor :
Speed :	No.of.starts per hour :
Efficiency :	Starting current :
Motor Standard :	Starting torque :

Material of Construction

Pump Casing	C.I
Motor Frame	C.I
Impeller	C.I
Shaft	S.S 410
Sealing	Mechanical Seal (Carbon & Ceramic)




C.R.I. PUMPS
Pumping trust. Worldwide.

Performance Curve

Pump Model
BP 12.5H4

Project Name :	Project ID :
Company Name :	
Department :	
Phone number :	
e-mail address :	

Curve Tolerance ISO : 9906





C.R.I. PUMPS
Pumping trust. Worldwide.

Dimensional Drawing

Pump Model
BP 12.5H4

Project Name :


Project ID :

Company Name :

Department :

Phone number :

e-mail address :



In View of continuous developments, The information/specifications/Description/ Illustrations are subject to change without notice.

Dimensions inmm

L	650		
L1	195		
L2	420		
L3	158		
L4	60		
OD	18.5		