



TELANGANA STATE POLLUTION CONTROL BOARD

Phone: 23887500  
Fax: 040-23815631

CONSENT & HWA ORDER (RENEWAL) - RED CATEGORY

CONSENT ORDER NO. 210822614137      DATED: 20/03/2021.

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof, Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, and Authorisation under the provisions of HW (MH & TM) Rules, 2016 (hereinafter referred to as 'the Acts', 'the Rules') and amendments thereof and the rules and orders made there under to M/s. "Aap pharma technologies india (p) ltd ,MEDCHAL II,Shamirpet,Kolthur,Villa-106,B.E. Road,500101 " (hereinafter referred to as 'the Applicant /Industry') and the industry is authorized to operate the industrial plant to discharge the Effluents from the outlets and the quantity of Emissions per hour from the chimneys, by operating pollution control equipment, as detailed below,

i) Out lets for discharge of Effluents :

| Outlet No. | Description of Outlet | Max Daily Discharge in KLD | Point of Disposal |
|------------|-----------------------|----------------------------|-------------------|
|------------|-----------------------|----------------------------|-------------------|

ii) Emissions from chimneys:

| Chimney No. | Description of Chimney |
|-------------|------------------------|
|-------------|------------------------|

iii) HWAutorisation No.210822614137      DATED: 20/03/2021.

HAZARDOUS WASTE AUTHORISATION  
(FORM – II)  
[See Rule 6 (2)]

Aap pharma technologies india (p) ltd ,MEDCHAL II,Shamirpet,Kolthur,Villa-106,B.E. Road,500101is hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

1. HAZARDOUS WASTES WITH DISPOSAL OPTION :

| Name of the Hazardous Waste | Stream | Quantity | Disposal option |
|-----------------------------|--------|----------|-----------------|
| -----NIL-----               |        |          |                 |

2. HAZARDOUS WASTES WITH RECYCLING OPTION :

| Name of the Hazardous Waste | Stream | Quantity | RECYCLING option |
|-----------------------------|--------|----------|------------------|
| -----NIL-----               |        |          |                  |

| S.No. | Name of the Product | Capacity | Unit |
|-------|---------------------|----------|------|
|-------|---------------------|----------|------|

This order is subject to the provision of 'the Acts' and the Rules and amendments made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This combined order of Consents and Authorization is valid for a period ending with the .March 20, 2021

**MEMBER SECRETARY**

To

The Managing Director,

M/s.AAP PHARMA TECHNOLOGIES INDIA (P) LTD,

MEDCHAL II,Shamirpet,Kolthur,Villa-106,B.E. Road,500101,

Pin: 500101

**Copy to :**

**SCHEDULE – A**

**SCHEDULE - B**

**1. Total Water Consumption shall not exceed : 0.00 KLD**

| S.No. | Purpose | Quantity |
|-------|---------|----------|
|-------|---------|----------|

**2. The Treated Effluent Dischrged/pre-treated effluent sent to CETB shall not exceed the following prescribed standards**

| Outlet No. | Parameter | Limiting Standard |
|------------|-----------|-------------------|
|------------|-----------|-------------------|

**3. The Emission shall not exceed the following prescribed standards**

| Chimney No. | Description of Chimney | Parameter | Emission Standards |
|-------------|------------------------|-----------|--------------------|
|-------------|------------------------|-----------|--------------------|

**SCHEDULE - C**

**MEMBER SECRETARY**

**To**  
**The Managing Director,**  
**M/s.AAP PHARMA TECHNOLOGIES INDIA (P) LTD,**  
**MEDCHAL II,Shamirpet,Kolthur,Villa-106,B.E. Road,500101,**  
**Pin: 500101**



**TELANGANA STATE POLLUTION CONTROL BOARD**  
**ZONAL OFFICE: HYDERABAD**

**D. Krupanand**  
Joint Chief Environmental Engineer

H.No.6-3-1219, T.S.No.1, Part, Block "C",  
Ward No.91, Begumpet, Umanagar,  
Near Country Club, Hyderabad - 500 016  
Phone No: 040-23402495  
Email: jcee-zhyd-tspcb@telangana.gov.in

**DESPATCHED**  
**ON 15/03/2021**

**Lr. No. 1289-RR-II/TSPCB/ZOH/TS-iPASS/CFO/2021- 637**

**Date: 15.03.2021**

**To**  
**M/s. AAP Pharma Technologies India (P) Ltd.,**  
**Sy. No. 553/u, Koltur (V), Shamirpet (M),**  
**Medchal – Malkajgiri District**  
**Email Id: sreenu.guntha@aap-pharmatech.com**

**Sir,**

**Sub: - TSPCB – ZOH – TS-iPASS – CFO – M/s. AAP Pharma Technologies India (P) Ltd., Sy. No. 553/u, Koltur (V), Shamirpet (M), Medchal – Malkajgiri District - Issue of CFO – Information called for - Reg.**

**Ref:-**

1. Industry's CFO application received through TS-iPASS on 22.02.2021 at TSPCB, Regional Office, Medchal-Malkajgiri District.
2. TSPCB, Regional Office, Medchal-Malkajgiri District verification report dt.24.02.2021 and received by Zonal Office, Hyderabad on 24.02.2021.
3. CFO Committee meeting held on 06.03.2021 at TSPCB, Zonal Office, Hyderabad.

\* \* \*

The Consent for Operation Committee in its meeting held on 06.03.2021 examined the CFO & HWA application ( renewal) submitted by the industry under Water and Air Acts and committee recommended to issue CFO & HWA order to the industry on submission of the following information:

***"The industry shall pay the balance consent fee as required under G.O.Ms. No. 22, dated: 09.07.2018 issued by EFS&T Dept. at TSPCB, Regional Office, Medchal-Malkajgiri District and shall submit a copy of the same to this office".***

In view of the above, you are directed to submit the above information within 1 week to this office marking a copy to the Regional Office, TSPCB, Medchal-Malkajgiri District. If the industry fails to furnish the information within the stipulated time, the CFO application filed by the industry will be returned back to the industry. The industry has to again re-submit the CFO application along with complete information sought by the Board. However, the CFO fees already paid by the industry to the Board will be considered and adjusted at the time of re-submission of the CFO application.

It is also brought to your notice that operation of the industry without having valid consents of the Board is violation of Section 25/26 of Water Act and Section 21/22 of Air Act which is punishable under section 44 of the Water (Prevention and Control of Pollution) Act, 1974 and under section 37 of the Air (Prevention and Control of Pollution) Act, 1981.

Yours faithfully,

**JT. CHIEF ENVIRONMENTAL ENGINEER**

Copy to the Member Secretary, TSPCB, Board Office, Hyderabad for information.

Copy submitted to The General Manager, District Industries Centre, Near ORR, Keesara, Medchal-Malkajgiri District, Collectorate Complex, Hyderabad-500083.

Copy to the Environmental Engineer, TSPCB, RO, Medchal-Malkajgiri District for information.