



TELANGANA STATE POLLUTION CONTROL BOARD

Phone: 23887500
Fax: 040-23815631

CONSENT ORDER FOR CFO DIRECT AND HAZARDOUS WASTE
AUTHORIZATION - RED CATEGORY

CONSENT ORDER NO. 240525088635 DATED: 21/03/2024.

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof, Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorisation / Renewal of Authorisation under Rule 6 of the Hazardous Wastes (Management, Handling & Transboundary, Movement) Rules 2016 & Amendments thereof)

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, and Authorisation under the provisions of HW (MH & TM) Rules, 2016 (hereinafter referred to as 'the Acts', the Rules) and amendments thereof and the rules and orders made there under to M/s. "M/s alphamed formulations pvt. limited ,MEDCHAL II,Shamirpet,Sampanbole,224/A,224/AA,225, 225/A/EE,225/A/E,226/A/EE,226/A/E,227/A/E,227/A/AEE,226/A/E,227/A,Jaggamguda,500101 " (hereinafter referred to as 'the Applicant /Industry') and the industry is authorized to operate the industrial plant to discharge the Effluents from the outlets and the quantity of Emissions per hour from the chimneys, by operating pollution control equipment, as detailed below,

i) Out lets for discharge of Effluents :

Outlet No.	Description of Outlet	Max Daily Discharge in KLD	Point of Disposal
------------	-----------------------	----------------------------	-------------------

ii) Emissions from chimneys:

Chimney No.	Description of Chimney
-------------	------------------------

iii) HWAutorisation No.240525088635 DATED: 21/03/2024.

HAZARDOUS WASTE AUTHORISATION
(FORM i½ II)
[See Rule 6 (2)]

M/s alphamed formulations pvt. limited ,MEDCHAL II,Shamirpet,Sampanbole,224/A,224/AA,225, 225/A/EE,225/A/E,226/A/EE,226/A/E,227/A/E,227/A/AEE,226/A/E,227/A,Jaggamguda,500101is hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

1. HAZARDOUS WASTES WITH DISPOSAL OPTION :

Name of the Hazardous Waste	Stream	Quantity	Disposal option
-----NIL-----			

2. HAZARDOUS WASTES WITH RECYCLING OPTION :

Name of the Hazardous Waste	Stream	Quantity	RECYCLING option
-----NIL-----			

S.No.	Name of the Product	Capacity	Unit
-------	---------------------	----------	------

This order is subject to the provision of 'the Acts' and the Rules and amendments made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This combined order of Consents and Authorization is valid for a period ending with the .March 21, 2024

MEMBER SECRETARY

To
The Director,
M/s.M/S ALPHAMED FORMULATIONS PVT. LIMITED,
MEDCHAL II,Shamirpet,Sampanbole,224/A,224/AA,225,
225/A/EE,225/A/E,226/A/EE,226/A/E,227/A/E,227/A/AAE,226/A/E,227/A,Jaggamguda,500101,
Pin: 500101

Copy to :

SCHEDULE 1A

SCHEDULE - B

1. Total Water Consumption shall not exceed : 0.00 KLD

S.No.	Purpose	Quantity
-------	---------	----------

2. The Treated Effluent Discharged/pre-treated effluent sent to CETB shall not exceed the following prescribed standards

Outlet No.	Parameter	Limiting Standard
------------	-----------	-------------------

3. The Emission shall not exceed the following prescribed standards

Chimney No.	Description of Chimney	Parameter	Emission Standards
-------------	------------------------	-----------	--------------------

SCHEDULE - C

MEMBER SECRETARY

To
The Director,
M/s.M/S ALPHAMED FORMULATIONS PVT. LIMITED,
MEDCHAL II,Shamirpet,Sampanbole,224/A,224/AA,225,
225/A/EE,225/A/E,226/A/EE,226/A/E,227/A/E,227/A/AAE,226/A/E,227/A,Jaggamguda,500101,
Pin: 500101



TELANGANA STATE POLLUTION CONTROL BOARD
ZONAL OFFICE: HYDERABAD

H.No.6-3-1219, TS No.1 Part, Block - C, Ward No.91, Near Country Club,
Uma Nagar, Begumpet, Hyderabad. Phone: 040-23402495
Email: jcee-zhyd-tspcb@telangana.gov.in

CONSENT & AUTHORIZATION ORDER - ORANGE CATEGORY

Consent Order No:596-RR-II/TSPCB/ZOH/TS-iPASS/CFO/2024-817 Date: 20.03.2024

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof and Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof) and Authorization / Renewal of Authorization under Rule 6 of the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 (hereinafter referred to as 'the Acts') and Authorization under the provisions of HW (M & TM) Rules, 2016 (herein after referred to as 'the Acts' 'the Rules') the rules and orders made thereunder to

M/s. Alphamed Formulations (P) Ltd.,
Sy.No. 225, 224/AA, 224/A, 225/A/EE, 225/A/E,
226/A/EE, 226/A/E, 227/A/E, 227/A/AA,
Sampanbole (V), Shameerpet (M),
Medchal-Malkajgiri District.

(hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of Emissions per hour from the chimneys as detailed below.

i) Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge (After Expansion)	Point of Disposal	Parameter Limiting Standards
1.	Process & Washings	21.5 KLD	After pretreatment, shall be lifted to M/s. JETL, Jeedimetla, Medchal-Malakajgiri District for further treatment and disposal.	Inlet parameters of CETP prescribed by the Board
2.	Boiler Blow Down / Regeneration water	9.0 KLD		
4.	R&D	1.0 KLD		
5.	Bio-Chemical testing lab	1.0 KLD		
5.	Domestic	34.0 KLD	After treatment in STP, the treated domestic effluents shall be used on-land for gardening within the premises	pH - 5.5-9.0, Total Suspended Solids - 200.0 mg /l, Oil & Grease - 10.0 mg /l, Biochemical Oxygen Demand (3 days at 27 ⁰ C) ≤ 10.0 mg /l.

ii) Emissions from chimneys:

Chimney No.	Description of Chimney (After Expansion)	Quantity of Emissions at peak flow	Emission Standards
1	Attached to Diesel fired Steam generator - (1 No) 850 kg/hr	---	SPM - 115 mg/ Nm ³ SO ₂ – 600 mg/Nm ³ . At 6% dry O ₂ , for solid fuel
2 &3	Attached to Diesel fired Steam generator boiler - 2 x	---	and 3% dry O ₂ for liquid fuel NO _x – 300 mg/Nm ³ . At 6% dry O ₂ , for solid fuel

	850 Kg/hr		and 3% dry O ₂ for liquid fuel
4	Attached to D.G set of capacity – 1010 kVA	---	SPM - 115 mg/ Nm ³
5	Attached to D.G set of capacity – 1500 kVA	---	

iii) Hazardous Waste Authorization: (Form – 2) [See Rule 6(2)]:

M/s. Alphamed Formulations (P) Ltd., Sy.No. 225, 224/AA, 224/A, 225/A/EE, 225/A/E, 226/A/EE, 226/A/E, 227/A/E, 227/A/AA, Sampanbole (V), Shameerpet (M), Medchal-Malkajgiri District is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of the following wastes with quantities as mentioned below:

S. No	Name of the Hazardous / Solid waste	Hazardous / as defined under HWM Rules, 2016	Quantity (After Expansion)	Method of Disposal
1.	Used Oil	5.1 of Sch-I	800 LPA	Shall be sent to authorized waste oil re-processors / recyclers.
2.	Disposable containers and plastic materials	33.1 of Sch-I	200 Kg/month	After complete detoxification, shall be sent to authorized agencies / outside parties.
3.	ETP Sludge	35.3 of Sch – I	20 Kg/month	Shall be sent to M/s HWM Project (TSDF), Dundigal (V), Medchal District / AFRF facilities for pre-processing/ Cement units for co-processing.
4.	Process waste	28.1 of Sch – I	1000 kg/month	
5.	Used lead acid batteries	17 of S ch-IV	50 Nos./annum	Shall be sent back to suppliers (or) Shall be sent to the manufacturer / authorized dealer on buy back basis.
6.	Date expired Products	28.5 of Sch-I	200 Kg/month	Shall be sent to M/s HWM Project (TSDF), Dundigal (V), Rangareddy District / AFRF facilities for pre-processing/ Cement units for co-processing.
7.	Off Specification Products	28.4 of Sch-I	400 Kg/month	
8.	STP Sludge	--	40 Kg/month	Shall be used as manure.
9.	Broken glass /crushed glass waste	--	100 Kg/month	Shall be sent to authorized scrap vendors.
10.	Packaging Waste	--	500 Kg/month	Shall be sent to authorized scrap vendors.
11.	E-waste	17 of Sch-IV	100 Kg/month	Shall be disposed to authorized e-waste recyclers.
12.	Insulation wool	--	500 Kg/annum	M/s. HWM Project (TSDF), Dundigal (V), Medchal-Malkajgiri District.
13.	Used PPE, contaminated waste and Bio Medical waste	--	1500 Kg/month	Shall be disposed to Common Bio Medical Waste Treatment facility.
14.	Biomedical waste	--	Red- 50 Kgs/Month	
			Yellow-600 Kgs/Month	
			Blue-50 Kgs/Month	
			White-20 Kgs/Month	

This order is subject to the provisions of ‘the Acts’ and ‘the Rules’ and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This consent is valid for manufacture the following products along with quantities only

Sl.No.	Name of the product	Total capacity (After Expansion)
1.	Pellets	390 TPA
2.	Granules	370 TPA
3.	Capsules	35 Crores Nos/annum
4.	Tablets	210 Crores Nos/annum
5.	Formulation R & D Lab	Formulation R & D Lab
6.	Sachets	11 Crores Nos/annum
7.	Bio-chemical testing lab	

This combined order of Consent & Hazardous Waste Authorization shall be valid for a period ending with the 31.05.2028. *The industry shall pay the consent fees annually from the financial year 2025-26 to till the validity of the consent order.*

The payment of annual consent fee for every financial year (i.e., April to March) within the stipulated time period i.e., 1st quarter of every financial year (April - June) is mandatory for the industry. Failing which, the validity of the Consent Order automatically stands cancelled and operation of industry without valid Consent attracts penal action under the provision of Water Act, Air Act & Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Encl: Schedules A, B & C

To
M/s. Alphamed Formulations (P) Ltd.,
Sy.No. 225, 224/AA, 224/A, 225/A/EE, 225/A/E,
226/A/EE, 226/A/E, 227/A/E, 227/A/AA,
Sampanbole (V), Shameerpet (M),
Medchal-Malkajgiri District.
Email Id: narasimha.p@alphamed.co.in

20/3/2024
JOINT CHIEF ENVIRONMENTAL ENGINEER



Copy submitted to the Member Secretary, TSPCB, Board Office, Hyderabad for information.
Copy submitted to The General Manager, District Industries Centre, Near ORR, Keesara, Medchal- Malkajgiri District, Collectorate Complex, Hyderabad-500083.
Copy to the Environmental Engineer, TSPCB, Regional Office, Medchal-Malkajgiri District for information and necessary action. **The EE, RO, Medchal is further directed to ensure that the industry pays the annual consent fees for every financial year (i.e., April to March) within the stipulated time period i.e., 1st quarter of every financial year (April-June) and the EE, RO, Medchal shall report to this office, if any non-compliance by the industry.**

SCHEDULE – A

1. The applicant shall make applications through online for renewal of Consent (under Water & Air Acts) and Authorization under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts for obtaining Consent & HW Authorization of the Board. The applicant can also apply for Auto Renewal of the CFO atleast 30 days before the expiry of this order as per the procedure and eligibility stipulated in the Board Circular dt.19.11.2015 & 08.12.2015 (available in Board's Website: <http://tspcb.cgg.gov.in/Pages/Circulars.aspx>).
2. Concealing the factual data or submission of false information/ fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.
3. The industry may explore the possibility of tapping the solar energy for their energy requirements.
4. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Rules, to such authority (hereinafter referred to as the Appellate Authority) constituted under Section 28 of the Water (Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.
5. The Board reserves its right to modify above conditions or stipulate any further conditions and to take action including revoke of this order in the interest of protection of public health and environment.

SCHEDULE - B

Special Conditions

1. The CFO & HWA order issued to M/s. Alphamed Formulations (P) Ltd., Sy No. 225, 224/AA, 224/A, 225/A/EE, 225/A/E, 226/A/EE, 226/A/E, 227/A/E, 227/A/AA, Sampanbole (V), Shameerpur (M), Medchal-Malkajgiri District vide Consent Order No. 596-RR-II/TSPCB/ZOH/CFO/TS-IPASS/2023-404, date: 22.09.2023 which is valid upto 31.05.2028 stands cancelled.
2. The industry has paid consent fee for a period upto 31.03.2025. The industry shall pay the consent fees annually from the financial year 2025-26 to till the validity of the consent order i.e., upto 31.05.2028.
3. The industry shall pay balance consent fee annually as per the rates notified in GO Ms No. 22. The payment of annual consent fee shall be made at the concerned RO for every financial year (i.e., April to March) within the stipulated time period i.e., 1st quarter of every financial year (April - June) is mandatory for the industry. Failing which, the validity of the Consent Order automatically stands cancelled and operation of industry without valid Consent attracts penal action under the provision of Water Act, Air Act & Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016.
4. The industry either paying annual fee or total fee for consented period, shall pay the balance consent fee as per the revised rates as applicable from time to time.
5. The industry shall take steps to reduce water consumption to the extent possible and consumption shall NOT exceed the quantities mentioned below:

S. No.	Purpose	Total Consumption (After Expansion)
1.	Process	25.0 KLD
2.	Washings	
3.	Cooling Tower Makeup	34 KLD (Fresh water – 21 KL & Recycled water – 13 KL)
4.	Boiler	
5.	DM Plant	
6.	Domestic	42.0 KLD (Fresh water – 28 KL & Recycled water – 14 KL)

7.	Gardening	13 KLD (Fresh water – Nil, Recycled water – 13 KL)
8.	R & D	1.0 KLD
9.	Bio-chemical testing lab	1.0 KLD
	Total	116. KLD (Fresh water – 76 KL, Recycled water – 40 KL)

6. The industry shall comply with emission limits for DG sets upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 under the Environment (Protection) Amendment Rules, 2003 and G.S.R.448(E), dated 12.07.2004 under the Environment (Protection) Second Amendment Rules, 2004. In case of DG sets more than 800 KW shall comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.
7. The industry should comply with the National ambient air quality standards as per MoEF, GoI notification dated. 18.11.2009 along the premises of the factory as prescribed below.

S. No.	Parameters	Standards in $\mu\text{g}/\text{m}^3$
1	Particulate Matter(PM_{10})	100
2	Particulate Matter ($\text{PM}_{2.5}$)	60
3	SO_2	80
4	NO_x	80

Noise Levels: Day time (6 AM to 10 PM) - 75 dB (A)

Night time (10 PM to 6 AM) - 70 dB (A).

8. The industry shall manufacture only consented products and shall produce within the consented capacities. Under no circumstances, the industry shall manufacture any un-consented products without obtaining CFE & CFO of the Board.
9. The industry shall regularly send the effluents generated from the activity to M/s. JETL, Jeedimetla for further treatment and disposal by duly complying with inlet standards of CETP prescribed by the Board.
10. The industry shall have minimum of 7 days storage capacity of effluents on above ground level, with-in the premises.
11. The industry shall send the domestic effluents to Sewage Treatment Plant (STP). After treatment, treated domestic effluents shall be utilized onland for gardening within the premises duly meeting the standards stipulated by the Board.
12. The industry shall suck the fumes emanated during the various chemical reactions in the fume hoods and pass them through a wet scrubber before letting into atmosphere through common stack. The industry shall control the process emissions from R&D activity and process area.
13. The industry may store the hazardous and other wastes for a period not exceeding ninety days and shall maintain a records of such wastes and make these records available for inspection. The industry shall comply with the Hazardous and other Wastes (Management, Transboundary Movement) Rules, 2016 and amendments thereof.
14. The industry shall regularly lift the Hazardous waste generated i.e., ETP Sludge & Process Sludge regularly to Hyderabad Waste Management Project (TSDF), Dundigal and shall submit the manifest copies to the Regional office, Medchal regularly.
15. The industry shall not cause any air pollution / odour nuisance to the surrounding environment.
16. The industry shall not discharge any wastewater outside the premises.
17. The industry shall not dispose the solid waste outside the factory premises.
18. The industry shall develop 33% of the total area as thick green belt all along the boundary of the unit and also in the vacant places with all tall growing trees with wide leaf area.
19. The industry should maintain the following records and the same should be made available to the Board Officials during the inspection.
 - a) production details, RG-I records and Central Excise Returns.
 - b) Quantity of effluent generated and sent to M/s. JETL, Jeedimetla.
 - c) Log Books for pollution control systems.

- d) Daily solid waste generated and disposed.
20. The industry shall submit Environmental Statement in Form V before 30th September every year as per Rule No.14 of Environmental (Protection) Act, 1986.
 21. The industry shall take necessary measures to control fugitive emissions.
 22. The industry shall take all precautionary and safety measures during process operations.
 23. The industry shall comply with all the directions issued by the Board from time to time.
 24. This Order is issued to the industry without prejudice to the action taken by the Task Force of the Board.
 25. The conditions stipulated in this order are without any prejudice to rights and contentions of this Board in any Hon'ble court of Law.

SCHEDULE - C

(See Rule 6(2))

**[SPECIAL CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR
HANDLING HAZARDOUS WASTE]**

1. The industry shall give top priority for waste minimization and cleaner production practices.
2. The industry shall not store hazardous waste for more than 180 days as per the Hazardous & other wastes (Management and Transboundary Movement) Rules, 2016 and amendments thereof. The industry shall maintain 7 copy manifest system for transportation of waste generated and copies of receipts of consignee shall be submitted the Concerned Regional Office. The industry shall maintain proper records for Hazardous Wastes stated in Authorisation in FORM-3 i.e., quantity of incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form- 4 as per Rule 20(2) of the Hazardous & other wastes (Management, Handling & Transboundary Movement) Rules, 2016 and amendments thereof.
3. The industry shall dispose /sell the hazardous waste to only industries/agencies authorised by state Pollution Control Board. The industry shall verify the authorisation of the Board given to the party before disposing its waste to the external party
4. The industry shall maintain proper records for Hazardous Wastes disposal and its concurrence with Authorization. In case of Violation in generation, industry shall submit explanation and obtain amendment in Environmental Clearance/CFE/CFO in this regard.
5. The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal. The Waste oils to the traders and the same shall be disposed to the authorized Reprocessors / Recyclers and Used Lead Acid Batteries shall be disposed to the manufacturers / dealers on buyback basis. The industry shall take necessary practical steps for prevention of oil spillages and carry over of oil from the premises. The industry shall check the certificate/Authorisation/ order of MoEF issued to the Re-user/Recycler units while disposing the waste oil . The industry shall maintain good housekeeping & maintain proper records for Hazardous Wastes stated in Authorisation.
6. The industry shall dispose the e-waste to authorized recyclers / dismantlers only.
7. The industry shall submit the condition wise compliance report of the conditions stipulated in Schedule B & C of this Order on half yearly basis to Board Office, Hyderabad and concerned Regional Office.

To
M/s. Alphamed Formulations (P) Ltd.,
Sy.No. 225, 224/AA, 224/A, 225/A/EE, 225/A/E,
226/A/EE, 226/A/E, 227/A/E, 227/A/AA,
Sampanbole (V), Shameerpeta (M),
Medchal-Malkajgiri District.

JOINT CHIEF ENVIRONMENTAL ENGINEER

