



TELANGANA STATE POLLUTION CONTROL BOARD

Phone: 23887500
Fax: 040-23815631

CONSENT & HWA ORDER (RENEWAL) - RED CATEGORY

CONSENT ORDER NO. 180821140212 DATED: 20/02/2018.

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof,Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, and Authorisation under the provisions of HW (MH & TM) Rules, 2016 (hereinafter referred to as 'the Acts', `the Rules') and amendments thereof and the rules and orders made there under to M/s."**Anax laboratories ,PLOT NO.157, PHASE – III, IDA CHERLAPALLY, MEDCHAL DISTRICT** " (hereinafter referred to as 'the Applicant /Industry') and the industry is authorized to operate the industrial plant to discharge the Effluents from the outlets and the quantity of Emissions per hour from the chimneys, by operating pollution control equipment, as detailed below,

i) Out lets for discharge of Effluents :

Outlet No.	Description of Outlet	Max Daily Discharge in KLD	Point of Disposal
------------	-----------------------	----------------------------	-------------------

ii) Emissions from chimneys:

Chimney No.	Description of Chimney
-------------	------------------------

iii) HWAutorisation No.180821140212 DATED: 20/02/2018.

HAZARDOUS WASTE AUTHORISATION
(FORM – II)
[See Rule 6 (2)]

Anax laboratories ,PLOT NO.157, PHASE – III, IDA CHERLAPALLY, MEDCHAL DISTRICTis hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

1. HAZARDOUS WASTES WITH DISPOSAL OPTION :

Name of the Hazardous Waste	Stream	Quantity	Disposal option
-----NIL-----			

2. HAZARDOUS WASTES WITH RECYCLING OPTION :

Name of the Hazardous Waste	Stream	Quantity	RECYCLING option
-----NIL-----			

S.No.	Name of the Product	Capacity	Unit
-------	---------------------	----------	------

This order is subject to the provision of 'the Acts' and the Rules and amendments made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This combined order of Consents and Authorization is valid for a period ending with the .February 20, 2018

MEMBER SECRETARY

To

The Managing Partner,

M/s.ANAX LABORATORIES,

PLOT NO.157, PHASE – III, IDA CHERLAPALLY, MEDCHAL DISTRICT,

Pin: 500051

Copy to :

SCHEDULE – A

SCHEDULE - B

1. Total Water Consumption shall not exceed : 0.00 KLD

S.No.	Purpose	Quantity
-------	---------	----------

2. The Treated Effluent Dischrged/pre-treated effluent sent to CETB shall not exceed the following prescribed standards

Outlet No.	Parameter	Limiting Standard
------------	-----------	-------------------

3. The Emission shall not exceed the following prescribed standards

Chimney No.	Description of Chimney	Parameter	Emission Standards
-------------	------------------------	-----------	--------------------

SCHEDULE - C

MEMBER SECRETARY

To
The Managing Partner,
M/s.ANAX LABORATORIES,
PLOT NO.157, PHASE – III, IDA CHERLAPALLY, MEDCHAL DISTRICT,
Pin: 500051



TELANGANA STATE POLLUTION CONTROL BOARD
ZONAL OFFICE: HYDERABAD

R. Ravinder Reddy
Joint Chief Environmental Engineer

H.No.6-3-1219, T.S.No.1, Part, Block "C",
Ward No.91, Begumpet, Umanagar,
Near Country Club, Hyderabad - 500 016
Email: jcee-zhyd-tspcb@telangana.gov.in

Lr.No.1321 –RR-II/TSPCB/ZO-HYD/CFO/ 2018 - 2814

Date: 19.02.2018

To
M/s. Anax Laboratory,
Plot No.157, Phase – Iii,
Ida Cherlapally,
Medchal Malkajgiri District

Sir,

Sub: - TSPCB – CFO – M/s. Anax Laboratory Located At Plot No.157, Phase – Iii, Ida Cherlapally, Medchal Malkajgiri District- Issue of CFO – Information called for - Reg.

- Ref:-**
1. Industry's submission of CFO application received through TSOCMMS website on .01.2018 at TSPCB, RO, Medchal.
 2. TSPCB, RO, Medchal verification report dated 02.02.2018, received by Zonal Office, Hyderabad on 02.02.2018.
 3. CFO Committee meeting held on 10.02.2018 at TSPCB, Zonal Office, Hyderabad.

* * *

The Consent for Operation Committee in its meeting held on 10.02.2018 examined the CFO & HWA applications submitted by the industry under Water and Air Acts and committee recommended to **issue** CFO & HWA to the industry on submission of the following:

" The industry shall submit membership copy of M/s. MANA CETP, Mallapur and M/s. TSDF, Dundigal, Rangareddy District at TSPCB, Regional Office-II, Medchal District "

In view of the above, you are directed to submit the above information within 1 week to this office marking a copy to the Regional Office-II, TSPCB, Medchal District. If the industry fails to furnish the information within the stipulated time, the CFO application filed by the industry will be returned back to the industry. The industry has to again re-submit the CFO application along with complete information sought by the Board. However, the CFO fees already paid by the industry to the Board will be considered and adjusted at the time of re-submission of the CFO application.

It is also brought to your notice that operation of the industry without having valid consents of the Board is violation of Section 25/26 of Water Act and Section 21/22 of Air Act which is punishable under section 44 of the Water (Prevention and Control of Pollution) Act, 1974 and under section 37 of the Air (Prevention and Control of Pollution) Act, 1981.

Yours faithfully,

[Handwritten Signature]
19/2/2018

JT. CHIEF ENVIRONMENTAL ENGINEER

Copy to the Environmental Engineer, TSPCB, Regional Office-II, Medchal District for information & necessary action.

