



TELANGANA STATE POLLUTION CONTROL BOARD

CONSENT ORDER FOR ESTABLISHMENT

ORDER NO. 230124583751

DATED: 02/12/2023.

SUB: TSPCB-Consent for Establishment-M/s. ATNT LABORATORIES , S.F. No. 9 & 10, Kolthur village, Shamirpet Taluk and Medchal ii District - Consent for Establishment of the Board under Sec.25 of Water(P & C of P) Act, 1974 and Under Sec.21 of Air (P&C of P) Act, 1981 - Issued - Reg.

REF:

1. In the reference cited, an application was submitted to the Board seeking Consent for Establishment (CFE) of the Board to establish, with a project cost of Rs. to manufacture following products/activity.

S.No.	Product	Capacity	Unit
-------	---------	----------	------

2. As per the application, proposed products are to be manufactured/activity to be carried out atAtnt laboratories , S.F. No. 9 & 10, Kolthur village, Shamirpet Taluk and Medchal ii District

3. The above site was inspected by & Asst. Environmental Engineer, Regional office,T.S Pollution Control Board and observed tha the site is surrounded by

NORTH	
SOUTH	
EAST	
WEST	

- 4.
5. This Consent Order now issued is subject to the conditions mentioned in Schedule 'A' and Schedule 'B'.
6. This order is issued from pollution control point of view only. Zoning and other regulations are not considered.

MEMBER SECRETARY

To
The Proprietor,M/s.ATNT LABORATORIES,
Kolthur (V), Shamirpet (M), Medchal Malkajgiri District, Telangana,
Pin: 500078

Copy to :

SCHEDULE 1½ A

SCHEDULE - B

MEMBER SECRETARY

To
The Proprietor,M/s.ATNT LABORATORIES,
Kolthur (V), Shamirpet (M), Medchal Malkajgiri District, Telangana,
Pin: 500078



TELANGANA STATE POLLUTION CONTROL BOARD
ZONAL OFFICE: HYDERABAD

H.No.6-3-1219, TS No.1 Part, Block - C, Ward No.91, Near Country Club,
Uma Nagar, Begumpet, Hyderabad. Phone: 040-23402495
Email: jcee-zhyd-tspcb@telangana.gov.in

CONSENT ORDER FOR ESTABLISHMENT – ORANGE CATEGORY

Order No. 1939 -RR-II/TSPCB/ZO-HYD/CFE/2023 - 260

Date:17.06.2023

Sub: TSPCB – ZO-HYD – TS-iPASS - CONSENT FOR ESTABLISHMENT (CFE) –
**M/s. ATNT Laboratories, Suite 01 & Suite 02 ground floor, Plot No. 9 Part
& 10 Part, Sy.No. 542, Phase-II, Biotech Park, Kolthur (V), Shameerpet (M),
Medchal-Malkajgiri District - Consent for Establishment of the Board under
Sec.25 of Water (Prevention and Control of Pollution) Act, 1974 and under
Sec.21 of Air (Prevention and Control of Pollution) Act, 1981 – Issued – Reg.**

Ref: 1. Industry's CFE application received through TS-OCMMS online portal on
16.05.2023 at TSPCB, Regional Office, Medchal.
2. TSPCB, Regional Office, Medchal verification report dated 09.06.2023 and
received by Zonal Office, Hyderabad on 09.06.2023.
3. CFE Committee meeting held on 14.06.2023 at TSPCB, Zonal Office,
Hyderabad.

* * *

1. In the reference 1st cited, an application was submitted to the Board seeking Consent for Establishment (CFE) to setup an Animal Breeding House for Breeding of Mice as mentioned below, with an investment of **Rs.490.00 Lakhs**.

<i>Sl. No.</i>	<i>Name of the Products & By products</i>	<i>Quantity</i>
1.	Animal Breeding House for Breeding of Mice	10,000 Nos/month

2. As per the application, the above activity is to be located at **Suite 01 & Suite 02 ground floor, Plot No. 9 Part & 10 Part, Sy.No. 542, Phase-II, Biotech Park, Kolthur (V), Shameerpet (M), Medchal-Malkajgiri District**.
3. The above site was inspected by the Asst. Environmental Engineer, Regional Office, Medchal, T.S.Pollution Control Board on 31.05.2023 and found that the industry is surrounded by **East:** Open Land followed by a small water pond at a distance of about 160 meters; **West:** Arjun Biotech open area Suite C & Suite D; **North:** Entrance of Arjun Biotech followed by open space; **South:** M/s.Touch Stone Property developers.
4. The Board, after careful scrutiny of the application, verification report of Regional Office, Medchal, recommendation by the CFE Committee meeting held on **14.06.2023** at TSPCB, Zonal Office, Hyderabad, hereby issues CONSENT FOR ESTABLISHMENT (CFE) to the industry, under Section 25 of Water (Prevention and Control of Pollution) Act, 1974 and under Section 21 of Air (Prevention and Control of Pollution) Act, 1981 and the rules made there under. This Order is issued to manufacture the products mentioned at para (I) only.
5. This Consent Order now issued is subject to the conditions mentioned in Schedule 'A' and Schedule 'B'.

6. This order is issued from pollution control point of view only. Zoning and other regulations are not considered.


JOINT CHIEF ENVIRONMENTAL ENGINEER

Encl: Schedules "A & B".

To
M/s. ATNT Laboratories,
Suite 01 & Suite 02 ground floor,
Plot No. 9 Part & 10 Part, Sy.No. 542,
Phase-II, Biotech Park, Kolthur (V),
Shameerpet (M), Medchal-Malkajgiri District.
E-mail: ravipatnaik.307@gmail.com

Copy submitted to the Member Secretary, TSPCB, Board Office, Hyderabad for information.
Copy to the Environmental Engineer, TSPCB, Regional Office, Medchal for information and necessary action.

SCHEDULE – A

1. This order is valid for a period of 5 years from the date of issue. Progress on implementation of the project shall be reported to the concerned Regional Office, T.S. Pollution Control Board once in six months. The consent of the Board shall be exhibited in the factory premises at a conspicuous place for information of the inspecting officers.
2. The proponent shall obtain Consent for Operation (CFO) from TSPCB, as required Under Sec.25/26 of the Water (Prevention and Control of Pollution) Act, 1974 and under sec. 21/22 of the Air (Prevention and Control of Pollution) Act, 1981, before commencement of the activity.
3. The proponent shall ensure that there shall not be any change in the process technology and scope of working without prior approval from the Board.
4. The industry is liable to pay compensation for any environmental damage caused by it, as fixed by the Hon'ble Courts, Collector and District Magistrate as Civil liability
5. The rules and regulations notified under Environmental Acts by the MOEF&CC and by the Ministry of Law and Justice, GOI, regarding the Public Liability Insurance Act, 1991 shall be followed.
6. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.
7. Notwithstanding anything contained in this consent order, the Board hereby reserves the right and powers under Section 27(2) of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof, to review any and/or all the conditions imposed herein, to modify conditions or stipulate any further conditions and to take action including revocation of this order in the interest of public health and environment.
8. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per the State Water Rules, 1976 and Air Rules, 1982, to such authority (hereinafter referred to as the Appellate Authority) constituted under Section 28 of Water (Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.

SCHEDULE – B

1. The CFE is issued to the industry to carryout only breeding of mice and shall not carryout any clinical trail runs on the animals in the premises at any cost.
2. The source of water is provided by Bore well / Biotech park and the maximum permitted water consumption shall not exceed the following quantities:

S.No.	Purpose	Total Consumption
1.	Process	1.0 KLD
2.	Washings	4.0 KLD
3.	Domestic	3.0 KLD
4.	Greenbelt	2.0 KLD
	Total	10.0 KLD

3. The maximum waste water generation (KLD) shall not exceed the following:

S.No.	Wastewater generation	Total Generation
1.	Process	0.8 KLD
2.	Washings	3.5 KLD
3.	Domestic	2.2 KLD
	Total	6.5 KLD

Effluent source	Quantity	Standards to be complied	Mode of final disposal
Process	0.8 KLD	Inlet parameters of CETP prescribed by the Board.	After pretreatment, these effluents shall be sent to Common collection tank provided by M/s. Arjun Biotech. From there, after pretreatment, shall be disposed to M/s.JETL, Jeedimetla, Medchal District through M/s. Arjun Biotech.
Washings	3.5 KLD		
Domestic	2.2 KLD	pH - 5.5 - 9.0, Total Suspended Solids - 200.0 mg/l, Oil & Grease - 10.0 mg/l, Biochemical Oxygen Demand (3 days at 27 ⁰ C) - 30 mg /lit.	Shall be sent to common STP provided by M/s. Arjun Biotech. After treatment, these treated domestic effluents shall be used for on land application within the premises.

- The industry shall send the process & washings and blow down effluents shall be sent to Common collection tank provided by M/s. Arjun Biotech. After pretreatment, treated effluents shall be sent to M/s. JETL for further treatment and disposal duly complying with the inlet standards of CETP prescribed by the Board.
- The industry shall send the domestic effluents to the common STP provided by M/s. Arjun Biotech. After pretreatment, shall be utilized onland for gardening within the premises duly complying the prescribed standards of the Board.
- The Solid wastes generated shall not exceed the following breakup quantities:

S. No.	Name and of the Hazardous / Solid waste	Hazardous / as defined under HWM Rules, 2016	Quantity	Method of Disposal
1.	Biomedical	5.1 of Sch-I	20 Kg's/day	Shall be sent to Authorised Common Biomedical waste Treatment Facility (CBMWTF).

- The industry shall collect the Bio-medical waste properly & lift these wastes to Common Biomedical waste Treatment Facility (CBMWTF) through M/s. Arjun Biotech.
- The industry shall properly collect the dead mice if any and shall be disposed to in scientific manner duly following the colour coding for disposal as per BMW Rules, 2016 and shall send to Common Biomedical waste Treatment Facility (CBMWTF).
- The industry shall properly collect the waste bedding material used for breeding mice and shall be disposed properly as per BMW Rules, 2016.
- The industry shall provide digital flow meter with totalizer for assessing the quantity of waste water, water consumption.
- The industry shall take measures to control the odour generated during the breeding process by installing deodorizing equipment.
- The industry shall not discharge any waste water to outside the factory premises
- The industry shall not cause any air pollution/odour nuisance to the surrounding environment.
- The industry shall not dispose the solid waste outside the factory premises.
- The industry shall develop 33% of the total area as thick green belt all along the boundary of the unit and also in the vacant places with all tall growing trees with wide leaf area.
- The industry shall not take up trial production without obtaining Consent for Operation of the Board.
- Rain Water Harvesting (RWH) structure (s) shall be established on the plant site so that the ground water is recharged by the storm water.
- The industry shall comply with Rules & Regulations notified by Ministry of Law and Justice, Govt. of India, regarding the Public Liability Insurance Act, 1991.

19. The following rules and regulations notified by the MoE&F, GoI shall be implemented:
- a) Solid Waste Management Rules, 2016.
 - b) Construction and Demolition Waste Management Rules, 2016.
 - c) Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 & its amendments.
 - d) Battery Waste Management Rules, 2022.
 - e) E-Waste Management Rules, 2022.
 - f) Bio-Medical Waste Management Rules, 2016 & its amendments.
 - g) Plastic Waste Management Rules, 2016 & its amendments.
20. The industry shall comply with all the directions issued by the Board from time to time.
21. The Board reserves its right to modify above conditions or stipulate any further conditions and to take action including revoke of this order in the interest of environment protection.
22. This Order is issued to the industry without prejudice to the action taken by the Task Force of the Board.


JOINT CHIEF ENVIRONMENTAL ENGINEER



To
M/s. ATNT Laboratories,
Suite 01 & Suite 02 ground floor,
Plot No. 9 Part & 10 Part, Sy.No. 542,
Phase-II, Biotech Park, Kolthur (V),
Shameerpet (M), Medchal-Malkajgiri District.

