### TELANGANA STATE POLLUTION CONTROL BOARD



Phone: 23887500 Fax: 040-23815631

### CONSENT ORDER FOR CFO RENEWAL - RED CATEGORY

CONSENT ORDER NO. 17082321066 DATED: 15/09/2017.

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof, Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof.) Rules 2008 & Amendments thereof)

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, and Authorisation under the provisions of HW (MH & TM) Rules, 2016 (hereinafter referred to as 'the Acts', `the Rules') and amendments thereof and the rules and orders made there under to M/s.", **Sp accure labs pvt ltd,plot no.12,biotech park phase-II,Lalgadi malakpet,shamerpet,rangareddy** " (hereinafter referred to as 'the Applicant /Industry') and the industry is authorized to operate the industrial plant to discharge the Effluents from the outlets and the quantity of Emissions per hour from the chimneys, by operating pollution control equipment, as detailed below,

### i) Out lets for discharge of Effluents:

Outlet No.	Description of Outlet	Max Daily Discharge	Point of Disposal
		in KLD	

### ii) Emissions from chimneys:

Chimney No. Description of	Chimney
Products	Capacity

This order is subject to the provision of 'the Acts' and amendments made thereunder and further subject to the terms and conditions incorporsated in the schedule A and B enclosed to this order.

This combined order of consents is valid for a period ending with the (validity period recommended in the minutes). September 15, 2017

This order is subject to the provision of 'the Acts' and amendments made thereunder and further subject to the terms and conditions incorporsated in the schedule A ,B and C enclosed to this order.

This combined order of consents is valid for a period upto. September 15, 2017

MEMBER SECRETARY

To
The Managing Director,
M/s.SP ACCURE LABS PVT LTD,

Sp accure labs pvt ltd,plot no.12,biotech park pha	se-II,Lalgadi malakpet,shan	nerpet,rangareddy,	
Pin: 500101			
Copy to:			

### SCHEDULE - A

### **SCHEDULE - B**

### 1. Total Water Consumption shall not exceed: 19.40 KLD

S.No.	Purpose	Quantity	
1	Washing	1	
2	Boiler feed/make up	6	
3	Cooling water makeup	7	
4	Domestic	1.6	
5	DM plant/regenration	0.3	
6	Process	3.5	

### ${\bf 2.\ The\ Treated\ Effluent\ Dischrged/pre-treated\ effluent\ sent\ to\ CETB\ shall\ not\ exceed\ the\ following\ prescribed\ standards}$

Outlet No.	Parameter	Limiting Standard
Ounce 110.	i ai ailicici	Difficulty Standard

### 3. The Emisson shall not exceed the following prescribed standards

Chimney No.	Description of Chimney	Parameter	Emission Standards	
-------------	------------------------	-----------	--------------------	--

### **SCHEDULE - C**

null

MEMBER SECRETARY

To

The Managing Director,

M/s.SP ACCURE LABS PVT LTD,

Sp accure labs pvt ltd,plot no.12,biotech park phase-II,Lalgadi malakpet,shamerpet,rangareddy,

Pin: 500101



# TELANGANA STATE POLLUTION CONTROL BOARD ZONAL OFFICE: HYDERABAD

R.Ravinder Reddy Joint Chief Environmental Engineer

H.No.6-3-1219, T.S.No.1, Part, Block "C", Ward No.91, Begumpet, Umanagar, Near Country Club, Hyderabad - 500 016 Email:hyd.zo.jcee@pcb.ap.gov.in

DESPATCHED

6 20 3 CONSENT & AUTHORIZATION ORDER - ORANGE CATEGORY BY REGISTERED POST WITH ACKNOWLEDGEMENT DUE

27 Consent Order No: 1037-RR-II/PCB/ZOH/CFO/2017-

Date: 23.06.2017

1981 and amendments thereof and Authorization / Renewal of Authorization under Rule 5 of the (Consent Order for Existing/New or altered discharge of sewage and/or trade effluents under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof, Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, Hazardous Wastes (Management, Handling and Transboundary, Movement) Rules, amendments thereof. CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 and Authorization under the provisions of HW (M&H) Rules (hereinafter referred to as 'the Acts', 'the Rules') and the rules and orders made thereunder to:

M/s SP Accure Labs Pvt. Ltd., Plot No. 12, Biotech Park, Phase-II (Extn), Lalgadimalakpet (V), Shameerpet (M), Medchal Malkajgiri District (Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of Emissions per hour from the chimneys as detailed below.

# i) Outlets for discharge of effluents:

Outlet	Outlet	Max Daily	Point of Disposal	Limiting
.0.	Describion	Discharge		Standards
2 4	Process &	1.5 KLD	After neutralization, shall   Inlet parameters of	Inlet parameters of
	Washes		be sent to M/s. JETL, CETP as prescribed	CETP as prescribed
	effluents		(CETP), Jeedimetla / M/s.   by the Board.	by the Board.
			MANA CETP, Mallapur	
			Rangareddy District for	
			further treatment and	
			disposal.	
2	Domestic	1.6 KLD	Septic tank followed by	
	effluents		soak pit	

## ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow	Emission Standards
÷	Attached to Furnace oil fired boiler of capacity — 0.5 TPH		SPM - 115
2.	Attached to DG set of capacity – 250 KVA	1	mg/Nm <sup>3</sup>
3.	Attached to DG set of capacity – 170 KVA	-	

# iii) Hazardous Waste Authorization: (Form - 2) [See Rule 6(2)]:

Shameerpet (M), Medchal Malkajgiri District is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of the following wastes with M/s SP Accure Labs Pvt. Ltd., Plot No. 12, Biotech Park, Phase-II (Extn), Lalgadimalakpet (V), quantities as mentioned below:

S. S.	Name and quantity of the Hazardous / Solid waste	Quantity	Stream	Method of Disposal
П	ETP Sludge	50 Kgs/annum	35.3 of Sch-I	Shall be sent to M/s.HWM Project (TSDF), Dundigal (V), RangaReddy District.
7	Broken Glass Vials	30Kgs/annum	I	After complete detoxification, shall be returned back to the supplier.
3	Waste Oil	50 LPA	5.1 of Sch-I	Shall be sent to authorized waste oil Re-Processors / Re-Cycling units.

quantities with products of the following valid for the manufacture consent order is mentioned below only: This

SI. No.	Product & By product	Capacity
1.	Tablets & Capsules	66,666 Nos/day
2.	Injection	4,000 Nos/day

and amendments made This order is subject to the provisions of 'the Acts' and the Rules' and amendments made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order. a period ending with the combined order of Consent and Authorization is valid for 30.04.2021 This

+10/9/5hor

JOINT CHIEF ENVIRONMENTAL ENGINEER

To

M/s SP Accure Labs Pvt. Ltd.,

Plot No. 12, Biotech Park, Phase-II (Extn),

Lalgadimalakpet (V), Shameerpet (M),

Medchal Malkajgiri District - 500 078

E\_mail: spt@sppharma.in

Office-II, Rangareddy District for Copy submitted to the Member Secretary, TSPCB, Board Office, Hyderabad for information. Copy submitted to the JCEE(Cess), TSPCB, Board Office, Hyderabad for information. Copy to the Environmental Engineer, TSPCB, Regional information.

## SCHEDULE

- and Air Acts) and Authorization under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts for obtaining consent of the Board along with detailed compliance to the conditions stipulated in the The applicant shall make applications through online for renewal of consent (under Water
- The industry shall immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions etc. ci
- a) All the fugitive emissions shall be controlled with proper measures. 3
- The applicant shall also install the equipment such as wind speed recorder and wind direction <u>Q</u>
- The applicant shall not change or alter either the quality or the quantity or the rate of the discharge or the route of discharge and shall not change or alter either the prescribed quality or the rate of emission without the previous written permission of the Board. J
- power source sufficient to operate all facilities installed by the applicant, to comply with the terms and conditions of this consent. In absence of alternative electric power source sufficient to operate all facilities installed by the applicant, to comply with the terms and The applicant shall, not later than 30 days from the date of issue of this consent order, certify in writing to the Board that the applicant has installed or provided for an alternative electric conditions of this consent, production shall be stopped. vá.
- Any up-set condition in any plant/plants of the industry, which result in, increased effluent discharge and/ or violation of standards stipulated in this order or the emission of any Air Pollutant into the environment in excess of the standards laid down by the Board, occurs or is apprehended to occur due to accident, or other unforeseen act or event, the person-in-charge of the premises, from where such discharge / emission occurs or is apprehended to occur shall forthwith intimate the fact of such occurrence or the apprehension of such occurrence to this Board, by fax / email under intimation to the Collector and District Magistrate. Ġ,
- should take immediate action to bring down the discharge / emission below the limits industry item 6 above, the In case of such episodal discharges / emissions mentioned in prescribed in this order.
- A good house keeping shall be maintained both within the factory and in the premises. All hoods, pipes, valves, sewers and drains shall be leak proof. Floor washings shall be admitted into the effluent collection system only and shall not be allowed to find their way into storm drains or open areas.  $\infty$
- The industry shall carryout analysis of waste water discharges or emissions through chimneys, for **a** 6
  - the parameters mentioned in Schedule B of this order at regular intervals.
- whenever The industry shall maintain following records to accessible to the Board, required
- Analysis reports of waste water/ emissions. -i ~i
- Log book for operation of pollution control systems.
  - Inspection book w.
- The applicant shall set up THREE Ambient Air Quality Monitoring Stations for continuous - B as per the CPCB recording of relevant critical parameters mentioned in Schedule guidelines and submit monthly reports. 0
- Equipment and record of power consumption and chemicals consumption for the operation of Separate power connection with energy meter shall be provided for the Pollution Control pollution control equipment shall be maintained separately.
- The applicant shall submit Environment statement in Form V before 30th September every year as per Rule No.14 of E (P) Rules, 1986 & its amendments thereof.  $\overline{c_i}$
- The applicant shall comply with the directives/orders issued by the Board in this consent order and at all subsequent times without any negligence on his part. The applicant shall be liable for such legal action against him as per provisions of the Law/Act in case if non-compliance of any order/directive issued at any time and/or violation of the terms and conditions of this consent order. Ċ

- regarding the construction, installation or operation of the effluent treatment system/ air pollution control equipment and such other particulars as may be pertinent for preventing and information any and / or the Board visiting officer the 2 applicant shall furnish 14.
- The industry is liable to pay compensation for any environmental damage caused by it, as fixed by the Collector and District Magistrate as Civil liability. 15.
- Government of India in respect of management, handling, transportation and storage of hazardous chemicals All the rules & regulations notified by Ministry of Environment and Forests, and wastes shall be followed. 16.
- All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 shall be followed. 17.
- The occupier shall educate the workers and nearby public of possible accidents and remedial measures 18.
- For any accident or spillage of hazardous wastes causing damage to the Environment, the occupier or the transporter as the case shall be held responsible. <u>19</u>
- other units within 90 days from the date of closure to prevent any possibility of occurrence of In case of closure of industry, the un-used/not consumed raw materials falling under the category of Hazardous Chemicals and mentioned in Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amendment Rules, 2003 shall be removed and sold to an accident. In case the above hazardous chemicals have lost their properties originally acquired, then they shall be treated as Hazardous Waste and they should be disposed off only to the authorized agencies of TSPCB in a safe manner. 20.
- The occupier shall prepare / update an emergency preparedness plan for safe handling of hazardous waste from time to time and submit the same to TSPCB. Emergency preparedness hazardous waste or hazardous waste constituents, which could endanger to human health or plan must be implemented immediately whenever there is fire, explosion or release 21.
- Packaging, labeling and transportation of Hazardous Wastes shall be in accordance with the provisions of the rules issued by the Central Govt. under the Motor Vehicles Act, 1988 and composition and hazardous constituent of the waste, however all Hazardous Waste containers other guidelines issued from time to time. The packaging and labeling shall be based on the should be provided with a general label. 22.
- to be followed in case of an emergency during transit. The transporter shall carry a Transport Emergency (TREM) card (as given in the guidelines for management and handling of The driver who transports Hazardous Waste should be well acquainted about the procedure hazardous wastes) duly filled by the Hazardous Waste generator. 23
- thoroughly detoxified before selling to agencies authorized by TSPCB. Proper records, specific to each Hazardous Chemical / Hazardous Waste Containers / container Liners should Containers / Container Liners of Hazardous Chemicals and Hazardous Wastes should be maintained in the following way: 24.
- i. Number of containers received.
- ii. Date and method of detoxitication.
- iii . Name of agencies to whom containers were sold with quantities.
  - iv . Transportation particulars.
- common, other internal, external sewerage or other drainage system without prior approval of TSPCB. 2 shall be discharged 25.
- perfectly sealed mechanically or double hot sealed, If MS / HDPE bags or drums are used for If HDPE bags are used for storing Hazardous Wastes, it should be ensured that they Hazardous Wastes, these drums / bags should be ensured that they are perfectly sealed. 26.
- sell, transfer their industrial premises without obtaining prior permission of State Pollution Control Board. person authorized shall not rent, lend, 27.
- Any Unauthorized change in personnel, equipment and working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization. 28.

- The industry shall comply with the provisions of Batteries (Management and Handling) Rules, 2001 6
- The applicant shall put up two black boards of size 6 ft by 4 ft. at the main entrance to their plant. One board shall contain the specific CFE and CFO conditions, in sufficiently large font size so that it can be read easily from a distance of 10 ft to a normal eye, and other board shall carry, again in sufficiently large font size so as to be able to read from a distance of 10 ft, the latest Water, Air, Noise and solid waste monitoring data as well as the maximum 30.
- factory premises at a prominent place for the information of the inspecting officers of the The applicant shall exhibit the Consent & HW Authorization order of the Board in different departments. <u>...</u>
- reserves to it the right and powers under Section 27(2) of the Water (Prevention & Control of Notwithstanding anything contained in this conditional letter or consent, the Board hereby Pollution) Act, 1974 and its amendments thereof and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and its amendments thereof to review any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board. 33
- (Management Hazardous and other Wastes Transboundary Movement) Rules, 2016. under issued authorization 3
- Appellate Authority) constituted under Section 28 of the Water (prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Telangana State Water rules, 1976 and Air Rules 1982, to such authority (herein after referred to as the 34.

## SCHEDULE - B

## Special Conditions

shall take steps to reduce water consumption to the extent possible and consumption shall NOT exceed the quantities prescribed below: The industry

, ,		
SI. No.	Purpose	Total quantity
1.	Process & Washings	2.5 KLD
2.	Domestic	2.0 KLD
	Total	4.5 KLD

The Industry shall maintain separate water meters for the above areas and maintain

- The industry shall file the water Cess returns in Form-I as required under section (5) of Water (Prevention and Control of Pollution) Cess Act. 1977 on or before the 5<sup>th</sup> of every calendar month, showing the quantity of water consumed in the previous month along with water meter readings. The industry shall remit water Cess as per the assessment orders as and when issued by Board.  $\alpha$ i
- The emissions shall not contain constituents in excess of the prescribed limits mentioned below. 'n

Emission Standards	$(mg/Nm^3)$	115
Parameter		SPM
Chimney No.		1 to 3

- as per the 2003 and G.S.R.448(E), dated 12.07.2004 under the Environment (Protection) Amendment Rules, 2004. In case of DG sets more than 800 KW <u>(E</u> sets upto 800 KW as per the Notification G.S.R.489 Environment 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986. the The industry shall comply with emission limits for DG under 01.07.2003 comply with emission limits (E), dated G.S.R.520 (Protection) Second Amendment Rules, Notification 4.
- The industry should comply with the National ambient air quality standards as per MoEF, ×. vi

Joi nounca	Joi nouncation dated. 18,11,2009 along the premises of the factory as prescribed belo	ises of the factory as prescribed belo
S. No.	Parameters	Standards in 110/m <sup>3</sup>
1	Particulate Matter(PM <sub>10</sub> )	100
2	Particulate Matter (PM2 5)	09

80	Uo .	00	
SO,		×OZ	
c		ব	,

Day time (6 AM to 10 PM) - 75 dB (A) Night time (10 PM to 6 AM) - 70 dB (A). Noise Levels:

The industry shall manufacture only consented products and shall produce within the Under no circumstances, the industry shall manufacture any unconsented products without obtaining CFE & CFO of the Board. consented capacities.

ó.

- The industry shall comply with all the Rules and Regulations specified in Water (P&C of P) Act, 1974, Air (P&C of P) Act, 1981 and Hazardous and other Wastes of P) Act, 1974, Air (P&C of P) Act, 1981 and Hi (Management and Transboundary Movement) Rules, 2016. Γ.
- The industry shall regularly send the process and wash effluents to CETP i.e., M/s. JETL Jeedimetla / M/s. MANA CETP, Mallapur for further treatment and disposal. ∞
- The industry shall have minimum of 7 days storage capacity of effluents on above ground level, with-in the premises. 9
- The industry shall collect hazardous waste i.e., ETP Sludge properly and lift the waste to TSDF, Dundigal, RR district. 100
  - The industry shall not discharge any waste water to outside the factory premises. <del>--</del>-
    - The industry shall not dispose the solid waste outside the factory premises 2
- The industry shall not cause any air pollution / odour nuisance to the surrounding environment. 13
  - The industry shall develop 33% of the total area as thick green belt all along the boundary of the unit and also in the vacant places with all tall growing trees with wide leaf area. 7.
- made maintain the following records and the same should be available to the Board Officials during the inspection. The industry should 15.
- Daily production details, RG-I records and Central Excise Returns.
- Quantity of effluents generated and lifted to M/s. JETL, Jeedimetla / M/s. MANA <u>a</u>
  - Log Books for pollution control systems.
    - Daily solid waste generated and disposed <del>(</del>
- The industry shall maintain good house keeping & maintain proper records for hazardous waste stated in the authorization. 16.
- The industry shall submit Environmental Statement in Form V before 30th September every year as per Rule No.14 of Environmental (Protection) Act, 1986. 17.
  - The industry shall take necessary measures to control fugitive emissions. 18
- The industry shall take all precautionary and safety measures during process operations. 19.
- The industry shall comply with the ambient air quality standards in respect of noise, stipulated in the Environment (Protection) Rules, 1986. 20.
  - The industry shall comply with all the directions issued by the Board from time to time. 21:
- failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution Concealing the factual data or submission of false information / fabricated data 22
- further any stipulate conditions or Board reserves its right to modify above conditions in the interest of environment protection. 23
- This Order is issued to the industry without prejudice to the action taken by the Task Force of the Board. 24.

### (See Rule 6(2)) SCHEDULE

(Conditions of Authorization for occupier or operator handling hazardous wastes)

The industry shall give top priority for waste minimization and cleaner production

- The industry shall not store hazardous waste for more than 90 days as per the Hazardous & other wastes (Management and Transboundary Movement) Rules, 2016. ai
- The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal.
- The industry shall not dispose Waste oils to the traders and the same shall be disposed to the authorized Reprocessors/ Recyclers. 4
- The industry shall dispose Used Lead Acid Batteries to the manufacturers / dealers on buyback basis. S
- The industry shall take necessary practical steps for prevention of oil spillages and carry over of oil from the premises. 9
- The industry shall maintain 6 copy manifest system for transportation of waste generated and a copy shall be submitted to Board Office and concerned Regional Office.
  - The industry shall maintain good housekeeping & maintain proper records for Hazardous Wastes stated in Authorisation. ∞:
- The industry shall maintain proper records for Hazardous Wastes stated in Authorisation in FORM-3 and file annual returns in Form- 4 Rules 6(5), 13(8), 16(6) and 20(2) as per Transboundary Movement) Rules, other wastes (Management & of the Hazardous & 6
- The industry shall submit the condition wise compliance report of the conditions Board Office, to of this Order on half yearly basis Hyderabad and concerned Regional Office. C 8 Schedule B stipulated in 10.
- The industry shall dispose the e-waste to authorized recyclers / re-processors only 11.

JOINT CHIEF ENVIRONMENTAL ENGINEER

Т0

M/s. SP Accure Labs Pvt. Ltd.,
Plot No. 12, Biotech Park, Phase-II (Extn),
Lalgadimalakpet (V), Shameerpet (M),
Medchal Malkajgiri District

. )	·		