## TELANGANA STATE POLLUTION CONTROL BOARD



Phone: 23887500 Fax: 040-23815631

DATED: 15/04/2020.

#### CONSENT & HWA ORDER (RENEWAL) - RED CATEGORY

CONSENT ORDER NO. 200822373880 DATED: 15/04/2020.

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof, Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, and Authorisation under the provisions of HW (MH & TM) Rules, 2016 (hereinafter referred to as 'the Acts', `the Rules') and amendments thereof and the rules and orders made there under to M/s.", M/s svk pharma private limited (earlier m/s glukem ,MEDCHAL II, Kapra, Kapra, 205/2A, Phase-II, IDA Cherlapally, 500051 " (hereinafter referred to as 'the Applicant /Industry') and the industry is authorized to operate the industrial plant to discharge the Effluents from the outlets and the quantity of Emissions per hour from the chimneys, by operating pollution control equipment, as detailed below,

## i) Out lets for discharge of Effluents:

| Outlet<br>No. | Description of Outlet | Max Daily<br>Discharge | Point of Disposal |
|---------------|-----------------------|------------------------|-------------------|
|               |                       | in KLD                 |                   |

#### ii) Emissions from chimneys:

| Chimney No. | Description of Chimney |  |
|-------------|------------------------|--|

iii) HWAuthorisation No.200822373880

# HAZARDOUS WASTE AUTHORISATION (FORM – II)

[See Rule 6 (2)]

M/s svk pharma private limited (earlier m/s glukem ,MEDCHAL II,Kapra,Kapra,205/2A,Phase-II, IDA Cherlapally,500051is hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

|    | TIAZADDOLIC | TATA OFFICE | WITH DICDOCA | I ODTION. |
|----|-------------|-------------|--------------|-----------|
| ı. | HAZAKDUUS   | WASIES      | WITH DISPOSA | L OPTION: |

| Name of the Hazardous<br>Waste | Stream |  | Disposal option |  |  |
|--------------------------------|--------|--|-----------------|--|--|
| NIL                            |        |  |                 |  |  |

#### 2. HAZARDOUS WASTES WITH RECYCLING OPTION:

| Name of the Hazardous<br>Waste | Stream | Quantity | RECYCLING option |  |
|--------------------------------|--------|----------|------------------|--|
| NIL                            |        |          |                  |  |

| S.No.  | Name of the Product  | Capacity | Unit  |
|--------|----------------------|----------|-------|
| D.11U. | Maine of the Froduct | Capacity | UIIIt |

This order is subject to the provision of 'the Acts' and the Rules and amendments made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This combined order of Consents and Authorization is valid for a period ending with the .April 15, 2020

MEMBER SECRETARY

To

The Managing Director,

M/s.M/S SVK PHARMA PRIVATE LIMITED (EARLIER M/S GLUKEM,

MEDCHAL II, Kapra, Kapra, 205/2A, Phase-II, IDA Cherlapally, 500051,

Pin: 500051

Copy to:

#### SCHEDULE - A

#### **SCHEDULE - B**

1. Total Water Consumption shall not exceed: 1.50 KLD

| S.No. | Purpose   | Quantity |
|-------|-----------|----------|
| 1     | Process   | 0.15     |
| 2     | Washing   | 0.25     |
| 3     | Greenbelt | 0.1      |
| 4     | Domestic  | 1        |

2. The Treated Effluent Dischrged/pre-treated effluent sent to CETB shall not exceed the following prescribed standards

| Outlet No.  | Parameter    | Limiting Standard |
|-------------|--------------|-------------------|
| Outlet 110. | 1 ar arricul | Ziming Standard   |

3. The Emisson shall not exceed the following prescribed standards

| Chimney | <b>Description of Chimney</b> | Parameter | Emission Standards |
|---------|-------------------------------|-----------|--------------------|
| NO.     |                               |           |                    |

## **SCHEDULE - C**

**MEMBER SECRETARY** 

To

The Managing Director,

M/s.M/S SVK PHARMA PRIVATE LIMITED (EARLIER M/S GLUKEM,

MEDCHAL II, Kapra, Kapra, 205/2A, Phase-II, IDA Cherlapally, 500051,

Pin: 500051



## TELANGANA STATE POLLUTION CONTROL BOARD ZONAL OFFICE: HYDERABAD

D. Krupanand

Joint Chief Environmental Engineer



H.No.6-3-1219, TS No.1 Part, Block C, Ward 91, Begumpet, Umanagar, Near Country Club, Hyderabad – 500 016.

Phone: 040-23402495

Email: jcee-zhyd-tspcb@telangana.gov.in

#### **CONSENT & HW AUTHORIZATION ORDER – ORANGE CATEGORY**

## Order No. 1157-RR-II/TSPCB/ZOH/TS-iPASS/CFO/2020-%\

Date:09.04.2020

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof and Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof) and Authorization / Renewal of Authorization under Rule 6 of the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 (hereinafter referred to as 'the Acts') and Authorization under the provisions of HW (M & TM) Rules (herein after referred to as 'the Acts' 'the Rules') the rules and orders made thereunder to.

M/s. SVK Pharma Private Limited (Earlier M/s. Glukem Pharmaceuticals Pvt. Ltd.), Plot No.205/2A, Phase – II, IDA Cherlapally, Medchal – Malkaigiri District

(hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of Emissions per hour from the chimneys as detailed below:

#### i) Outlets for discharge of effluents:

| Outlet<br>No. | Outlet Description          | Max Daily<br>Discharge | Point of Disposal   | Limiting<br>Standards |
|---------------|-----------------------------|------------------------|---|-----------------------|
| 1             | Process & Washing effluents | 0.25 KLD               | After pretreatment, treated effluent shall be sent to CETP i.e., M/s. MANA CETP, Mallapur for further treatment | parameters of CETP    |
| 2             | Domestic                    | 0.8 KLD                | Septic tank followed by soak pit.   |                       |

#### ii) Emissions from chimneys:

| Chimney | <b>Description of Chimney</b> | Quantity of Emissions | Emission  |
|---------|-------------------------------|-----------------------|-----------|
| No.     |                               | at peak flow          | Standards |
|         | 60 hb                         |                       |           |

## iii) Hazardous Waste Authorization: (Form – 2) [See Rule 6(2)]:

M/s. SVK Pharma Private Limited (Earlier, M/s. Glukem Pharmaceuticals Pvt. Ltd.), Plot No.205/2A, Phase – II, IDA Cherlapally, Medchal – Malkaigiri District is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of the following wastes with quantities as mentioned below:

| S.  | Name and quantity of the                       | Stream        | Disposal option  |
|-----|--|---------------|--|
| No. | Hazardous waste                                |               | -  |
| 1   | Floor sweepings / Process waste (10 Kgs/month) | 28.1 of Sch-I | Shall be disposed to M/s. TSDF, Dundigal for further treatment & disposal. |

This order is subject to the provisions of 'the Acts' and 'the Rules' and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A, B & C enclosed to this order.

This consent is valid for manufacture the following products along with quantities only

| Product & By product  | Capacity   |
|---|--|
| Pharmaceutical Products   | 18 TPA   |
| (Rabeprazole 20mg EC and Domperidone 30mg SR pellets,                 | 10 1FA   |
| Pantoprazole 40mg EC and Domperidone 30mg SR pellets,                 |  |
| Lansoprazole 40mg EC and Domperidone 30mg SR pellets, Diclofenac      |  |
| sodium 40% SR pellets, Ciprofloxacin 21% Taste mask pellets,          |  |
| Chlorpheniramine Maleate 4mg and Phenylephrine 2.5mg pellets,         |  |
| Aspirin 75mg EC and Clopidogrel bisulfate 75mg IR pellets,            |  |
| Azithromycin 51% pellets, Orlistat 50% IR pellets, Tamsulosin 0.2%    |  |
| SR pellets, Carbonyl iron-100mg, Zinc sulphate monohydrate – 61.8mg,  |  |
| Folic acid-0.5 mg blended pellets, Ferrous sulphate 150 mg SR and     |  |
| Folic acid 0.5 mg blended pellets, Ferrous sulphate 150 mg SR, Folic  |  |
| acid 0.5 mg and Zinc sulphate 61.8 mg blended pellets, Carbonyl iron- |  |
| 100mg, Zinc sulphate monohydrate – 61.8 mg, Folic acid – 1.5 mg,      |  |
| Vitamin - C - 15iu, Vitamin E - 75 mg, Selenium 80 mcg,               |  |
| Cyanocobalamine 5 mcg blended pellets, Carbonyl iron – 100 mg, Zinc   |  |
| sulphate monohydrate – 61.8mg, Folicacid – 1.5 mg, Vitamin E-15iu,    |  |
|   |  |
|   |  |
|   |  |
|   | Pharmaceutical Products (Rabeprazole 20mg EC and Domperidone 30mg SR pellets, Pantoprazole 40mg EC and Domperidone 30mg SR pellets, Lansoprazole 40mg EC and Domperidone 30mg SR pellets, Lansoprazole 40mg EC and Domperidone 30mg SR pellets, Diclofenac sodium 40% SR pellets, Ciprofloxacin 21% Taste mask pellets, Chlorpheniramine Maleate 4mg and Phenylephrine 2.5mg pellets, Aspirin 75mg EC and Clopidogrel bisulfate 75mg IR pellets, Azithromycin 51% pellets, Orlistat 50% IR pellets, Tamsulosin 0.2% SR pellets, Carbonyl iron-100mg, Zinc sulphate monohydrate – 61.8mg, Folic acid-0.5 mg blended pellets, Ferrous sulphate 150 mg SR and Folic acid 0.5 mg blended pellets, Ferrous sulphate 150 mg SR, Folic acid 0.5 mg and Zinc sulphate 61.8 mg blended pellets, Carbonyl iron- 100mg, Zinc sulphate monohydrate – 61.8 mg, Folic acid – 1.5 mg, Vitamin – C – 15iu, Vitamin E – 75 mg, Selenium 80 mcg, |

This combined order of Consents & Hazardous Waste Authorization shall be valid for a period ending with the 31.01.2025

JOINT CHIEF ENVIRONMENTAL ENGINEER

Encl: Schedules A, B & C

To M/s. SVK Pharma Private Limited (Earlier, M/s. Glukem Pharmaceuticals Pvt. Ltd.), Plot No.205/2A, Phase – II, IDA Cherlapally, Medchal – Malkaigiri District. Email: svkpharma@gmail.com

Copy to the Member Secretary, TSPCB, Board Office, Hyderabad for information.

Copy to the General Manager, District Industries Centre, Near ORR, Keesara, Medchal-Malkajgiri District, Collectorate Complex, Hyderabad – 500083.

Copy to the Environmental Engineer, TSPCB, Regional Office, Medchal-Malkajgiri District for information.

#### SCHEDULE - A

- 1. The applicant shall make applications through online for renewal of consent (under Water and Air Acts) and Authorization under HWM Rules atleast 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts for obtaining consent of the Board along with detailed compliance to the conditions stipulated in the CFO.
- 2. The industry shall immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions etc.
- 3. a) All the fugitive emissions shall be controlled with proper measures.
  - b) The applicant shall also install the equipment such as wind speed recorder and wind direction recorder.
- 4. The applicant shall not change or alter either the quality or the quantity or the rate of the discharge or the route of discharge and shall not change or alter either the prescribed quality or the rate of emission without the previous written permission of the Board.
- 5. The applicant shall, not later than 30 days from the date of issue of this consent order, certify in writing to the Board that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities installed by the applicant, to comply with the terms and conditions of this consent. In absence of alternative electric power source sufficient to operate all facilities installed by the applicant, to comply with the terms and conditions of this consent, production shall be stopped.
- 6. Any up-set condition in any plant/plants of the industry, which result in, increased effluent discharge and/ or violation of standards stipulated in this order <u>or</u> the emission of any Air Pollutant into the environment in excess of the standards laid down by the Board, occurs or is apprehended to occur due to accident, or other unforeseen act or event, the person-in-charge of the premises, from where such discharge / emission occurs or is apprehended to occur shall forthwith intimate the fact of such occurrence or the apprehension of such occurrence to this Board, by fax / email under intimation to the Collector and District Magistrate.
- 7. In case of such episodal discharges / emissions mentioned in item 6 above, the industry should take immediate action to bring down the discharge / emission below the limits prescribed in this order.
- 8. A good house keeping shall be maintained both within the factory and in the premises. All hoods, pipes, valves, sewers and drains shall be leak proof. Floor washings shall be admitted into the effluent collection system only and shall not be allowed to find their way into storm drains or open areas.
- 9. a) The industry shall carryout analysis of waste water discharges or emissions through chimneys, for the parameters mentioned in Schedule B of this order at regular intervals.
  - b) The industry shall maintain following records to accessible to the Board, whenever required.
    - 1. Analysis reports of waste water/ emissions.
    - 2. Log book for operation of pollution control systems.
    - 3. Inspection book.
- 10. The applicant shall set up THREE Ambient Air Quality Monitoring Stations for continuous recording of relevant critical parameters mentioned in Schedule B as per the CPCB guidelines and submit monthly reports.
- 11. Separate power connection with energy meter shall be provided for the Pollution Control Equipment and record of power consumption and chemicals consumption for the operation of pollution control equipment shall be maintained separately.
- 12. The applicant shall submit Environment statement in Form V before 30th September every year as per Rule No.14 of E (P) Rules, 1986 & its amendments thereof.
- 13. The applicant shall comply with the directives/orders issued by the Board in this consent order and at all subsequent times without any negligence on his part. The applicant shall

- be liable for such legal action against him as per provisions of the Law/Act in case if non-compliance of any order/directive issued at any time and/or violation of the terms and conditions of this consent order.
- 14. The applicant shall furnish to the visiting officer and / or the Board any information regarding the construction, installation or operation of the effluent treatment system/ air pollution control equipment and such other particulars as may be pertinent for preventing and controlling pollution.
- 15. The industry is liable to pay compensation for any environmental damage caused by it, as fixed by the Collector and District Magistrate as Civil liability.
- 16. All the rules & regulations notified by Ministry of Environment and Forests, Government of India in respect of management, handling, transportation and storage of hazardous chemicals and wastes shall be followed.
- 17. All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 shall be followed.
- 18. The occupier shall educate the workers and nearby public of possible accidents and remedial measures.
- 19. For any accident or spillage of hazardous wastes causing damage to the Environment, the occupier or the transporter as the case shall be held responsible.
- 20. In case of closure of industry, the un-used/not consumed raw materials falling under the category of Hazardous Chemicals and mentioned in Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amendment Rules, 2003 shall be removed and sold to other units within 90 days from the date of closure to prevent any possibility of occurrence of an accident. In case the above hazardous chemicals have lost their properties originally acquired, then they shall be treated as Hazardous Waste and they should be disposed off only to the authorized agencies of TSPCB in a safe manner.
- 21. The occupier shall prepare / update an emergency preparedness plan for safe handling of hazardous waste from time to time and submit the same to TSPCB. Emergency preparedness plan must be implemented immediately whenever there is fire, explosion or release of hazardous waste or hazardous waste constituents, which could endanger to human health or environment.
- 22. Packaging, labeling and transportation of Hazardous Wastes shall be in accordance with the provisions of the rules issued by the Central Govt. under the Motor Vehicles Act, 1988 and other guidelines issued from time to time. The packaging and labeling shall be based on the composition and hazardous constituent of the waste, however all Hazardous Waste containers should be provided with a general label.
- 23. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter shall carry a Transport Emergency (TREM) card (as given in the guidelines for management and handling of hazardous wastes) duly filled by the Hazardous Waste generator.
- 24. Containers / Container Liners of Hazardous Chemicals and Hazardous Wastes should be thoroughly detoxified before selling to agencies authorized by TSPCB. Proper records, specific to each Hazardous Chemical / Hazardous Waste Containers / container Liners should be maintained in the following way:
  - i. Number of containers received.
  - ii . Date and method of detoxification.
  - iii . Name of agencies to whom containers were sold with quantities.
  - iv . Transportation particulars.
- 25. No Hazardous Wastes shall be mixed with any other waste or shall be discharged to a common, other internal, external sewerage or other drainage system without prior approval of TSPCB.
- 26. If HDPE bags are used for storing Hazardous Wastes, it should be ensured that they are perfectly sealed mechanically or double hot sealed. If MS / HDPE bags or drums are used for Hazardous Wastes, these drums / bags should be ensured that they are perfectly sealed.
- 27. The person authorized shall not rent, lend, sell, transfer their industrial premises without obtaining prior permission of State Pollution Control Board.

- 28. Any Unauthorized change in personnel, equipment and working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- 29. The industry shall comply with the provisions of Batteries (Management and Handling) Rules, 2001.
- 30. The applicant shall put up two black boards of size 6 ft by 4 ft. at the main entrance to their plant. One board shall contain the specific CFE and CFO conditions, in sufficiently large font size so that it can be read easily from a distance of 10 ft to a normal eye, and other board shall carry, again in sufficiently large font size so as to be able to read from a distance of 10 ft, the latest Water, Air, Noise and solid waste monitoring data as well as the maximum vulnerable zone.
- 31. The applicant shall exhibit the Consent & HW Authorization order of the Board in the factory premises at a prominent place for the information of the inspecting officers of the different departments.
- 32. Notwithstanding anything contained in this conditional letter or consent, the Board hereby reserves to it the right and powers under Section 27(2) of the Water (Prevention & Control of Pollution) Act, 1974 and its amendments thereof and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and its amendments thereof to review any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
- 33. The authorization issued under Hazardous and other wastes (Management and Transboundary Movement) Rules, 2016, shall comply with the provision of the Environment (Protection) act, 1986.
- 34. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Telangana State Water rules, 1976 and Air Rules 1982, to such authority (herein after referred to as the Appellate Authority) constituted under Section 28 of the Water (prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.

#### **SCHEDULE - B**

#### **Special Conditions:**

1. The industry shall take steps to reduce water consumption to the extent possible and consumption shall NOT exceed the quantities mentioned below:

| Sl. No. | Purpose   | Quantity |
|---------|-----------|----------|
| 1       | Process   | 0.15 KLD |
| 2       | Washings  | 0.25 KLD |
| 4       | Gardening | 0.1 KLD  |
| 2       | Domestic  | 1.0 KLD  |
|         | Total     | 1.5 KLD  |

- 2. The industry shall remit water cess as per the assessment orders as and when issued by Board.
- 3. The emissions shall not contain constituents in excess of the prescribed limits mentioned below:

| Chimney No. | Parameter | Emission Standards |
|-------------|-----------|--------------------|
|             |           |                    |

4. The industry shall comply with the National ambient air quality standards as per MoEF, GoI notification dated 18.11.2009 along the periphery of the industry premises as prescribed below:

| S. No. | Parameter                               | Standards in Mg/m <sup>3</sup> |
|--------|---|--------------------------------|
| 1      | Particulate Matter (PM <sub>10</sub> )  | 100                            |
| 2      | Particulate Matter (PM <sub>2.5</sub> ) | 60                             |
| 3      | SO <sub>2</sub>                         | 80                             |
| 4      | NO <sub>x</sub>                         | 80                             |

Noise Levels: Day time (6 AM to 10 PM) - 75 dB (A) Night time (10 PM to 6 AM) - 70 dB (A).

- 5. The industry shall comply with all the Rules and Regulations specified in Water (P&C of P) Act, 1974, Air (P&C of P) Act, 1981 and Hazardous and other Wastes (Management, Transboundary Movement) Rules, 2016.
- 6. The industry shall not manufacture any extra products or extra capacities without obtaining CFE/CFO of the Board.
- 7. The industry shall pretreat the process & washing effluents. After pretreatment, the treated effluents shall be disposed to M/s. MANA CETP, Mallapur for further treatment and disposal, duly complying with inlet standards of CETP, as stipulated by the Board.
- 8. The industry shall have minimum of 7 days storage capacity of effluents on above ground level, with-in the premises.
- 9. The industry shall provide digital flow meters to quantity water consumption and effluent generation within one month and submit the compliance to the Regional office with a copy marked to this Office.
- 10. The industry shall obtain membership with M/s. TSDF for disposal of hazardous waste generated by the industry within a month. The industry shall submit the copy of the same to the Regional Office, Medchal with a copy marked to this Office.
- 11. The industry shall collect the hazardous waste properly and shall lift the hazardous waste to TSDF, Dundigal regularly for scientific disposal.
- 12. The industry shall not discharge any waste water to outside the factory premises.
- 13. The industry shall not cause any air pollution / odour nuisance to the surrounding environment.
- 14. The industry shall not dispose the solid waste outside the factory premises.
- 15. The industry shall develop 33% of the total area as thick green belt all along the boundary of the unit and also in the vacant places with all tall growing trees with wide leaf area.
- 16. The industry should maintain the following records and the same should be made available to the Board Officials during the inspection.
  - a) Daily production details, RG-I records and Central Excise Returns.
  - b) Quantity of effluents generated and disposed to M/s. MANA CETP.
  - c) Log Books for pollution control systems.
  - d) Daily solid waste generated and disposed to M/s. TSDF.
- 17. The industry shall submit Environmental Statement in Form V before 30<sup>th</sup> September every year as per Rule No.14 of Environmental (Protection) Act, 1986.
- 18. The following rules and regulations notified by the MoE&F, GoI shall be implemented.
  - a) Solid Waste Management Rules, 2016.
  - b) Construction and Demolition Waste Management Rules, 2016.
  - c) Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 & its amendments.
  - d) Batteries (Management & Handling) Amendment Rules, 2010 & its amendments.
  - e) E-Waste (Management) Rules, 2016.
  - f) Bio-Medical Waste Management Rules, 2016 & its amendments.
  - g) Plastic Waste Management Rules, 2016 & its amendments.
- 19. The industry shall take all precautionary and safety measures during process operations.
- 20. The industry shall comply with all the directions issued by the Board from time to time.
- 21. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.
- 22. The Board reserves its right to modify above conditions or stipulate any further conditions in the interest of environment protection.
- 23. This Order is issued to the industry without prejudice to the action taken by the Task Force of the Board.

24. This consent is hereby accorded subject to the policy of the Government regarding relocation of the industry including modernization and expansion thereof within Outer Ring Road (ORR) from time to time.

#### SCHEDULE - C (See Rule 6(2))

(Conditions of Authorization for occupier or operator handling hazardous wastes)

- 1. The industry shall give top priority for waste minimization and cleaner production practices.
- 2. The industry shall not store hazardous waste for more than 90 days as per the Hazardous & other wastes (Management and Transboundary Movement) Rules, 2016.
- 3. The industry shall not sell the used empty drums / barrels / liners / bags / Bottle etc. to outside parties & vendors for reuse, instead they shall discard the same to avoid reuse, which is resorting in illegal dumping of Hazardous Waste and shall dispose the same directly to authorized recyclers only.
- 4. The industry shall ensure for proper labelling of Hazardous Waste / other waste containers with particulars of industry & type of Waste along with characteristics, while storage & transporting the waste to Recyclers / TSDF / Cement Industries.
- 5. The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal.
- 6. The industry shall not dispose Waste oils to the traders and the same shall be disposed to the authorized Reprocessors/ Recyclers.
- 7. The industry shall dispose Used Lead Acid Batteries to the manufacturers / dealers on buyback basis.
- 8. The industry shall take necessary practical steps for prevention of oil spillages and carry over of oil from the premises.
- 9. The industry shall maintain 6 copy manifest system for transportation of waste generated and a copy shall be submitted to Board Office and concerned Regional Office.
- 10. The industry shall maintain good housekeeping & maintain proper records for Hazardous Wastes stated in Authorisation.
- 11. The industry shall maintain proper records for Hazardous Wastes stated in Authorisation in FORM-3 and file annual returns in Form- 4 Rules 6(5), 13(8), 16(6) and 20(2) as per of the Hazardous & other wastes (Management, Transboundary Movement) Rules, 2016.
- 12. The industry shall submit the condition wise compliance report of the conditions stipulated in Schedule B & C of this Order on half yearly basis to Board Office, Hyderabad and concerned Regional Office.

13. The industry shall dispose the e-waste to authorized recyclers re-processors only.

IOINT CHIEF ENVIRONMENTAL ENGINEER

To

M/s. SVK Pharma Private Limited (Earlier, M/s. Glukem Pharmaceuticals Pvt. Ltd.), Plot No.205/2A, Phase – II, IDA Cherlapally, Medchal – Malkaigiri District.