TELANGANA STATE POLLUTION CONTROL BOARD



Phone: 23887500 Fax: 040-23815631

DATED: 01/06/2022.

CONSENT & HWA ORDER (RENEWAL) - RED CATEGORY

CONSENT ORDER NO. 220823681296 DATED: 01/06/2022.

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof, Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, and Authorisation under the provisions of HW (MH & TM) Rules, 2016 (hereinafter referred to as 'the Acts', `the Rules') and amendments thereof and the rules and orders made there under to M/s.",Nektar therapeutics (india) pvt. limited ,MEDCHAL II,Shamirpet,Lalgadimalakpet,Plot No 01 Sy 101/2,Biotech Park Phase-2 extension,500101 " (hereinafter referred to as 'the Applicant /Industry') and the industry is authorized to operate the industrial plant to discharge the Effluents from the outlets and the quantity of Emissions per hour from the chimneys, by operating pollution control equipment, as detailed below,

i) Out lets for discharge of Effluents :

Outlet No.	Description of Outlet	Max Daily Discharge	Point of Disposal
		in KLD	

••\	T	•	
11 /	Emissions	trom	chimpauc
11 /	THIIDSIUIS	шош	

G1.1	D 4 14 0 07 4	
Chimney No.	Description of Chimney	

iii) HWAuthorisation No.220823681296

HAZARDOUS WASTE AUTHORISATION

(FORM – II)

[See Rule 6 (2)]

Nektar therapeutics (india) pvt. limited ,MEDCHAL II,Shamirpet,Lalgadimalakpet,Plot No 01 Sy 101/2,Biotech Park Phase-2 extension,500101is hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

1. HAZARDOUS WASTES WITH DISPOSAL OPTION:

Name of the Hazardous Waste	Stream		Disposal option		
NIL					

2. HAZARDOUS WASTES WITH RECYCLING OPTION:

Name of the Hazardous Waste	Stream	Quantity	RECYCLING option		
NIL					

S.No.	Name of the Bredwet	Canacity	Linit
D.110.	Name of the Product	Capacity	Unit

This order is subject to the provision of 'the Acts' and the Rules and amendments made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This combined order of Consents and Authorization is valid for a period ending with the .June 01, 2022

MEMBER SECRETARY

To

The Managing Director,

M/s.NEKTAR THERAPEUTICS (INDIA) PVT. LIMITED,

MEDCHAL II, Shamirpet, Lalgadimalakpet, Plot No 01 Sy 101/2, Biotech Park Phase-2 extension, 500101,

Pin: 500101

Copy to:

SCHEDULE - A

SCHEDULE - B

1. Total Water Consumption shall not exceed: 109.50 KLD

S.No.	Purpose	Quantity
1	Others Process and washings	8
2	Others Industrial Cooling (Boiler, Chilling, and dehumidifier)	3
3	Others RO Rejects	4
4	Others Fume hood Scrubbers	2.5
5	Domestic	12
6	Greenbelt	80
7	Others Aqueous effluent from Process (High TDS and High COD)	0
8	Others AHU's Condensate drain water (not contaminated)	0

2. The Treated Effluent Dischrged/pre-treated effluent sent to CETB shall not exceed the following prescribed standards

Outlet No. Parameter	Limiting Standard
----------------------	-------------------

3. The Emisson shall not exceed the following prescribed standards

Chimney No.	Description of Chimney	Parameter	Emission Standards
110.			

SCHEDULE - C

MEMBER SECRETARY

To

The Managing Director,

M/s.NEKTAR THERAPEUTICS (INDIA) PVT. LIMITED,

 $MEDCHAL\ II, Shamirpet, Lalgadimalak pet, Plot\ No\ 01\ Sy\ 101/2, Biotech\ Park\ Phase-2\ extension, 500101,$

Pin: 500101

TELANGANA STATE POLLUTION CONTROL BOARD ZONAL OFFICE: HYDERABAD

D. Krupanand

Joint Chief Environmental Engineer

H.No.6-3-1219, T.S.No.1, Part, Block "C", Ward No.91, Begumpet, Umanagar, Near Country Club, Hyderabad - 500 016 Phone No: 040-23402495 Email: jcee-zhyd-tspcb@telangana.gov.in

CONSENT & AUTHORIZATION ORDER - RED CATEGORY

Consent Order No:706-RR-II/TSPCB/ZOH/TS-iPASS/CFO/2022- 60 Date:31.05.2022

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof and Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof) and Authorization / Renewal of Authorization under Rule 6 of the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 (hereinafter referred to as 'the Acts') and Authorization under the provisions of HW (M & TM) Rules, 2016 (herein after referred to as 'the Acts' 'the Rules') the rules and orders made thereunder to

M/s. Nektar Therapeutics (India), Pvt. Ltd., Plot No: 01, Biotech Park Phase-II Extension, Sy.No.101/2, LalgadiMalakpet (V), Shameerpet (M), Medchal-Malkajgiri District

(hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of Emissions per hour from the chimneys as detailed below.

i) Outlets for discharge of effluents:

S. No	Purpose	Effluent Generation	Point of Disposal	Limiting Standards
1	Process & Washings	8.0 KLD	After pretreatment, shall	
2	Boiler & Chilling	2.6 KLD	be lifted to M/.s JETL,	CETP prescribed
3	RO Plant	4.0 KLD	IDA Jeedimetla, Medchal District for further	by the Board
4	Fume hood Scrubbers (18 No's)	0.5 KLD	treatment and disposal.	
5	Aqueous effluent (High TDS and COD)	0.02 KLD		
6	AHU's condensate	9 KLD	Shall be reused for utilities (boiler and Chiller), Scrubbers and Toilet Flushing / to be disposed to CETP JETL along with pretreated effluent	
7	Domestic	10 KLD	After treatment in STP, the treated wastewater is used on land for gardening.	Total Suspended

ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow	Emission Standards
1	Attached to Diesel fired boiler of capacity-300 Kg/hr		SPM - 115 mg/Nm ³ SO ₂ - 600 mg/Nm ³ . At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel. NOx - 600 mg/Nm ³ . At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel.
2	Attached to DG set of capacity- 2x1450 kVA		SPM - 115 mg/Nm³

iii) Hazardous Waste Authorization: (Form – 2) [See Rule 6(2)]:

M/s. Nektar Therapeutics (India), Pvt. Ltd., Plot No: 01, Biotech Park Phase-II Extension, Sy.No.101/2, LalgadiMalakpet (V), Shameerpet (M), Medchal-Malkajgiri District is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of the following wastes with quantities as mentioned below:

S. No	Name of the Hazardous Waste	Total Quantity	Stream	Method of Disposal
1	R&D Process Residue/waste	10 Kgs/ Month	28.1 of Sch - I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) Co-processing as alternative fuel for cement industries.
2	R & D Process potent Aqueous waste			Shall be sent to M/s. HWM Project
3	R & D Process Potent Waste Contains Spent solvents	516.67 Liters/month	28.1 of Sch - I	(TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt.
4	Liquid waste contains sulfur	Liters/month		Limited (GEPIL) Co-processing as alternative fuel for cement industries.
5	Spent solvent contain Sulfur			
6	ETP / Collection tank Sludge	50 Kgs/ Month	34.3 of Sch - I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) Co-processing as alternative fuel for cement industries.
7	Oil filters / diesel filters	80 Nos./ Annum	5.2 of Sch-I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) Co-processing as alternative fuel for cement industries.
8	Flue gas residue from chimneys / stacks	50 Kgs/ Annum	34.1 of Sch-I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) Co-processing as alternative fuel for cement industries.
9	Oil rags (Cotton waste) / waste residues of paints, lacquers, varnishes, epoxy resins, etc.,	250 Kg/ Annum	5.2 of Sch-I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) Co-processing as alternative fuel for cement industries.
10	Discarded resin from water softener	500 Kg/Annum	35.3 of Sch - I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt.

				Limited (GEPIL) Co-processing as alternative fuel for cement industries.
11	Expired / discarded chemicals (Solids & liquids)			
12	Solvent Rags (absorbents) /spilled chemicals	1200Kgs/Ann um	28.4 of Sch-I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt.
13	Expired Excipients			Limited (GEPIL) Co-processing as
14	Expired/Discarded pharmaceutical powders/tables/capsule s generated from R&D			alternative fuel for cement industries.
15	Hazardous containers (Paint and used oil cans, etc)	200 No's/ Annum	33.1 of Sch-I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) Co-processing as alternative fuel for cement industries.
16	Used silica gel	60 Kg/Month	28.1 of Sch-I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) Co-processing as alternative fuel for cement industries.
17	Used / Contaminated Hepa Filters	300 Kgs/ Annum	35.1 of Sch-I	Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy District / M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) Co-processing as alternative fuel for cement industries.
18	Waste Oil /Used oil	100 LPM	5.1 of Sch - I	Shall be sent to authorized waste oil Re-Processors / RE-Cycling units.
19	Spent solvents	2 KLPM	28.6 of Sch-I	Shall be sent to Authorized Solvent Recovery units for recycling /authorized cement industries for incineration through GEPIL
20	Lead Acid batteries	350 Nos./ Annum		Shall be returned back to the supplier or dealer / manufacturer on buy back basis /
21	Detoxified Containers	1010 Nos. / Month	33.1ofSch-I	After complete detoxification, shall be sent to authorized dealers or outside parties.
22	STP Sludge	30 Kgs/ Month	34.3 of Sch-I	Shall be used as manure for greenbelt within the industry premises.
23	E-Waste	7000 Kgs/ Annum	<u></u>	Shall be sent to Ramky E-Waste facility/ Authorised Recyclers
24	Waste water contains Palladium	13	28.1 of Sch-I	Shall be sent to M/s. HWM Project
25	Waste water contains Raney Nickel	liters/ Annum	26.1 OI SCN-1	(TSDF) / Returned back to the supplier/ Authorized Reprocessors
26	PPE gloves & wipes etc.,			Shall be sent to M/s. HWM Project (TSDF), Dundigal (V), Rangareddy
27	Other Solid Waste	150 Kgs/ Month		District/M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) Co-processing as alternative fuel for cement industries.
28	Thermocol Waste	200 Kg/month		Shall be sent to Hyderabad Integrated Municipal Solid waste Managemnt Project, Hawaharnagar/Recyclers

This order is subject to the provisions of 'the Acts' and 'the Rules' and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This consent is valid for manufacture the following products along with quantities only

Sl.No.	Name of the product
1.	R&D on New Molecules and scale up studies in process Chemistry Lab & process
	developments lab, R&D on Bio Analytical Methods (No Commercial Production) in
	Bio analytical lab& Analytical Chemistry lab and Animal House consisting of labs of
	Histopathology, Safety Pharmacology & Neuro- Behavioral, Clinical Pathology,
	Microbiology, in Vitro, dose preparation & Test Article Dispensary (Pharmacy) (No
	Commercial Production)

This combined order of Consent & Hazardous Waste Authorization shall be valid for a period ending with the 31.07.2027

JOINT CHIEF ENVIRONME

AL ENGINEER

Encl: Schedules A, B & C

M/s. Nektar Therapeutics (India), Pvt. Ltd., Plot No: 01, Biotech Park Phase-II Extension, Sy.No.101/2, LalgadiMalakpet (V), Shameerpet (M), Medchal-Malkajgiri District

Email: sramachandran@nektar.com

Copy to the Member Secretary, TSPCB, Board Office, Hyderabad for information. Copy submitted to The General Manager, District Industries Centre, Near ORR, Keesara, Medchal-Malkajgiri District, Collectorate Complex, Hyderabad-500083. Copy to the Environmental Engineer, TSPCB, Regional Office, Medchal-Malkajgiri District for information.

SCHEDULE - A

- 1. The applicant shall make applications through online for renewal of Consent (under Water & Air Acts) and Authorisation under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts for obtaining Consent & HW Authorisation of the Board. The applicant can also apply for Auto Renewal of the CFO atleast 30 days before the expiry of this order as per the procedure and eligibility stipulated in the Board Circular dt.19.11.2015 & 08.12.2015 (available in Board's Website: http://tspcb.cgg.gov.in/Pages/Circulars.aspx).
- 2. The industry shall immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions etc.
- 3. The applicant shall not change or alter either the quality or the quantity or the rate of the discharge or the route of discharge and shall not change or alter either the prescribed quality or the rate of emission without the previous written permission of the Board.
- 4. The applicant shall, not later than 30 days from the date of issue of this consent order, certify in writing to the Board that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities installed by the applicant, to comply with the terms and conditions of this consent. In absence of alternative electric power source sufficient to operate all facilities installed by the applicant, to comply with the terms and conditions of this consent, production shall be stopped.
- 5. Any up-set condition in any plant/plants of the industry, which result in, increased effluent discharge and/ or violation of standards stipulated in this order or the emission of any Air Pollutant into the environment in excess of the standards laid down by the Board, occurs or is apprehended to occur due to accident, or other unforeseen act or event, the person-in-charge of the premises, from where such discharge / emission occurs or is apprehended to occur shall forthwith intimate the fact of such occurrence or the apprehension of such occurrence to this Board, by fax / email under intimation to the Collector and District Magistrate.
- 6. In case of such episodal discharges / emissions mentioned in item 6 above, the industry should take immediate action to bring down the discharge / emission below the limits prescribed in this order.
- 7. All hoods, pipes, valves, sewers and drains shall be leak proof. Floor washings shall be admitted into the effluent collection system only and shall not be allowed to find their way into storm drains or open areas.
- 8. a) The industry shall carryout analysis of waste water discharges or emissions through chimneys, for the parameters mentioned in Schedule B of this order at regular intervals.
 - b) The industry shall maintain following records to accessible to the Board, whenever required.
 - 1. Analysis reports of waste water/ emissions.
 - 2. Log book for operation of pollution control systems.
 - 3. Inspection book.

١,

- Separate power connection with energy meter shall be provided for the Pollution Control Equipment and record of power consumption and chemicals consumption for the operation of pollution control equipment shall be maintained separately.
- 10. The applicant shall comply with the directives/orders issued by the Board in this consent order and at all subsequent times without any negligence on his part. The applicant shall be liable for such legal action against him as per provisions of the Law/Act in case if non-compliance of any order/directive issued at any time and/or violation of the terms and conditions of this consent order.
- 11. The applicant shall furnish to the visiting officer and / or the Board any information regarding the construction, installation or operation of the effluent treatment system/ air pollution control equipment and such other particulars as may be pertinent for preventing and controlling pollution.
- 12. The industry is liable to pay compensation for any environmental damage caused by it, as fixed by the Collector and District Magistrate as Civil liability.

- 13. All the rules & regulations notified by Ministry of Environment and Forests, Government of India in respect of management, handling, transportation and storage of hazardous chemicals and wastes shall be followed.
- 14. All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 shall be followed.
- 15. The occupier shall educate the workers and nearby public of possible accidents and remedial measures.
- 16. For any accident or spillage of hazardous wastes causing damage to the Environment, the occupier or the transporter as the case shall be held responsible.
- 17. In case of closure of industry, the un-used/not consumed raw materials falling under the category of Hazardous Chemicals and mentioned in Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amendment Rules, 2003 shall be removed and sold to other units within 90 days from the date of closure to prevent any possibility of occurrence of an accident. In case the above hazardous chemicals have lost their properties originally acquired, then they shall be treated as Hazardous Waste and they should be disposed off only to the authorized agencies of TSPCB in a safe manner.
- 18. Packaging, labeling and transportation of Hazardous Wastes shall be in accordance with the provisions of the rules issued by the Central Govt. under the Motor Vehicles Act, 1988 and other guidelines issued from time to time. The packaging and labeling shall be based on the composition and hazardous constituent of the waste, however all Hazardous Waste containers should be provided with a general label.
- 19. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter shall carry a Transport Emergency (TREM) card (as given in the guidelines for management and handling of hazardous wastes) duly filled by the Hazardous Waste generator.
- 20. Containers / Container Liners of Hazardous Chemicals and Hazardous Wastes should be thoroughly detoxified before selling to agencies authorized by TSPCB. Proper records, specific to each Hazardous Chemical / Hazardous Waste Containers / container Liners should be maintained in the following way:
 - i. Number of containers received.
 - ii. Date and method of detoxification.
 - iii. Name of agencies to whom containers were sold with quantities.
 - iv. Transportation particulars.
- 21. No Hazardous Wastes shall be mixed with any other waste or shall be discharged to a common, other internal, external sewerage or other drainage system without prior approval of TSPCB.
- 22. If HDPE bags are used for storing Hazardous Wastes, it should be ensured that they are perfectly sealed mechanically or double hot sealed. If MS / HDPE bags or drums are used for Hazardous Wastes, these drums / bags should be ensured that they are perfectly sealed.
- 23. The person authorized shall not rent, lend, sell, transfer their industrial premises without obtaining prior permission of State Pollution Control Board.
- 24. Any Unauthorized change in personnel, equipment and working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- 25. The applicant shall put up two black boards of size 6 ft by 4 ft. at the main entrance to their plant. One board shall contain the specific CFE and CFO conditions, in sufficiently large font size so that it can be read easily from a distance of 10 ft to a normal eye, and other board shall carry, again in sufficiently large font size so as to be able to read from a distance of 10 ft, the latest Water, Air, Noise and solid waste monitoring data as well as the maximum vulnerable zone.
- 26. The applicant shall exhibit the Consent & HW Authorization order of the Board in the factory premises at a prominent place for the information of the inspecting officers of the different departments.
- 27. Notwithstanding anything contained in this conditional letter or consent, the Board hereby reserves to it the right and powers under Section 27(2) of the Water (Prevention & Control of Pollution) Act, 1974 and its amendments thereof and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and its amendments thereof to review any and/or all the

- 9. The industry shall not provide pilot plant activity and shall not go for commercial production without permission of the Board.
- 10. The industry shall regularly send the process and wash effluents to the CETP, Jeedimetla by duly complying with the inlet standards of the CETP prescribed by the Board.
- 11. The industry shall provide minimum 7 days storage capacity of effluents on the above ground level with-in the premises.
- 12. The industry shall provide digital flow meter for assessing the quantity of domestic treated water used for gardening and shall maintain records.
- 13. The industry shall suck the fumes emanated during the various chemical reactions in the fume hoods and pass them through a wet scrubber before letting into atmosphere through common stack.
- 14. The industry shall collect hazardous waste properly and lift to TSDF, Dundigal/ M/s. Gujarat Environment Protection and infrastructure Pvt. Limited (GEPIL) /Co-processing as alternative fuel for cement industries as per disposal option mentioned above in this order.
- 15. The industry shall dispose the spent solvents to TSPCB Authorized recovery units for Recycling/authorized cement industries for incineration.
- 16. The industry shall not discharge any waste water to outside the factory premises.
- 17. The industry shall not cause any air pollution / odour nuisance to the surrounding environment.
- 18. The industry shall not dispose the solid waste outside the factory premises.
- 19. The industry shall develop greenbelt as per norms i.e 33% of the total area along the boundary of the unit and also in the vacant places within the premises.
- 20. The industry should maintain the following records and the same should be made available to the Board Officials during the inspection.
 - a) Quantity of trade effluents generated and lifted to CETP, Jeedimetla.
 - b) Quantity of domestic effluents generated, treated in STP and used for on land for gardening.
 - c) Log Books for pollution control systems.
 - d) Daily solid waste generated and disposed.
- 21. The industry shall submit Environmental Statement in Form V before 30th September every year as per Rule No.14 of Environmental (Protection) Act, 1986.
- 22. The industry shall take necessary measures to control fugitive emissions.
- 23. The industry shall comply with all the directions issued by the Board from time to time.
- 24. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.
- 25. The Board reserves its right to modify above conditions or stipulate any further conditions in the interest of environment protection.
- 26. This Order is issued to the industry without prejudice to the action taken by the Task Force of the Board.
- 27. The conditions stipulated in this order are without any prejudice to rights and contentions of this Board in any Hon'ble court of Law.

SCHEDULE - C (See Rule 6(2))

[SPECIAL CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATAOR HANDLING HAZARDOUS WASTE]

- 1. The industry shall give top priority for waste minimization and cleaner production practices.
- 2. The industry shall not store hazardous waste for more than 180 days as per the Hazardous & other wastes (Management and Transboundary Movement) Rules, 2016 and amendments thereof. The industry shall maintain 6 copy manifest system for

- conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
- 28. The authorization issued under Hazardous and other wastes (Management and Transboundary Movement) Rules, 2016, shall comply with the provision of the Environment (Protection) act, 1986.
- 29. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Telangana State Water rules, 1976 and Air Rules 1982, to such authority (herein after referred to as the Appellate Authority) constituted under Section 28 of the Water (prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.

SCHEDULE - B

Special Conditions

1. The industry shall take steps to reduce water consumption to the extent possible and consumption shall NOT exceed the quantities mentioned below:

Sl No.	Purpose	Total Quantity
1.	Process & Washings	8.0 KLD
2.	Industrial Cooling(Boiler chilling and Dehumidifier)	3.0 KLD
3.	RO Rejects	4.0 KLD
3.	Fume hood scrubber	2.5 KLD
4.	Domestic	12.0 KLD
5.	Gardening	80.0 KLD
	Total	109.5 KLD

- 2. The industry shall remit water cess as per the assessment orders as and when issued by Board.
- 3. The emissions shall not contain constituents in excess of the prescribed limits mentioned below.

Chimney No.	Parameter	Emission Standards (mg/Nm3)
1 to 3	Particulate Matter	115

- 4. The industry shall comply with emission limits for DG sets upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 under the Environment (Protection) Amendment Rules, 2003 and G.S.R.448(E), dated 12.07.2004 under the Environment (Protection) Second Amendment Rules, 2004. In case of DG sets more than 800 KW shall comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.
- 5. The industry should comply with the National ambient air quality standards as per MoEF, GoI notification dated. 18.11.2009 along the premises of the factory as prescribed below.

S. No.	Parameters	Standards in µg/m³
1	Particulate Matter(PM ₁₀)	100
2	Particulate Matter (PM _{2.5})	60
3	SO ₂	80
4	NOx	80

Noise Levels: Day time (6 AM to 10 PM) - 75 dB (A) Night time (10 PM to 6 AM) - 70 dB (A).

- 6. The industry shall comply with all the Rules and Regulations specified in Water (P&C of P) Act, 1974, Air (P&C of P) Act, 1981 and Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016.
- 7. The industry shall manufacture only consented products and shall produce within the consented capacities. Under no circumstances, the industry shall manufacture any unconsented products without obtaining CFE & CFO of the Board.
- 8. The industry shall send the AHU condensate to the CETP M/s.JETL, Jeedimetla / shall be reused for utilities (boiler and Chiller), Scrubbers and Toilet Flushing, duly complying the prescribed inlet standards of the CETP.

transportation of waste generated and copies of receipts of consignee shall be submitted the Concerned Regional Office. The industry shall maintain proper records for Hazardous Wastes stated in Authorisation in FORM-3 i.e quantity of incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form- 4 as per Rule 20(2) of the Hazardous & other wastes (Management, Handling &Transboundary Movement) Rules, 2016 and amendments thereof.

- 3. The industry shall dispose /sell the hazardous waste to only industries/agencies authorised by state Pollution Control Board. The industry shall verify the authorisation of the Board given to the party before disposing its waste to the external party
- 4. The industry shall maintain proper records for Hazardous Wastes disposal and its concurrence with Authorization. In case of Violation in generation, industry shall submit explanation and obtain amendment in Environmental Clearance/CFE/CFO in this regard.
- 5. The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal. The Waste oils to the traders and the same shall be disposed to the authorized Reprocessors / Recyclers and Used Lead Acid Batteries shall be disposed to the manufacturers / dealers on buyback basis. The industry shall take necessary practical steps for prevention of oil spillages and carry over of oil from the premises. The industry shall check the certificate/Authrisation/ order of MoEF issued to the Re-user/Recycler units while disposing the waste oil . The industry shall maintain good housekeeping & maintain proper records for Hazardous Wastes stated in Authorisation.
- 6. The industry shall dispose the e-waste to authorized recyclers / dismantlers only.

7. The industry shall submit the condition wise compliance report of the conditions stipulated in Schedule B & C of this Order on half yearly basis to Board Office, Hyderabad and concerned Regional Office.

JOINT CHIEF ENVIRONM

TAL E

To

M/s. Nektar Therapeutics (India), Pvt. Ltd., Plot No: 01, Biotech Park Phase-II Extension, Sy.No.101/2, LalgadiMalakpet (V), Shameerpet (M), Medchal-Malkajgiri District.



 F^{\prime}