



TELANGANA STATE POLLUTION CONTROL BOARD

Phone: 23887500
Fax: 040-23815631

CONSENT ORDER FOR CFO DIRECT AND HAZARDOUS WASTE
AUTHORIZATION - RED CATEGORY

CONSENT ORDER NO. 210522921475 DATED: 30/04/2021.

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof, Operation of the plant under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorisation / Renewal of Authorisation under Rule 6 of the Hazardous Wastes (Management, Handling & Transboundary, Movement) Rules 2016 & Amendments thereof)

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21/22 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof, and Authorisation under the provisions of HW (MH & TM) Rules, 2016 (hereinafter referred to as 'the Acts', 'the Rules') and amendments thereof and the rules and orders made there under to M/s. "Vitane biologics pvt limited ,Plot No 8, Sy. No 542, Kolthur, Shameerpet (M), Medchal-Malkajgiri District " (hereinafter referred to as 'the Applicant /Industry') and the industry is authorized to operate the industrial plant to discharge the Effluents from the outlets and the quantity of Emissions per hour from the chimneys, by operating pollution control equipment, as detailed below,

i) Out lets for discharge of Effluents :

Outlet No.	Description of Outlet	Max Daily Discharge in KLD	Point of Disposal
------------	-----------------------	----------------------------	-------------------

ii) Emissions from chimneys:

Chimney No.	Description of Chimney
-------------	------------------------

iii) HWAutorisation No.210522921475

DATED: 30/04/2021.

HAZARDOUS WASTE AUTHORISATION
(FORM – II)
[See Rule 6 (2)]

Vitane biologics pvt limited ,Plot No 8, Sy. No 542, Kolthur, Shameerpet (M), Medchal-Malkajgiri Districtis hereby granted an authorization to operate a facility for collection, reception, storage, treatment, transport and disposal of Hazardous Wastes namely:

1. HAZARDOUS WASTES WITH DISPOSAL OPTION :

Name of the Hazardous Waste	Stream	Quantity	Disposal option
-----NIL-----			

2. HAZARDOUS WASTES WITH RECYCLING OPTION :

Name of the Hazardous Waste	Stream	Quantity	RECYCLING option
-----NIL-----			

S.No.	Name of the Product	Capacity	Unit
-------	---------------------	----------	------

This order is subject to the provision of 'the Acts' and the Rules and amendments made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This combined order of Consents and Authorization is valid for a period ending with the .April 30, 2021

MEMBER SECRETARY

To
The Director,
M/s.VITANE BIOLOGICS PVT LIMITED,
Plot No 8, Sy. No 542, Kolthur, Shameerpet (M), Medchal-Malkajgiri District,
Pin: 500078

Copy to :

SCHEDULE – A

SCHEDULE - B

1. Total Water Consumption shall not exceed : 0.00 KLD

S.No.	Purpose	Quantity
-------	---------	----------

2. The Treated Effluent Dischrged/pre-treated effluent sent to CETB shall not exceed the following prescribed standards

Outlet No.	Parameter	Limiting Standard
------------	-----------	-------------------

3. The Emission shall not exceed the following prescribed standards

Chimney No.	Description of Chimney	Parameter	Emission Standards
-------------	------------------------	-----------	--------------------

SCHEDULE - C

MEMBER SECRETARY

To
The Director,
M/s.VITANE BIOLOGICS PVT LIMITED,
Plot No 8, Sy. No 542, Kolthur, Shameerpet (M), Medchal-Malkajgiri District,
Pin: 500078



TELANGANA STATE POLLUTION CONTROL BOARD
ZONAL OFFICE: HYDERABAD

H.No.6-3-1219, Sy.No.TS No.1 Part, Block - C, Ward No.91, Near Country Club,
Uma Nagar, Begumpet, Hyderabad. Phone: 040-23402495
Email: jcee-zhyd-tspcb@telangana.gov.in.

DESPATCHED
ON...30/04/2021

CONSENT & HW AUTHORIZATION ORDER – RED CATEGORY

Consent Order No : 1105-RR-II/TSPCB/ZOH/TS-iPASS/CFO/2021- 50 Date:30.04.2021

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof and Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof) and Authorization / Renewal of Authorization under Rule 6 of the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 (hereinafter referred to as 'the Acts') and Authorization under the provisions of HW (M & TM) Rules, 2016 (herein after referred to as 'the Acts' 'the Rules') the rules and orders made thereunder to

M/s. Vitane Biologics Pvt. Limited
(Formerly M/s. EPR Center for Cancer Research and Bio-Informatics Pvt. Ltd.),
Plot No: 8, Sy.No: 542, Kolthur, Shameerpet (M),
Medchal - Malkajgiri District – 500 078

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below:

i) Outlets for discharge of effluents:

Outlet No.	Outlet Description	Total Max Daily Discharge (After Expansion)	Point of Disposal	Limiting Standards
1	Process	2.0 KLD	After pretreatment, shall be lifted to M/s. PETL/M/s. JETL for further treatment and disposal	Inlet parameters of CETP prescribed by the Board
2	Washings	22.0 KLD		
3	Cooling	2.0 KLD		
4	Boiler	2.9 KLD		
5	DM / RO Plant	15.0 KLD		
6	Domestic	4.8 KLD	After treatment in STP the treated wastewater shall be used on land for gardening duly complying Board standards.	pH - 5.5 - 9.0, Total Suspended Solids - 200.0 mg /l, Oil & Grease - 10.0 mg /l, Biochemical Oxygen Demand (3 days at 270 C) - 100 mg /lit.

ii) Emissions from chimneys:

Chimney No.	Description of Chimney (After Expansion)	Quantity of Emissions at peak flow	Emission Standards
1 & 2.	Attached to Oil fired boiler of capacity – 2 x 0.85 TPH	---	SPM – 115 mg/Nm ³ SO ₂ – 600 mg/Nm ³ . At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel NOx – 600 mg/Nm ³ . At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel

3 & 4.	Attached to DG Set of capacity – 2 x 750 KVA	---	SPM – 115 mg/Nm ³
--------	--	-----	------------------------------

iii) Hazardous Waste Authorization: (Form – 2) [See Rule 6(2)]:

M/s. Vitane Biologics Pvt. Limited (Formerly M/s. EPR Center For Cancer Research and Bio-Informatics Pvt. Ltd.), Plot No: 8, Sy.No: 542, Kolthur, Shameerpet (M), Medchal - Malkajgiri District is hereby granted an authorization to operate a facility for collection, reception, storage, transport and disposal of the following wastes with quantities as mentioned below:


S. No.	Name and quantity of the Hazardous waste	Stream	Total Quantity (After Expansion)	Disposal option
1	Process Waste used filters silicone tunings	28.1 of Sch-I	50 Nos. per month 90 feet per month	Shall be sent to M/s. HWMP (TSDF), Dundigal, Medchal-Malkajgiri District
2	PPE (used gloves; others) Tissue papers from spilled chemicals	33.1 of Sch-I	50 Kgs/annum	
3	Discarded / Expired chemicals	28.5 of Sch-I	3 Kgs/month	
4	Waste Oil & Grease	5.1 of Sch-I	500 LPA	Shall be sent to authorized agencies / dealers for Re-processors / Re-Cycling Units
5	STP Sludge	34.3 of Sch-I	5.0 TPA	Shall be used as manure for in house gardening.
6	Used Lead Acid Batteries	21 of Sch-IV	4 NPA	Shall be returned to manufacturer / dealers on buy back basis
7	Containers & Container liners of Hazardous Waste	33.1 of Sch- I	10 TPA	After complete detoxification, shall be sold to authorized dealers or parties.
8	Broken Lab Glassware	33.1 of Sch- I	30 kgs/month	
9	Spent Solvents	28.6 of Sch-I	100 ltrs/month	Shall be sent to authorized recyclers.

This order is subject to the provisions of ‘the Acts’ and ‘the Rules’ and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This consent is valid for manufacture the following products along with quantities only

S. No.	Product	Total Capacity (After Expansion)
1.	Growth Harmones (GCSF) Microbial	2 Kgs/annum
2.	Monoclonal Antibodies (Mammalian)	25 Kgs/annum
3.	Insulin G/largine	100 Kg/annum
4.	R & D Activity in Biotechnology	--

This combined order of consent & Hazardous Waste Authorization shall be valid for a period ending with the 31.03.2022

 30/4/2021

JOINT CHIEF ENVIRONMENTAL ENGINEER (FAC)

Encl: Schedules A, B & C

To

M/s. Vitane Biologics Pvt. Limited

(Formerly M/s. EPR Center for Cancer Research and Bio-Informatics Pvt. Ltd.),

Plot No: 8, Sy.No: 542, Kolthur, Shameerpet (M),

Medchal - Malkajgiri District – 500 078

Email: ambulge@vitane.in

Copy to the Member Secretary, TSPCB, Board Office, Hyderabad for information.

Copy submitted to The General Manager, District Industries Centre, Near ORR, Keesara, Medchal-Malkajgiri District, Collectorate Complex, Hyderabad-500083.

Copy to the Environmental Engineer, TSPCB, Regional Office, Medchal-Malkajgiri District for information.

SCHEDULE – A

1. The applicant shall make applications **through online** for renewal of consent (under Water and Air Acts) and Authorization under HWM Rules **atleast 120 days before the date of expiry of this order**, along with prescribed fee under Water and Air Acts for obtaining consent of the Board **along with detailed compliance to the conditions stipulated in the CFO**.
2. The industry shall immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions etc.
3. a) All the fugitive emissions shall be controlled with proper measures.
b) The applicant shall also install the equipment such as wind speed recorder and wind direction recorder.
4. The applicant shall not change or alter either the quality or the quantity or the rate of the discharge or the route of discharge and shall not change or alter either the prescribed quality or the rate of emission without the previous written permission of the Board.
5. The applicant shall, not later than 30 days from the date of issue of this consent order, certify in writing to the Board that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities installed by the applicant, to comply with the terms and conditions of this consent. In absence of alternative electric power source sufficient to operate all facilities installed by the applicant, to comply with the terms and conditions of this consent, production shall be stopped.
6. Any up-set condition in any plant/plants of the industry, which result in, increased effluent discharge and/ or violation of standards stipulated in this order **or** the emission of any Air Pollutant into the environment in excess of the standards laid down by the Board, occurs or is apprehended to occur due to accident, or other unforeseen act or event, the person-in-charge of the premises, from where such discharge / emission occurs or is apprehended to occur shall forthwith intimate the fact of such occurrence or the apprehension of such occurrence to this Board, by fax / email under intimation to the Collector and District Magistrate.
7. In case of such episodal discharges / emissions mentioned in item 6 above, the industry should take immediate action to bring down the discharge / emission below the limits prescribed in this order.
8. A good house keeping shall be maintained both within the factory and in the premises. All hoods, pipes, valves, sewers and drains shall be leak proof. Floor washings shall be admitted into the effluent collection system only and shall not be allowed to find their way into storm drains or open areas.
9. a) The industry shall carryout analysis of waste water discharges or emissions through chimneys, for the parameters mentioned in Schedule – B of this order at regular intervals.
b) The industry shall maintain following records to accessible to the Board, whenever required.
 1. Analysis reports of waste water/ emissions.
 2. Log book for operation of pollution control systems.
 3. Inspection book.
10. The applicant shall set up THREE Ambient Air Quality Monitoring Stations for continuous recording of relevant critical parameters mentioned in Schedule - B as per the CPCB guidelines and submit monthly reports.
11. Separate power connection with energy meter shall be provided for the Pollution Control Equipment and record of power consumption and chemicals consumption for the operation of pollution control equipment shall be maintained separately.
12. The applicant shall submit Environment statement in Form V before 30th September every year as per Rule No.14 of E (P) Rules, 1986 & its amendments thereof.
13. The applicant shall comply with the directives/orders issued by the Board in this consent order and at all subsequent times without any negligence on his part. The applicant shall be liable for such legal action against him as per provisions of the Law/Act in case if non-compliance of any order/directive issued at any time and/or violation of the terms and conditions of this consent order.

14. The applicant shall furnish to the visiting officer and / or the Board any information regarding the construction, installation or operation of the effluent treatment system/ air pollution control equipment and such other particulars as may be pertinent for preventing and controlling pollution.
15. The industry is liable to pay compensation for any environmental damage caused by it, as fixed by the Collector and District Magistrate as Civil liability.
16. All the rules & regulations notified by Ministry of Environment and Forests, Government of India in respect of management, handling, transportation and storage of hazardous chemicals and wastes shall be followed.
17. All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 shall be followed.
18. The occupier shall educate the workers and nearby public of possible accidents and remedial measures.
19. For any accident or spillage of hazardous wastes causing damage to the Environment, the occupier or the transporter as the case shall be held responsible.
20. In case of closure of industry, the un-used/not consumed raw materials falling under the category of Hazardous Chemicals and mentioned in Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amendment Rules, 2003 shall be removed and sold to other units within 90 days from the date of closure to prevent any possibility of occurrence of an accident. In case the above hazardous chemicals have lost their properties originally acquired, then they shall be treated as Hazardous Waste and they should be disposed off only to the authorized agencies of TSPCB in a safe manner.
21. The occupier shall prepare / update an emergency preparedness plan for safe handling of hazardous waste from time to time and submit the same to TSPCB. Emergency preparedness plan must be implemented immediately whenever there is fire, explosion or release of hazardous waste or hazardous waste constituents, which could endanger to human health or environment.
22. Packaging, labeling and transportation of Hazardous Wastes shall be in accordance with the provisions of the rules issued by the Central Govt. under the Motor Vehicles Act, 1988 and other guidelines issued from time to time. The packaging and labeling shall be based on the composition and hazardous constituent of the waste, however all Hazardous Waste containers should be provided with a general label.
23. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter shall carry a Transport Emergency (TREM) card (as given in the guidelines for management and handling of hazardous wastes) duly filled by the Hazardous Waste generator.
24. Containers / Container Liners of Hazardous Chemicals and Hazardous Wastes should be thoroughly detoxified before selling to agencies authorized by TSPCB. Proper records, specific to each Hazardous Chemical / Hazardous Waste Containers / container Liners should be maintained in the following way:
 - i . Number of containers received.
 - ii . Date and method of detoxification.
 - iii . Name of agencies to whom containers were sold with quantities.
 - iv . Transportation particulars.
25. No Hazardous Wastes shall be mixed with any other waste or shall be discharged to a common, other internal, external sewerage or other drainage system without prior approval of TSPCB.
26. If HDPE bags are used for storing Hazardous Wastes, it should be ensured that they are perfectly sealed mechanically or double hot sealed. If MS / HDPE bags or drums are used for Hazardous Wastes, these drums / bags should be ensured that they are perfectly sealed.
27. The person authorized shall not rent, lend, sell, transfer their industrial premises without obtaining prior permission of State Pollution Control Board.
28. Any Unauthorized change in personnel, equipment and working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization.

29. The industry shall comply with the provisions of Batteries (Management and Handling) Rules, 2001.
30. The applicant shall put up two black boards of size 6 ft by 4 ft. at the main entrance to their plant. One board shall contain the specific CFE and CFO conditions, in sufficiently large font size so that it can be read easily from a distance of 10 ft to a normal eye, and other board shall carry, again in sufficiently large font size so as to be able to read from a distance of 10 ft, the latest Water, Air, Noise and solid waste monitoring data as well as the maximum vulnerable zone.
31. The applicant shall exhibit the Consent & HW Authorization order of the Board in the factory premises at a prominent place for the information of the inspecting officers of the different departments.
32. Notwithstanding anything contained in this conditional letter or consent, the Board hereby reserves to it the right and powers under Section 27(2) of the Water (Prevention & Control of Pollution) Act, 1974 and its amendments thereof **and** under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and its amendments thereof to review any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
33. The authorization issued under Hazardous and other wastes (Management and Transboundary Movement) Rules, 2016, shall comply with the provision of the Environment (Protection) act, 1986.
34. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Telangana State Water rules, 1976 and Air Rules 1982, to such authority (herein after referred to as the Appellate Authority) constituted under Section 28 of the Water (prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.

SCHEDULE - B

Special Conditions:

1. The industry shall take steps to reduce water consumption to the extent possible and consumption shall NOT exceed the quantities prescribed below:

Sl. No.	Purpose	Total quantity (After Expansion)
1.	Process & Washings	26.0 KLD
2.	Cooling	55.0 KLD
3.	Boiler	24.0 KLD
4.	DM/ RO Plant	20.0 KLD
5.	Gardening	24.0 KLD
6.	Domestic	6.0 KLD
	Total	155.0 KLD

The Industry shall maintain separate water meters for the above areas and maintain records.

2. The industry shall remit water cess as per the assessment orders as and when issued by Board.
3. The emissions shall not contain constituents in excess of the prescribed limits mentioned below:

Chimney No. (After Expansion)	Parameter	Emission Standards (mg/Nm ³)
1 & 2.	SPM	115 mg/Nm ³
		SO ₂ – 600 mg/Nm ³ . At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel
		NO _x – 600 mg/Nm ³ . At 6% dry O ₂ , for solid fuel and 3% dry O ₂ for liquid fuel
3 & 4.	SPM	115 mg/Nm ³

4. The industry shall comply with emission limits for DG sets upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 under the Environment (Protection) Amendment Rules, 2003 and G.S.R.448(E), dated 12.07.2004 under the Environment (Protection) Second Amendment Rules, 2004. In case of DG sets more than 800 KW shall comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.
5. The industry should comply with the National ambient air quality standards as per MoEF, GoI notification dated. 18.11.2009 along the premises of the factory as prescribed below:

S. No.	Parameters	Standards in $\mu\text{g}/\text{m}^3$
1	Particulate Matter(PM_{10})	100
2	Particulate Matter ($\text{PM}_{2.5}$)	60
3	SO_2	80
4	NO_x	80

Noise Levels: Day time (6 AM to 10 PM) - 75 dB (A)

Night time (10 PM to 6 AM) - 70 dB (A).

6. The industry shall manufacture only consented products and shall produce within the consented capacities. Under no circumstances, the industry shall manufacture any un-consented products without obtaining CFE & CFO of the Board.
7. The industry shall not go for commercial production without permission of the Board.
8. The industry shall regularly send the process, Washings, Boiler, Cooling and DM/RO Plant effluents to CETP i.e., M/s. PETL/M/s. JETL for further treatment and disposal by duly complying with the inlet standards of CETP prescribed by the Board.
9. The industry shall regularly operate Sewage Treatment Plant (STP) which is commissioned for treatment of domestic effluents. After treatment, the effluents shall be utilized onland for gardening within the premises duly complying the standards stipulated by the Board.
10. A sampling port with removable dummy of not less than 15 cm diameter shall be provided in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc. A platform with suitable ladder shall be provided below 1 meter of sampling port to accommodate three persons with instruments. A 15 AMP 250 V plug point shall be provided on the platform.
11. The generator shall be operated in a closed area with a silencer and suitable noise absorption systems. The ambient noise level shall not exceed 75 dB(A) during day time and 70 dB(A) during the night time.
12. The industry shall take appropriate measures to ensure that the ground level concentrations shall comply with revised National Ambient Quality Norms notified by MoE&F, GoI on 16.11.2009.
13. The industry shall take measures to comply with the provisions laid down under Noise pollution (Regulation and Control) Amendment Rules, 2010 dated 11.01.2010 issued by MoE&F, GoI to control the noise to the prescribed levels.
14. The industry shall collect hazardous waste i.e., Process Waste used filters silicone tunings, PPE (used gloves; others) Tissue papers from spilled chemicals & Discarded / Expired chemicals properly and lift these waste to M/s. TSDF, Dundigal.
15. The industry shall not discharge any waste water to outside the factory premises.
16. The industry shall not cause any air pollution / odour nuisance to the surrounding environment.
17. The industry shall not dispose the solid waste outside the factory premises.
18. The industry shall develop 33% of the total area as thick green belt all along the boundary of the unit and also in the vacant places with all tall growing trees with wide leaf area.
19. The industry should maintain the following records and the same should be made available to the Board Officials during the inspection.
 - a) Daily production details, RG-I records and Central Excise Returns.
 - b) Quantity of effluents generated and deposited to CETP.
 - c) Log Books for pollution control systems.

- a) Daily solid waste generated and disposed.
20. The industry shall maintain good house keeping & maintain proper records for hazardous waste stated in the authorization.
 21. The industry shall submit Environmental Statement in Form V before 30th September every year as per Rule No.14 of Environmental (Protection) Act, 1986.
 16. The following rules and regulations notified by the MoE&F, GoI shall be implemented.
 - a) Solid Waste Management Rules, 2016.
 - b) Construction and Demolition Waste Management Rules, 2016.
 - c) Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 & its amendments.
 - d) Batteries (Management & Handling) Amendment Rules, 2010 & its amendments.
 - e) E-Waste (Management) Rules, 2016.
 - f) Bio-Medical Waste Management Rules, 2016 & its amendments.
 - g) Plastic Waste Management Rules, 2016 & its amendments.
 17. The industry shall take necessary measures to control fugitive emissions.
 18. The industry shall take all precautionary and safety measures during process operations.
 19. The industry shall comply with the ambient air quality standards in respect of noise, as stipulated in the Environment (Protection) Rules, 1986.
 20. The industry shall comply with all the directions issued by the Board from time to time.
 21. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.
 22. The Board reserves its right to modify above conditions or stipulate any further conditions in the interest of environment protection.
 23. This Order is issued to the industry without prejudice to the action taken by the Task Force of the Board.


SCHEDULE - C

(See Rule 6(2))

(Conditions of Authorization for occupier or operator handling hazardous wastes)

1. The industry shall give top priority for waste minimization and cleaner production practices.
2. The industry shall not store hazardous waste for more than 90 days as per the Hazardous & other wastes (Management and Transboundary Movement) Rules, 2016.
3. The industry shall not sell the used empty drums / barrels / liners / bags / Bottle etc. to outside parties & vendors for reuse, instead they shall discard the same to avoid reuse, which is resorting in illegal dumping of Hazardous Waste and shall dispose the same directly to authorized recyclers only.
4. The industry shall ensure for proper labelling of Hazardous Waste / other waste containers with particulars of industry & type of Waste along with characteristics, while storage & transporting the waste to Recyclers / TSDF / Cement Industries.
5. The industry shall store Used / Waste Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal.
6. The industry shall not dispose Waste oils to the traders and the same shall be disposed to the authorized Reprocessors / Recyclers.
7. The industry shall dispose Used Lead Acid Batteries to the manufacturers / dealers on buyback basis.
8. The industry shall take necessary practical steps for prevention of oil spillages and carry over of oil from the premises.
9. The industry shall maintain 6 copy manifest system for transportation of waste generated and a copy shall be submitted to Board Office and concerned Regional Office.

10. The industry shall maintain good housekeeping & maintain proper records for Hazardous Wastes stated in Authorisation.
11. The industry shall maintain proper records for Hazardous Wastes stated in Authorisation in FORM-3 and file annual returns in Form- 4 Rules 6(5), 13(8), 16(6) and 20(2) as per of the Hazardous & other wastes (Management, Transboundary Movement) Rules, 2016.
12. The industry shall submit the condition wise compliance report of the conditions stipulated in Schedule B & C of this Order on half yearly basis to Board Office, Hyderabad and concerned Regional Office.
13. The industry shall dispose the e-waste to authorized recyclers / re-processors only.


JOINT CHIEF ENVIRONMENTAL ENGINEER (FAC)

To

M/s. Vitane Biologics Pvt. Limited

(Formerly M/s. EPR Center for Cancer Research and Bio-Informatics Pvt. Ltd.),

Plot No: 8, Sy.No: 542, Kolthur, Shameerpet (M),

Medchal - Malkajgiri District – 500 078

