

Internal memo no. 903/35/A
Annexure - B
RMC pour report

Company/ firm:	Dr.Nrk bitech Pvt ltd	Block No.:	Terrace floor VDF purpose
Project:	Nextopolis	Flat / Villa no.:	-
Supplier:	R6 infra	Slab no.:	-
Requisition nos.:	20250911013	A. Estimated quantity:	320 M3
PO nos.:	20250911024	B. Requisition quantity:	320 M3
	Sign of Admin	C. Actual quantity poured	16 M3
	Sign of Project Manger	D. Difference (C-A)	304 M3

Details of RMC pour

Sl.	Date	Time of dispatch from RMC plant	Time of receipt at site	Time of pour	Quantity poured	Dc No. / Batch no.	Specified wt @2400 kgs/m3	Measured weight (kgs)	Short fall in weight in kgs	Deduction for shortfall in Rs.	7 day cube test strength in kN/m2	28 days cube test strength in kN/m2
1.	09.10.25	10:31	11:20	11:35	08	1602	19200	20240	-			
2.	09.10.25	10:07	11:00	11:15	08	1610	19200	19610	-			
3.												
4.												
5.												
6.												
7.												
8.												
9.												
Total:					16		38400	39852	-			
Remarks	As per PO quantity 320 M received 16 M3											

Note: 1. Report to be sent on a daily basis to purchase@modiproperties.com and report-audit@modiproperties.com. 2. Report must be prepared during pour and not later. 3. Report must be sent within one working day. 4. Multiple report can be sent for one PO. 5. Weigh all vehicles. 6. 6 cubic meters vehicle should have a net weight of 14,110 kgs @ 2,400kgs/ m3. If the shortfall is more than 50 kgs per load purchase to debit supplier shortfall amount on pro-rata basis. 7. Site to calculate shortfall. 8. Maintain original report + weighment slips + pour reports + test reports + photographs at

Phone: 91158 56666
CUSTOMER COPY

R6 INFRA
Chiryala Village, Cheryaala, Secunderabad,
Telangana 501301

DC No. : 1602/S/R1

Date : 09-Oct-2025 10:31 AM

Customer / Vendor: NRK BIO TECH THURAKAPALLI

Vehicle No: TG08U7273

Location : (THURAKAPALLI)

Product Qty : 8 Po. No-20250911024.

Design: M20
(SCREED)

PUMPING/DUMPING

Description : TOTAL-16

Received signature

G. Shrinani
Authorized signature

INWARD	
Inward No: 1550	Dr: 9/10/25
MRN No:	Dr:
Received By:	Sign: <i>B</i>
DR NRK BIOTECH PVT LTD	

Phone: 91158 56666
CUSTOMER COPY

DC No. : 1601/S/R1

Customer / Vendor: **NRK BIO TECH THURAKAPALLI**

Location : (THURAKAPALLI)

PUMPING/DUMPING

Description :

G. A. Hunt
Authorized signature

Received signature

INWARD		DR NRK BIOTECH PVT LTD	
Inward No:	15212	Dr:	
MRN No:		Sign:	
Received By:			

202510090215