Date: 4/12/18 D Tegal Modi (Lovcer) Lift ofis agreed our mates acording to their grounde a dought Curdly revince the Payment Langer Lindey Enggestne / indly sevie the Paymed tung and Date of Completen for POMR-0 et Tejal M(d); (Sorue)



Page(s) 1 Of 1

22-12-2018 2:57:55 PM

Original / Office Copy / Purchase

From Company: Dr.Tejal Modi

5-4-187/3 & 4, IInd Floor, M.G.Road, Secunderabad - 500003

GST No. :

Supplier Details				
Otis Elevator Company (India) Ltd.	Doc No	54970 6	7433	
1 st Floor(Part), House no-6-2-30/1&2,SS Central, AC Guards, Lakdikapool, Hyderabad-500004.	Doc Date	22-12-2018		
акакароог, нуаегараа-500004.	Quote No	52N89940		
040-491877555 -	Quote Date	01-11-2016		
8828020062	SupplyType	Supply And Installation		

Kind Attn: Mr. Sri Harsha PVM, Engineer NE-Sales

Purchase Order for the Supply of following Items.

00	805,085.0	0.00	-	
	003,003.0	0.00	18.00	950,000.30
	Total Or	der Valu	e	950,000.30
	-	Total Or	Total Order Valu	Total Order Value

Terms and Conditions :-

Specification / Brand

As per your negotiated quote dtd. 03/12/2018 for 8 pass, 5 stops lift, central opening door, powder coated paint, No ARD, simplex operation,

machine room less

Payment Terms

10% Advance,50% After layout submission to site,30%-On receipt of all material,10% after handing over the lift.

Tax

GST included in the above prices

Delivery Date

With in 5 monthe from the date of PO.

Delivery Location

Silver Oak Villas Phase - IX

Sy. No. 291, Cherlapally, Hyderabad, next to Govt. of india mint

Contact: Security 65908777, Eng-9502266233 Phone.

Penality For Delay

Transportation Cost

Nil

Included in the above price.

Warranty

1 year on site Guarantee incl. of parts & labour.

Advance Paid

Rs. 95,000/- through Cheque vide cheq.no....., dtd. drawn on Yes bank bank

Other Terms

AMC charges shall be @4% on basic value=Rs. 32,203/-+ GST 18%, per lift. for 1 st year after warranty, there after 5% increse on AMC charges

per lift for 5 years above order is for Residential apat purpose.

Completion Date

Installation testing and commissioning to be completed before .30-06-19

Measurment

Security

You shall be responsible for your material at our site against theft or damage. Lockable room with keys shall be in your custody.

Remarks

Nil

For Dr. Tejal Modi

Authorised Signatory

Accepted the above ferms And Conditions

For Otis Elevator Company (India) Ltd.

Date : __/__/__

Name:

Ter M. B.

Requisition Form

Company Name:	mpany Name: Silver Oak Villas LLP) Date:	Date:		20.10.18	
Site & Phase : Silver Oak Villas		Time	Time:		12.00			
Supplier				Req.	No.		67433	
Material required be	efore date:		16.10.18	ID No	D.		45080.	
No	Descr	iption		Size	Quantity	Units	Inward No	Date
Lift 1				6 to 8 Persons	01	Nos		
2								
3 3 5	Stobes	5-			e non			
4	- 4	a Ar		6 A	o P.			
5	get 3	Par A	e TVV		*			
6	0	· gr	C. Un.					
7		,	XY.	1 27	51.			
8				40	-			
9		/	Thorm	lue_			W EDBY	7
10			,			TAF	PROVEDBY	
Remarks: - For Res	idential Apts	Purpose.		L		1	010/ 700	1
Prepared By		K.PURSH	ОТНАМ	Appr	oved by		SOHAM MODI	OR
Sign.& Date		20.10.18		Sign.	& Date	1	SON DIRECT	
Note: On receipt of	material at si	te write inw	ard number and			11	No.	

Page(s) 1 Of 1

22-Dec-18 12:25:36 PM

Original / Office Copy / Purchase Div.Copy

APPROVED FOR CONSTRUCTION

From Company: Dr.Tejal Modi

5-4-187/3 & 4, IInd Floor, M.G.Road, Secunderabad - 500003

Supplier Details				
Otis Elevator Company (India) Ltd.	Doc No	54970	67433	
1 st Floor(Part), House no-6-2-30/1&2,SS Central, AC Guards, Lakdikapool,Hyderabad-500004.	Doc Date	22-12-2018		
	Quote No	52N89940		
040-491877555 -	Quote Date	01-11-201	.6	
8828020062	SupplyType	Supply An	d Installation	

Kind Attn: Mr. Sri Harsha PVM, Engineer NE-Sales

Purchase Order for the Supply of following Items.

Item Name	Qty	Rate	Dis%	GST%	Amount
1 5033 - Equipment - machinery - Lift -Auto - 8 Passengers - nos Gen2-Nova MRL	1.00	805,085.0	0.00	18.00	950,000.30
		Total Or	der Valu	e	950,000.30

Terms and Conditions :-

Specification / Brand

As per your negotiated quote dtd. 03/12/2018 for 8 pass, 5 stops lift, central opening door, powder coated paint, No ARD, simplex operation,

machine room less

Payment Terms

10% Advance,50% After layout submission to site,30%-4 weekly instalment its after material reaching, 10% after handing over the lift.

Tax

GST included in the above prices

Delivery Date

With in smonthe from the date of PO.

Delivery Location

Silver Oak Villas Phase - IX

Sy. No. 291, Cherlapally, Hyderabad, next to Govt. of india mint

Phone. Contact: Security 65908777, Eng-9502266233

Penality For Delay

Nil

Transportation Cost

Included in the above price.

Warranty

1 year on site Guarantee incl. of parts & labour.

Advance Paid

Rs. 95,000/- through Cheque vide cheq.no....., dtd. drawn on Yes bank bank

Other Terms

AMC charges shall be @4% on basic value=Rs. 32,203/-+GST 18%, per lift. for 1 st year after warranty, there after 5% increse on AMC charges per lift for 5 years above order is for Residential apat purpose.

Completion Date

Measurment

Installation testing and commissioning to be completed before ...

Security

You shall be responsible for your material at our site against theft or damage. Lockable room with keys shall be in your custody.

Remarks

Nil

Acce	pted the above Terms And Conditions
For	Otis Elevator Company (India) Ltd.

For	Dr. Tejai Modi
Auth	orised Signatory

Date	400	1	1	

w. g

9.			
una(e)	1	Of.	1

11-12-2018 2:13:57 PM

Original / Office Copy / Purchase Div.Copy.

From Company:

Dr.Tejal Modi

5-4-187/3 & 4, IInd Floor, M.G.Road, Secunderabad - 500003

GSTNo.:

Supplier Details

Otis Elevator Company (India) Ltd.

1 st Floor(Part), House no-6-2-30/1&2,SS Central, AC Guards,

Lakdikapool, Hyderabad-500004.

040-491877555

8828020062

Doc No

54970

67433

Doc Date

03-12-2018

Quote No

52N89940

Quote Date

01-11-2016

SupplyType

Supply And Installation

Kind Attn: Mr. Sri Harsha PVM, Engineer NE-Sales

Purchase Order for the Supply of following Items.

Item Name

Qty

- 1

otal Order Value . . .

Dis% GST%

Amount 950,000.30

1 5033 - Equipment - machinery - Lift -Auto - 8 Passengers

Gen2-Nova MRL

1.00 805,0850

Rate

0.00 / 18.00

950,000.30

Rupees: Nine Lakh(s) Fifty Thousand and Paise Thirty Only.

Terms and Conditions :-

Specification / Brand

As per your negotiated quote dtd. 03/12/2018 for 8 pass, 5 stops lift, central spening door, powder coated paint, No ARD, simplex operation,

machine room less

Payment Terms

35% advance, 55% payment can be aganist material delivery, balance 10% after prection, commissioning, hading over the lift.

Tax

GST included in the above prices

Delivery Date

With in 3 monthe from the date of PO.

Delivery Location

Silver Oak Villas Phase - IX

Sy. No. 291, Cherlapally, Hyderabad, next to Goyl, of india mint

Phone. Contact: Security 65908777, Eng-950226623

Penality For Delay

5% will be levid on the basic value per month if the handing over date exceeds then the committed date.

Transportation Cost

Included in the above price.

Warranty

1 year on site Guarantee incl. of parts & labour.

Advance Paid

Rs. 95,000/- through Cheque vide cheq.no.

...., dtd. drawn on Yes bank bank

Other Terms

AMC charges shall be @4% on basic value=Rs. 32,203/-+ GST 18%, per lift. for 1 st year after warranty, there after 5% increse on AMC charges

per lift for 5 years above order is for Residential apat purpose.

Completion Date

Installation testing and commissioning to be completed before

Measurment

ent Nil

Security

You shall be responsible for your material at our site against theft or damage. Lockable room with keys shall be in your custody.

Remarks

Nil

For **Dr.Tejal Modi**

Accepted the above Terms And Conditions

Authorised Signatory

For Otis Elevator Company (India) Ltd.

	10	
	1/3	
Name :	1 12	

Name:	

Date : __/__/___



Page(s) 1 Of 1

04-Dec-18 2:04:37 PM

Original / Office Copy / Purchase Div.Copy

From Company: Dr.Tejal Modi

5-4-187/3 & 4, IInd Floor, M.G.Road, Secunderabad - 500003

Supplier Details				
Otis Elevator Company (India) Ltd.	Doc No	54970	67433	
1 st Floor(Part), House no-6-2-30/1&2,SS Central, AC Guards, Lakdikapool,Hyderabad-500004.	Doc Date	03-12-2018		
	Quote No	52N89940		
040-491877555 -	Quote Date	01-11-201	16	
8828020062	SupplyType	Supply And Installation		

Kind Attn: Mr. Sri Harsha PVM, Engineer NE-Sales

Purchase Order for the Supply of following Items.

Item Name	Qty	Rate	Dis%	GST%	Amount
1 5033 - Equipment - machinery - Lift -Auto - 8 Passengers - nos Gen2-Nova MRL	1.00	805,085.0	0.00	18.00	950,000.30
		Total Or	der Valu	e	950,000.30

Terms and Conditions :-

Delivery Location

Specification / Brand	As per your negotiated quote dtd. 03/12/2018 for 8 pass, 5 stops lift, central opening door, powder coated paint, No ARD, simplex operation,

machine room less **Payment Terms**

35% advance, 55% payment can be aganist material delivery, balance 10% after errection, commissioning, hading over the lift.

, dtd. drawn on Yes bank bank

Tax GST included in the above prices

Silver Oak Villas Phase - IX

Delivery Date With in 3 monthe from the date of PO

Sy. No. 291, Cherlapally, Hyderabad, next to Govt. of india miht

Phone. Contact: Security 65908777, Eng-9502266233

5% will be levid on the basic value per month if the handing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds then the committed date in the landing over date exceeds the landing over dat Penality For Delay **Transportation Cost**

1 year on site Guarantee incl. of parts & labour. Warranty

Rs. 95,000/- through Cheque vide cheq.no. Advance Paid

Other Terms

Completion Date

Measurment

Security

Nil Remarks

For Dr. Tejal Modi

Authorised Signatory

Accepted the above Terms And Conditions For Otis Elevator Company (India) Ltd.

Name :	Date :/		
--------	---------	--	--

. . * La las

4		ü	2	-	SI Date	1 Ichan
Ask Genune, 8 persons-600 kgs capacity, Machine room less	capacity, with machine room less	Johnson L.H. 6 persons-408 Kgs	Johnson,& Persons- 544 kgs capacity, with machine room	Johnson Lift, 6 persons-408 Kgs capacity, with machine room	SI Date:	a repaire oy. I a raoriana
No.		Yes	Y gs	Yes	Autometic RescueDevice Included(ARC)	
MS Powder coated, center opening	center opening	MS Powder coated.	MS Powder coated,	MS Powder coated, center opening	Cabin	
Simplex		Simplex	Simplex	Simplex	Control system	
I meter per second		1 25 Meters per second	0 66 Meters per second	0.66 Meters per second	Speed of Lift	
4'W x 3'D x 7'H		4'W x 3'D x 7'H	4W × 3.6'D × 7'H	4'W x 3'D x 7'H	Car inside size	+
5.00		5.00	5.00	5.00	Stops	-
980,000.00		940,678.00	875,000.00	826,271.00	Price	
176,400.00		169,322.00	157,500 00	148,728.00	GST 18%	
			e	40,000.00	Discount	-
1,156,400.00		1,110,000.00	1,032,500.00	934,999.00	Net Price	
10% Adv with PO 20% On Rails 20% Car, Frame? Cabin 30% On motor, roaps, weights& gate 11% On Contorllers 3% After Completion We can avoid the tax by labourcharges up tp 3 lakhs	15% After Recipt of Material 45% After Production of material 5% After erection of Lifts 5% After commissioning	19%, After Recipt of Naterial 43% After Production of material 5% After erection of Lifts 5% After commissioning 5% After commissioning	mail	934,999.00 30% Adv with PO	Payment Terms	The second secon
		a. Yo	3			-

¥, 2

	Us.						v	
	Otis, 8 persons, 544 Kgs capacity, Machine rool less.						Ask Genune, 8 persons-600 kgs capacity, Machine room less	
	No.						NO	
	MS Powder coated, center opening						MS Powder coated, collapsable gate	
	Simples						Simplex	
	Simples 1 meter per second						Simplex 1 meter per second	
	4'W × 3'D × 7'H						4'W × 3'D × 7'H	
	5.00		I				5.00	
	850,000.00						760,000.00	
	153,000.00						136,800.00	
2 () () () () () () () () () (1,003,000.00						896,800 00	
55% Material prior to supply 10% Before handing over the elevator	35% Advance with PO	We can avoid the tax by labourcharges up tp 3 lakhs	17% On Contorllers	30% On motor, roaps, weights& gate	20% Car, Frame7 Cabin	20% On Rails	896,800 00 10% Adv with PO	

Dai



(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West),

Mumbai - 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

Date: 03 December 2018 Neg No: 52NAN197

Modi Properties Pvt. Ltd. 5-4- 187/3&4, II Floor, MG Road, HYDERABAD Telangana 500003 SURP

Dear Sir,

Sub:. Proposal for (1)No. OTIS Electric Traction Elevator for your Site at Sy. No. 294, Cherlapally HYDERABAD, Telangana, 501301

Our Negotiation No. 52NAN197

As desired, we take pleasure in submitting herewith our Proposal Specifications No. 52NAN197 dt. 03 December 2018 , in duplicate and layout for (1)No. OTIS Electric Traction Elevator for your subject building.

In the event you decide to place an order on us, kindly sign on all pages and return both copies of our proposal along with the advance payment cheque, when one copy duly approved by our authorized official will be returned to you for your records.

In case you desire any further information / clarification, please do not hesitate to contact us.

We now look forward to receiving your valued order, which we assure you, will receive best OTIS attention always.

Thanking you,

Yours faithfully,

OTIS ELEVATOR COMPANY (INDIA) LTD.

FOR OTIS ELEVATOR COMPANY (INDIA) LIMITED

Sri Harsha PVM +91-8828020062 1st Floor (Part), House.No-6-2-30/1&2, SS Central, AC Guards, Lakdikapool, Hyderabad-500004, Telangana, India Jangan Chard

Telephone Visit us at : (022) 6679 5151 / 2844 9700



Otis Elevator Company (India) Limited (Registered & Head Office) 9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West), Mumbai – 400 064 CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

Modi Properties Pvt. Ltd. 5-4- 187/3&4, II Floor, MG Road, HYDERABAD Telangana 500003

Neg No: 52NAN197 Date: 03 December 2018

MODEL CODE: GeN2-Nova_MRL

Proposal of (1) nos. OTIS Elevators for your Project at HYDERABAD, Telangana

To be furnished and erected in accordance with the following details:

N8P-5S-SS-MRL, Unit 1- SILVER OAKS					
PRODUCT	:	GeN2-Nova MRL			
DETAILS	:	GeN2-Nova_MRL-1MPS			
CAPACITY (kgs)	1	544 Kg, 8 persons.			
SPEED (mps)	:	1 mps.//			
RISE (m)	:	13 m 🗸			
STOPS	:	5 Stops With (all opening on the same side)			
CONTROLLER TYPE	:	ACD3-MRL V			
DRIVE	:	VF Regenerative (Closed Loop)			
POWER SUPPLY	:	400/415 Volts (3 Phase AC)			
OPERATION	:	Full collective operation			
CAR GROUP	:	One car (simplex)			
MACHINE	:	PM Gearless (Located in shaft on top of guide rails)			
TRACTION MEDIA	:	Flat Coated Steel Belt			
CAR FINISH	:	Rear Mid Panel = Powder Coated Paint			
		 Rear Corner Panels = Powder Coated Paint 			
		 Side Mid Panels = Powder Coated Paint 			
		 Side Corner Panels = Powder Coated Paint 			
		 Front Panels = Pov/der Coated Paint 			
FALSE CEILING TYPE	:	CD-41			
FLASE CEILING FINISH	:	Cream			
VENTILLATION	:	Cross flow fan			
HAND RAILS	:	Stainless Steel Mirror Finish Handrails on rear car panels			
FLOORING	:	Vinyl Tiles			
CAR DOOR FINISH	:	Powder Coated Paint V			
LANDING DOORS FINISH	:	Powder Coated Paint			
PIT DEPTH	:	1350			
OVERHEAD		4000			
HOISTWAY DIMENSIONS (W x D - mm)	:	1800 mm W x 1600 mm D			
CAR DIMENSIONS (W x D x H - mm)	:	1100 mm W x 1300 mm D x 2200 mm H			
CAR & HOISTWAY DOOR TYPE	:	Central opening (CO) doors			
DOOR OPENING (W x H - mm)	:	800 mm W x 2000 mm H			
DOOR OPERATOR	:	DC Door Operator			

Telephone Visit us at

: (022) 6679 5151 / 2844 9700





Otis Elevator Company (India) Limited (Registered & Head Office) 9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West), Mumbai – 400 064 CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

COP	:	COP for stops <= 12 (950mm) in Stainless Steel #4(Hairline)
CAR POSITION	:	Monochrome LCD-Blue Background & White font
INDICATOR	L	Dot matrix (LED) Scrolling Display
HALL FIXTURES	:	O2000
		Pan Type Fixture ,
HALL FIXTURE FACE PLATE	:	Stainless Steel #4(Hairline)
HALL BUTTON ARRANGEMENT	:	LCD Monochrome type
STANDARD FEATURES	:	 Anti-nuisance Car Call Protection ✓
		Independent Service (for Duplex only)
3		Overload Device
		Nudging
220,120 919		Emergency Firemen's Service
The state of the s		Emergency Car Light Unit
		Infrared Curtain Door Protection
		Door Time Protection
		Emergency Alarm Button
		Extra Door Time of Lobby & Parking Door Open (Class Pather)
		Door Open/Close Button
8 2 2 2 2		Manual Rescue Operation
		Belt Inspection Drive
		 Auto Fan Cut Off√
ODTIONIS IN IOLI IDED)
OPTIONS INCLUDED	:	-NA- (No ARD as per client's requirement)

Telephone Visit us at

: (022) 6679 5151 / 2844 9700



(Registered & Head Office) 9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West), Mumbai – 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

MAINTENANCE

Our quotation includes charges towards maintenance for **Twelve months**. The period of this maintenance shall commence from the date of completed installation and handing over of the lift. The date of commencement of this service shall I remain firm irrespective of any delay in building completion, availability of permanent power supply, inspection, taking over or commencing use of the elevator.

Maintenance will consist of regular checkups and other necessary adjustment and lubrication of the equipment by trained and competent personnel under our direction and supervision. The required supplies and parts will be provided except such parts as may be necessary due to negligence, misuse or accidents not attributable to the manufacturing deficiencies of the product. Upon your request, special inspections will be carried out should trouble develop between regular inspections and you agree to notify us promptly of any such trouble. All work will be performed during our regular working hours of our regular working days except for emergency and minor adjustment callback service which will be provided during regular working hours and also during any overtime hours. No work or service other than the specifically mentioned is included or intended under the terms and conditions of this contract.

It is agreed that you shall continue to be the exclusive owner of the equipment and thereby the possession or control thereof.

We shall not be liable for any loss, damage, or delay due to any cause beyond our reasonable control including but not limited to acts of government, strikes, fire explosion, theft, floods, riots, civil commotion, war, malicious mischief or act of God. Under no circumstances shall we be liable for consequential damages

Telephone Visit us at : (022) 6679 5151 / 2844 9700



(Registered & Head Office) 9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West), Mumbai – 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

PREPARATORY WORK

You Agree at Your Cost:

- 1 TO FURNISH within two weeks (or sooner if required) from the date of acceptance of this proposal, all required data for the performance of this contract.
- 2 TO DESIGN AND FURNISH a properly framed and enclosed legal elevator hoistway /structure which shall withstand the forces and loads resulting from use of the elevator. The hoistway should be lighted and be treated and painted to minimize the accumulation and circulation of dust.
- 3 TO provide an elevator pit of appropriate depth below the lowest landing and, if required, suitable drains and waterproofing.
- 4 TO provide AND INSTALL necessary hoistway, architraves, brick fascias/steel.
- 5 TO ensure all painting except of elevator material.
- TO performall cutting of walls, floors or partitions together with any repairs made necessary thereby, including grouting of all bolts, sills, members indicator and button boxes etc., in position
- 7 TO provide required power at the top floor landing terminating in suitable main switches for power and light circuits with circuit breakers, suitable earthing leads to top floor landing (refer layout) and other electrical protective devices necessary to meet legal code requirements.
- 8 TO providelight outlet point at the middle of the hoistway and a light point in the pit.
- 9 TO arrange, during the erection, electric power of the necessary characteristics to provide illumination and for operation of tools and hoists if required and current for starting, testing and adjusting the elevator.
- 10 TO GUARD AND PROTECT the hoistway.
- 11 TO COMPLETE all work in such time as not to delay our work.
- 12 TO undertake the responsibility in whole or in part to pay and bear pro-rata expense of electric current, or expenses of any nature relating to the rest of the building and other contractor's work (unless provided for herein).
- TO PAY all fees that may be required in connection with the erection or preparation of the structure in which the elevator equipment is to be erected, including any general permit/certificate fees, usually billed by Governmental agency directly to the owner also including license fees for the installation or inspection of the elevator equipment
- 14 TO PROVIDE suitable weatherproof lockup storage accommodation of approximately 50 Sq.M. per elevator with electric lights for elevator materials at the ground floor level near the hoistway. This should be available well before the arrival of the materials.
- TO PROVIDE and maintain adequate safety and security measures as also retain Otis safety infrastructure to prevent any injury to third party or damage, theft or pilferage of material during storage, erection period and until the elevator is handed over
- To provide hoisting hooks in the ceiling as per the arrangements shown in the equipment layout, that will support the loads indicated. These hooks must be certified for the loads indicated.
- 17 Provide a niche at the top portion of hoistway as indicated in the GA drawing.
- 18 TO PROVIDE acceptable living accommodation (complete with light, running water & sanitary facilities) for our erection crew at or near to site.
- 19 TO INDEMNIFY and save us harmless against all liability arising out of your failure to carry out and comply with any of the Foregoing requirements.

Telephone Visit us at : (022) 6679 5151 / 2844 9700



(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West),

Mumbai - 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

CONDITIONS OF CONTRACT

- This Quotations shall remain valid and effective for 30 days from the date of proposal and thereafter shall be subject to change without notice.
- 2. The agreed contract price shall be valid for <u>52</u> <u>weeks</u> from the date of your acceptance of this proposal. Should the said period be extended beyond this stipulated time due to (i) non-payment of the agreed amount as per clause 5 below; and / or (ii) due to non-submission of data or approved drawings required for the manufacture of the elevator as per clause 4 below; and / or (iii) delay in completion of the hoistway and machine room, we will submit for your acceptance the revised price prevailing on the date of such quotation and on its acceptance by you, we will programme the supply and installation of the equipment. In the absence of your acceptance of the revised price and payment of any additional advance that may become due, we may at our option, cancel the order with a cancellation charge of 10% of contract value.
- The adjustment in price resulting from tax variation or imposition of fresh taxes (including but not limited to GST) included in this
 proposal may be claimed by us as soon as the amount thereof is ascertainable and shall be payable on demand.
- 4. You agree to furnish us, within two weeks from the date of this agreement, all required data for the performance of the contract. You agree that the hoistway structure along with preparatory work shall be ready and the proper electric power available in suitable place by the required date, after which we are to have their uninterrupted use for installation and adjustment of the elevator(s). If you cannot provide electric power by the required date and the installation of the equipment has been completed, you shall take over the elevator(s) and make payments as they fall due for payment in accordance with clause 5 below. Any delay due to this shall result in automatically extending the contract completion period accordingly.
- 5. Payment shall be made pro rata basis per elevator as follows: 30% of contract value with your acceptance of this proposal, 60% of contract value before scheduling of materials and the remaining 10% of contract value on commissioning or within 30 days of Otis's readiness to commission the equipment with the further provision that if we are delayed by any cause beyond our control, the final 10% will be paid to us within 90 days from the date the materials are ready for dispatch. Partial supplies when made shall be payable on pro rata basis as above. Any payment made after the due date shall bear late payment charges from such date at the rate of 1.5% per month or part thereof which you agree and will not be disputed later for justification. We reserve the right to dispose of the equipment or to discontinue our work or to withhold the release of completed elevator(s) at any time until overdue payments, with late payment charges, shall have been made as per the terms and conditions and we have assurance satisfactory to us that subsequent payments will be made as they fall due. We shall resume the work subject to our other manufacturing and / or erection commitments or schedules at that time. Provided that, this will in no way relieve you of your liabilities and obligations under this Contract. Any delay due to this will automatically extend the contract completion period correspondingly. Handing over shall be subject to receipt of final payment & on unit wise basis.
- 6. It is agreed that our workmen shall be given a safe place to work and we reserve the right to discontinue our work in the building whenever, in our opinion, this provision is being violated.
- 7. Unless otherwise agreed, it is understood that the work will be performed during our regular working hours of our regular working days. If overtime work is mutually agreed upon and performed, an additional charge therefore, at our usual rate for such work, shall be added to the contract price.
- 8. Force majeure: Under no circumstances shall either of us be liable for any loss, damage or delay due to any cause beyond your/our reasonable control, including but not limited to lack of shipping space, embargoes, acts of any Government, strikes, lockouts, fire, accident, explosion, flood, riots, civil commotion, war, malicious mischief, delays in supplies of raw materials and components at our Works due to any or all of the reasons, such as energy crisis, electricity cut, rail/road transporter's strike, go slow, bandhs, non-availability of essential raw materials (iron and steel, pig iron, aluminium, copper, silver, brass, stainless steel, various alloys, electrical grade steel, etc.), act of God or of the State's enemies, or act of third party. Delay resulting from any cause beyond your/our reasonable control shall extend the time for completion of the work and the commencement of the free maintenance period. If for any such reasons, we cannot supply the equipment covered by this contract within weeks from the date of your acceptance of this proposal, we may, at our option, cancel the contract without being liable to pay any damages or compensation. Under no circumstances, shall either of us be liable for special, indirect or consequential loss or damages of any kind.
- 9. The title to each elevator shall pass to you when all payments for such elevator are received. We shall retain the right to lien and the right to retake possession of the elevator or any part thereof at your cost in the event of any default of the payments, irrespective of the manner of attachment to the realty, the acceptance of notes, extension of time for payment, or any security which we might hold, or the sale, mortgage or lease of the premises. This will be without prejudice to our right to recover the unpaid amounts and interest by any means or process or proceedings whatsoever. We shall be entitled to recover from you legal expenses incurred in collecting payments hereunder.
- This contract shall be deemed to be an indivisible works contract.
- 11. Defect liability period: We hereby guarantee the material supplied and the workmanship of the elevator(s) under this contract for a period of 18 months from the date of initial supply of materials or 12 months from the date of completion of each elevator, whichever is earlier, and we will rectify and make good any defects, not due to ordinary wear and tear, improper use, or lack

Telephone

: (022) 6679 5151 / 2844 9700

Visit us at



(Registered & Head Office)
9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West),

Mumbai - 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

of care, which may develop during this period. This guarantee (a) does not extend to consequential loss and/or damages and (b) is null and void in case of tampering and/or if maintenance, repairs and modifications are carried out by unauthorised persons.

- 12 We shall not be required to install or alter any equipment requested by Government Authorities at their discretion and not specifically incorporated in the local codes. However, such changes as well as changes in local codes after the date of this proposal if feasible, will be undertaken by us at extra cost.
- If there are any changes, modifications, additions, deletions or extras to the scope of work outlined in this proposal, which are 13. agreed to by us in writing, then, in such event, the contract price and the delivery period will be adjusted accordingly on mutually agreed terms and conditions.
- 14. This contract being an indivisible Works Contract, any packing cases, or left over materials or tools tackles, instruments, etc. brought to site are and shall remain our property. We reserve the right to sub-contract the work as and when we deem fit.
- If any descriptive matter, drawings or illustrations brochures are furnished with our proposal, they are approximate and 15. submitted only to show the general style, arrangement and dimensions of the machinery offered.
- The equipment offered by us has been described in our attached specifications and complete equipment will be supplied and 16. installed as per standard Otis design, manufacture and practice. In case of any variation between your specifications, terms and conditions and our quotation/specifications/correspondence, the latter shall prevail.
- 17. If materials supplied by us, whether installed or not, are required to be reconditioned/replaced at a later date due to delay on account of (i) non availability of power supply or other incomplete work by you, (ii) force majeure conditions, (iii) non payment of dues, the related cost shall be payable by you on demand.
- 18. Presently we have our manufacturing unit in Karnataka. Based on the technical specifications of the said contract and depending on availability and feasibility of transport or material, Otis at its sole discretion will source the material either from its factory and/or any other source anywhere in India and/or from overseas and hence we will not be in a position to furnish the duty payment details in respect of the bought out and imported materials.
- If you cancel the contract and/or commit a breach of contract and or contract remains dormant for <u>weeks</u> from signing the contract, we shall be entitled to claim damages and/or compensation, including the costs of the materials and loss of profits/administrative expenses actual or at the rate of 10% of the value of the contract, whichever is higher.
- All disputes, differences and claims whatsoever which shall at any time arise between the parties hereto or their respective 20 representatives concerning this contract and all other documents in pursuance hereof as to the rights, duties, obligations or liabilities of the parties hereto respectively by virtue of this contract Shall be:
 - a) referred to senior managers of both the parties. If the parties fail to arrive at an amicable settlement and resolution of the issues then it.
 - b) Shall be referred to Arbitration in accordance with the provisions of the Arbitration and Conciliation Act 1996 as amended from time to time. Such arbitration proceedings will take place in Bengaluru * only, and shall be subject to jurisdiction of the Courts in Bengaluru.
- The amount /advance paid as per the terms of contract, will be subject to lien and apportionment over the expenses of the contract by OTIS, subject to condition that same has to be informed to the PARTY in writing. The PARTY agrees that the decision of OTIS will be final in this regard and the party agrees that the same will not be challenged on any legal grounds.
- This proposal when accepted by you and approved by our authorized official shall constitute the entire contract between us 22 and all prior proposals, quotations, agreements, understandings, representations and arrangements not incorporated herein are superseded.
- Any change in the terms and conditions of the contract after signing, shall be valid and binding only if the same are in writing and signed by authorized person from Head office of Otis situated in Mumbai.
- It is agreed that he aggregate liability of Otis, whether under law or contract (including for third party claims) shall be 24 limited to 25% of the Contract Value
- The contract would be deemed to be concluded at Hyderabad*, after allocation of contract number by Otis.

Telephone Visit us at

: (022) 6679 5151 / 2844 9700



(Registered & Head Office) 9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West), Mumbai – 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

26 Delivery and Erection:

- a) We will complete the installation of the elevator within 16 weeks from the date of receipt of order, advance payment, layout approval and settlement of all technical details whichever is later.
- b) The completion period as stated above is subject to your handling over to us for uninterrupted use a clear dry elevator hoistway structure complete in all respects as per approved layout drawing alongwith preparatory work and power supply <u>2 weeks</u> before the completion date indicated in (a) above.
- c) If during the inspection of site, we observe that there is a delay in completion of the hoistway structure or availability of power supply, we may at our option delay the final assembly of materials and shipment to site so as to synchronize with the hoistway and machine room completion date. In such an event, a fresh completion date will be established depending upon minimum installation time indicated in (b) above.
- If for reasons not attributable to Otis, workmen have to be moved out of your site, in such cases you will have to pay the additional cost involved in re-deployment of the workforce as & when demanded by Otis.
- You shall exclusively be responsible for procuring permits/licenses from Statutory/ Regulatory Authorities, including but not limited to Lift Inspectorate/ PWD Officeand pay all necessary fees for such licenses/ permits and inspection fees. Otis may however at your request provide necessary support towards technical documentation and respond to and clarify technical queries as may be raised by the statutory authorities.
- 29. Otis India has entered into this Contract with you in good faith and in full reliance upon the representation made by you that you are not named in any of the watchlists issued by the various countries around the world.

In case this representation is found to be incorrect/breached, Otis India shall have the right to immediately cancel the Contract with no further liabilities or obligations on the Contract and be paid for the work performed till such date.

Customer Shall be exclusively liable to pay the Cess under the building & Other construction Workers Welfare Cess Act, 1996 without any deduction from the agreed contract value payable to OTIS.

Telephone Visit us at : (022) 6679 5151 / 2844 9700



Modi Properties Pvt. Ltd.
5-4- 187/3&4, II Floor, MG Road,
HYDERABAD
Telangana
500003

Neg No: 52NAN197
Date: 03 December 2018
MODEL CODE: GeN2-Nova_MRL


500003			
WE PROPOSE to furnish and erect the installation of	outlined in the	e foregoing proposal	
Lift Solution	Unit	Price	
N8P-5S-SS-MRL MODEL CODE: N8P-5S-SS-MRL	Unit 1	₹8,05,085.00	
Total Cost including delivery and installation The price/s quoted herein is/are exclusive of all taxes, as at Central Government or the State Government. In the everate or methodology for charging the applicable taxes, and but not limited to GST) imposed in respect of this contract shall be borne and payable by you on demand at any time.	ent of any ame ad/or, should be , the entire bur	ndment or variation in the any new levies (including den of any additional levy	
The price inclusive of GST 18%		₹ 9,50,000.00	
In compliance with Section 171 of CGST Act 2017, the contract the applicable taxes as on the relevant date (including but not I along with the available benefit of input tax credit as per the law	imited to GST)		
GST Registration Number	/ Unr	egistered Dealer	
PAN Number	/PAN I	NOT APPLICABLE	
	OTIS ELEV	ATOR COMPANY (INDIA) LTD.,	
ACCEPTED IN DUPLICATE ON		FOR OTIS ELEVATOR CO. (I) LTD. BAI (MAHARASHTRA), INDIA	
SIGNATURE:	Al	UTHORISED OFFICIAL	
TITLE:	DATE:		


TERMS OF PAYMENT

Advance: CV as Advance with order	35%
Material: CV six weeks prior to supply of materials (before scheduling/Manufact uring)	55%
Final: CV before Handing Over the elevator	10%

CUSTOMERS SCOPE:

- 1. Two earth pits are to be provided exclusive for each elevators
- 2. Minor builder works in Customer Scope as per OTIS requirements
- 3. Storage room for material storage @ Site as per OTIS requirements
- 4. Power supply (3-phase & 1-phase) to be provided in the hoistway as per OTIS drawing
- 5. Bulkhead lighting to be provided in the hoistway as per OTIS drawings.
- 6. Scaffolding to be provided in the hoistway as per OTIS drawings.
- 7. Hooks/ISM Beams to be placed in Overhead Slab as per OTIS Drawings.





4 1	

OWNER TO PROVIDE FOLLOWING ITEMS (PER ELEVATOR)

THAN 0.2 SQ. MTRS. (450x450 RECOMMENDED) WITH SUITABLE SMOKE VENT BELOW THE ROOF OF THE HOISTWAY NOT LESS RAIN PROTECTED COVER.

2 POWER & LIGHTING CIRCUITS AND SWITCHES.

a) PERMANENT LIGHTING TO BE PROVIDED IN THE HOISTWAY AT THE DISTANCE INDICATED IN FIG. 1 ALONGSIDE, FASTEN THE LAMP STITINGS TO THE WALL. FASTEN THE HOISTWAY LIGHT SWITCH IN THE PIT AT A DISTANCE THAT CAN BE ACTUATED EITHER FROM THE LANDING OR THE PIT.

b) TOP LANDING LIGHTING ABOVE THE CONTROLLER TO BE MIN. 200 LUX & TO BE CONTROLLED BY A SWITCH.
c) 3 PHASE POWER COPPER WRING WITH PVC INSULATED

(FEEDER SIZE 6 SQ. mm) TO BE PROVIDED UPTO THE CONTROLLER d) I PHASE LIGHTING WRING FOR CAR LIGHTING TO BE PROVIDED UPTO THE CONTROLLER.

e) CONVENIENT OUTLET (15A/5A AMPS) FOR USE OF POWER TOOLS DURING THE INSTALLATION OF ELEVATOR.

THE POWER SUPPLY NECESSARY FROM THE BEGINNING OF THE Ţ

ELEVATOR ERECTION.

ROPE Nos. - SIZE in mm MAIN MOTOR R.P.M.-KW.

ARC OF CONTACT

g) BUILDING EARTHING TO MACHINE-ROOM BUS BAR (SUITABLE FOR DOUBLE EARTHING) TO BE PROVIDED.

3 DRY PIT REINFORCED TO SUSTAIN REACTIONS AS SHOWN.

COUNTERWEIGHT RAILS FASTENNING.
IF THE DISTANCE BETWEEN BEAMS EXCEED THE ONE INDICATED
ON THIS DRAWING, AN INTERMEDIATE METAL, FRCE BEAM MUST BE
INSTALLED FROM THE FRONT TO THE FRAR OF THE HOISWAY,
WITH THE FOLLOWING CHARACTERISTICS. MINIMUM WOTH 140 MM
AND ABLE TO SUPPORT THE LOADS INDICATED IN THIS DRAWING, 4 THE NECESSARY BEAM ON HOISTWAY FOR CAR GUIDES AND

ROUGH WALL OPENING AT TOP LANDING AND AT LOWER LANDING AS PER DETAILS SHOWN ALONGSIDE. OWNER TO FINISH AREA AS SHOWN, AFTER THE DOORS ARE INSTALLED.

3K (78×60×16.4) T70 (70x65x9)

PU-61

CAR BUFFER TYPE-STROKE

CWT. RAII

CAR BUFFER QUANTITY

CAR GOVERNOR

CAR SIZE CAR RAIL

MAIN CONTROLLER

6 THERE MUST BE CONCRETE OR METTALLIC BEAM (MIN.200 HEIGHT) AT BOTH SIDE WALLS AT 2529 FROM TOP FLOOR TO FIX GUIDE RALL BRACKETS AS SHOWN IN (YMW 'C'-''C).

IN CASE OF BOTH SIDE WALLS ARE RCC THEN IT IS NOT REQUIRE. ALSO THERE MUST BE ANOTHER BEAM AT 2750 ONLY AT MACHINE SIDE WALL FROM TOP FLOOR TO SUPPORT CWT. CUIDE RAIL BRACKET AS SHOWN. (WEW 'C'-'C)

7 THE HOISTWAY WALL SHOULD BE PLUMB ± 25 mm.

8 NECESSARY CONCRETE BEAMS ON FRONT WALL. FOR DOORS FASTENINGS 9 WALL POCKETS PER ERECTOR'S REQUIREMENT WHICH SHOULD

BE MADE GOOD TO FINAL FINISH FINISH FOR :(NOTE:BELOW VALUES ARE APPLICABLE FOR PAN TYPE. IN CASE
OF FLAT FIXTURES, DRWIG OFFICE TO REFER TO NAA28104G)
a) BAEGENCY ALARM :- 67WIGE x 130HIGH x 65DEEP CUTOUT

IN FRONT WALL AT GROUND FLOOR ONLY AT 1930 POCKET CENTRE FROM FINISHED FLOOR LEVEL.

b) COMBINED HALL BUTTON AND H.P.I. :- 20 DIA. THROUGH HOLES c) FIREMAN'S SWICH :- 67WDE x 130HIGH x 65DEEP CUTOUT IN FRONT WALL AT GROUND FLOOR ONLY AT 1930 POCKET AT ALL LANDINGS AT 1300 FROM FINISHED FLOOR LEVEL. CENTRE FROM FINISHED FLOOR LEVEL.

10 THE NECESSARY HOOKS, ACCORDING TO THIS DRAWING,
ON THE TOP OF THE HOISTWAY CELLUK, MARKED AND
CALCULATED TO SUPPORT THE LOADS SHOWN IN THIS DRAWING,
ALL OF THEM MUST BE CERTIFIED BY THE TECHNICAL PROPERTY ALL OF THEM REPRESENTOR.

THE POWER SUPPLY FOR THE CONTROLLER WITH THEIR BREAKER SWITCHES, PROTECTIONS, EARTH CONNECTIONS AND THE WRING TO THE OTIS CONTROLLER, ACCORDING TO DIAGRAM "B" AND CODE IN FORCE, MAXIMUM DROP VOLTAGE; 5%, ON THE ELECTRIC DATA HERE INDICATED. THE MAIN SMTCH MUST BE PROVIDED WITH LOCKING, BEHIND THE LIGHT SWTCH A PLUG (220 V+E) MUST BE INSTALLED.

12 DIA @ 200 c/c BOTH WAYS	100 mg/m/ Life American and revenue washing and the first	SECTION	500 500			STAR STAR NO TO BE THED TO	SO T BOTTOM BARS OF SLAB	LOAD 2000 KG, PER HOOK,	HOOK AND ITS EMBEDMENT DETAILS	NOTE-1 : TO INSURE 25mm GLEAR COVER TO REINFORCEMENT, HOCK SHALL BE PLACED ABOVE BOTTOM BARS AND	TIED. RECOMMENDED TO USE AT LEAST TWO TIES ON EACH SIDE OFHOOK.	NOTE-2 : INDICATED ROD LENGTH OF 500 mm PER SDE, MAY BE SUITABLY BEND TO SUIT ERECTION HONE-CR IT SHOULD MEET ABOVE CONDITIONAL MINIBIAL BEND RATHER OF YOU mm.	NOTE-3 RECOMBINED FINISH ON HOOK - ONE COAT OF CHTRUST PAINT WITH THIS COATS OF FAMSH PAINT.	SLAB DETAILS	STEEL GRADE : F4415		REINFORCEMENT : 12 DIA O 200 C/C BOTH WAYS AT BOTTOM.	CLEAR COVER TO REINFORCEMENT : 25 mm.	DETAILS OF HOISTING HOOK DESIGN &	ITS EMBEDMENT IN THE CELLING SLAB	VIEW D
2 TEMPORARY PROTECTIONS AT THE ELEVATOR ACCESS DURING THE ERECTION PERIOD.	3 HOISTWAY WALL TO BE FIRE RESISTANT OF NOT LESS THAN 2 HOURS, IF THE RISE IS MORE THAN 15 METRES.	LUX MINIMUM WITH THE	EXCEPTION OF THE FLOOR WHERE THE CONTROLLER IS LOCATED WHERE 200 LUX ARE REQUIRED A SWITCH INSIDE	MIL BE PROVIDED TO CONTROL IT ACCORDING TO DIAGRAM "B".	CONTRACT DATA	52NA7313	ONE(1)	544	1.00	ULTRA REGEN DRIVE NO	1.3 T	77 NO	CSB: 2 -3.3TH.x30WDE (43kN)	180.	477-3.9	ACD3-MRL	5 - 5	SHENLING	9672	1100×1300	1.43
2 TEMPORARY PROTECTIONS AT THE ERECTION PERIOD.	3 HOISTWAY WALL TO BE FIRE RESISTANT OF NOT LIZED HOURS. IF THE RISE IS MORE THAN 15 METRES.	4 LIGHTING IN THE ACCESS: 50 LUX MINIMUM WITH THE	EXCEPTION OF THE FLOOR WHERE THE CONTROLLER IS LOCATED WHERE 200 LUX ARE REQUIRED A SWITCH IN:	WILL BE PROVIDED TO CONTRO	CONT	ALES No.	LEVATOR	UTY LOAD - KGS.	PEED M.P.S.	IOTION CONTROL	IACHINE TYPE	IACHINE SHV. DIA. in mm	OPE NosSIZE in mm	IRC OF CONTACT	IAIN MOTOR R.P.MKW.	IAIN CONTROLLER	lo. OF STOPS-OPENINGS	AR GOVERNOR	AR SAFETY	AR SIZE	AR INSIDE AREA IN SQ. M.

DUTY LOAD - KGS.

SALES No. ELEVATOR MOTION CONTROL

MACHINE TYPE SPEED M.P.S.

			GRANAMTE	44	462	658
PU-61	ONE(1)	ITS (kg)	MARBLE/ GRANITE	85/	462 /	258
		ESTIMATED WEIGHTS (kg)	MNYL	4	462	259
CWT. BUFFER TYPE-STROKE	CWT. BUFFER QUANTITY	ESTIMATI	FLOORING IN CAR	MAX FLOORING WT.kg (Ref.)	TOTAL CAR WEIGHT(empty Car)	OVERBALANCE 47.5% OF 408 KG

CONNECTION INSTRUCTIONS INCLUDED ON THE CONTROLLER (NOTE #12) -BY OWNER

25A/0,3A(*)

16A

R-S-T-N + UGHT

64

25A/Q.03A

NAA345S2 769 46 NAA345 NAA34552 810 49 FOR OTHER THAN WB CONTRACTS
FILLER WT. PART No. | NAA34552 | NAA3 NAA345R502 NAA34552 NAA34552 729 22 NO. OF FILLER WTS. (16 KG EACH)
CONCRETE FILLER WT. PART NO.
NO. OF FILLER WTS. (15.5 KG EACH) SPACE EOR ADDL. C.I. FILLER WTS. FILLER WTS. No. OF FILLER WTS. (16 KG EACH) FILLER WT. PART NO. FLOORING IN CAR
MAX FLOORING WI.kg (Re
TOTAL CAR WEIGHT(emply C
OVERBALANCE 47.5% OF 408 P
TOTAL COUNTERWEIGHT SPACE FOR ADDL. C.I.

(*)THIS DIFFERENTIAL SWITCH WILL BE "SELECTIVE" TYPE, SENSITIVE AT ALTERNATING CURRENTS OF DEFAULT AND CONTINUOUS OF THE PULSES TYPE "A".

DIAGRAM "B"

LIGHT CAR

> 28+T 10/16A€

> > LIGHT EXCLUSIVE FOR CONTROLLER

TRAVELLING CABLE WEIGHT: 5 KG FOR THE ABOVE FLOORING TYPE

INDIA) LIMITED	VIIAGA IGRA TA SA	AS AL CHENENALL	(ELANGANA)	L MODI		INAL 28-12-2018	DRAWN BY AAS	SALES No. 52NA7313	REV.	2	no T
OTIS ELEVATOR CO. (INDIA) LIN	THE AND GOVERNOON CHARLES	SOLLEGING MOON SILVER OAN VILL	LOCATION HYDERABAD (TELANGANA)	OWNER Dr. TEJAL MODI	ARCHT.	DATE: PRELIM 28-12-2018 FINAL 28-12-2018	SCALK	CHECKED BY AGN S	2	CONT. CONT.	No. (
APPROVALS	CURRENT THE ARRANGMENT AND DITTERING COLORS OF ALL SEED ADMILY	ARACTERISTICS SUPPLIENTARY NOTES	POMER SUPPLY A.C.	WIDES WITH NEITHAN CHARANTEED PLUMP	50 HERTZ. WITHIN ±25 mm OF	_	230 VOLTS. SONED 1155	CONFIRMED TES DATE 17-12-2018	ECORD OF CLT'S DRGS.	STATES OF STEEL APPROD IN STEEL APPROVING IN STEEL AP	CO 100 CO
REVISIONS		HO.	2					8	R	CAN	NOTE :- DO NOT SCALE THIS DRAWING
REVISIONS											S UNLESS OTHERWISE STATED NOTE
REVISIONS											ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED
				L	L	L	L	L	L	L	₹



OTIS

Handover Certificate

We are pleased to inform that we have successfully completed the installation of one elevators at \underline{Sine} Our team of experts have carried out all required functional and safety tests on the equipment and found it to be satisfactory in line with the highest standards set by Otis.

With immediate effect, our service department would be maintaining the elevator/s providing Free Otis service for a period of 12 months. Before completion of the Free Service period we urge you to enter into annual maintenance contract with us to ensure that the elevators are uninterruptedly serviced, well maintained for trouble free operations and passenger safety.

In order to prolong the life of the equipment, minimize breakdowns and further improve the services being rendered to you, we seek your kind cooperation in attending to the items of work circled in the list "Recommendations To The Owner" printed on the reverse of this Certificate.

For any technical assistance or help, please call the Otis service center closest to you or you may contact Otisline at 180022777

Otis Elevator Company (India) Ltd.

Date:

Construction Executive

ELEVATOR HANDOVER ACCEPTANCE

OTIS

Date:	
Jnit No. 52NA7313	
Building Name: SILVER DAKS VILLA LLP	
ocation CHERLAPALLY	
We have examined the elevator installation furnished and com of contract with you and hereby accept the same.	pleted by you in the above building in terms
We confirm that the elevator installation and commissioning wo	ork was completed on time - YES / №0.
Sicver OAK VILLA	Signature of Oris Representative
Name of Person: Kurshotham	Name of Person: M, ABOUL KAREEM
Name of Organisation: Modi - Silver Ouk Villa E	Employee No.: 13280
Designation/Title: Project Manager	
Acknowledgmen	nt

The following keys, necessary for the proper operation of the above elevator, have been handed over to me along with complete instructions on the operations of the elevator.


	Quantity
1. Lobby Panel Keys	61
2. Emergency Door Key	01
3. Utility Cabinet Keys	
4. Owners Manual (For 200VF & 300VF only)	
5. Machine Room Keys	

DEAR CUSTOMERS - PLEASE NOTE THE FOLLOWING

- ◆ The Emergency Door Keys should be kept under lock and keys and handed over to authorized personnel only.
- ◆ The access to elevator machine room is to be given to authorized OTIS personnel only.
- The Brake Releaser provided in the machine room should be used by authorized personnel only.
- ♦ The Free Otis Service (FOS) / Warranty period will begin from 20th Mach-2020 and will continue for 12 months till 19th March: 2021
- Should any problem arise in the operation of this elevator, please call Otis Service on our toll free number 1800-22-7777 and register your problem giving complete details.

Requisition Form

			quisition					
Company Name:	Silver	Oak Villas LLP	Da	te:		20.10.18		
Site & Phase :	Silver	Oak Villas	Tir	ne:		12.00		
Supplier			Re	q. No.		67433		
Material required before	date:	16.10.18	ID	No.		45080.		
No	Description		Size	Quantity	Units	Inward No	Date	
Lift I			6 to 8 Persons	01	Nos			
2								
3 3 5 50	tons.			0 0 00				
4	4	- 1.	6 A	8 P				
5	it gor	ne M						
6	1 gr	()h.						
7		4	. 0	+ 151,				
8			40					
9		Thorn				WEST	7	
10			•		T A I	PROVED	-	
Remarks: - For Residentia	al Apts Purpos	e.	1		1	PPROVED BY		
Prepared By	K.PUI	RSHOTHAM	Ap	proved by		SOHAW MODE	TOR	
Sign.& Date	20.10.	18	Sig	gn. & Date	1	MANAGING DIREC		
Note: On receipt of mater	rial at site write	inward number and	date in last	2 columns.	\\	IVII		



Page(s) 1 Of 1

22-12-2018 2:57:55 PM

Original / Office Copy / Purchase Div.Copy

N42738

From Company:

Dr.Teial Modi

5-4-187/3 & 4, IInd Floor, M.G.Road, Secunderabad - 500003

GST No. :

Supplier Details

Otis Elevator Company (India) Ltd.

1 st Floor(Part), House no-6-2-30/1&2,SS Central, AC Guards,

Doc Date

67433

Lakdikapool, Hyderabad-500004.

Quote No

Doc No

22-12-2018

Quote Date

52N89940 01-11-2016

part Bill received by R1. 8, 55,0001
Final Bill received of R1. 95,0001
[19001796: at: 1810fu]

T.D. Muceel

261/20

54970

040-491877555 8828020062

SupplyType

Supply And Installation

Kind Attn: Mr. Sri Harsha PVM, Engineer NE-Sales

Purchase Order for the Supply of following Items.

Item Name	Qty	Rate	Dis%	GST%	Amount
1 5033 - Equipment - machinery - Lift -Auto - 8 Passengers - nos Gen2-Nova MRL	1.00	805,085.0	0.00	18.00	950,000.30
		Total Or	der Valu	e	950,000.30

Terms and Conditions :-

Specification / Brand

As per your negotiated quote dtd. 03/12/2018 for 8 pass, 5 stops lift, central opening door, powder coated paint, No ARD, simplex operation,

machine room less

Payment Terms

10% Advance,50% After layout submission to site,30%-On receipt of all material,10% after handing over the lift. GST included in the above prices

Delivery Date

Tax

With in 5 monthe from the date of PO.

Delivery Location

Silver Oak Villas Phase - IX

Sy. No. 291, Cherlapally, Hyderabad, next to Govt. of india mint

Contact: Security 65908777, Eng-9502266233

Penality For Delay

Nil

Transportation Cost

Included in the above price.

Warranty

1 year on site Guarantee incl. of parts & labour.

Advance Paid

Rs. 95,000/- through Cheque vide cheq.no....., dtd. drawn on Yes bank bank

Other Terms

AMC charges shall be @4% on basic value=Rs. 32,203/-+ GST 18%, per lift. for 1 st year after warranty, there after 5% increse on AMC charges

per lift for 5 years above order is for Residential apat purpose.

Completion Date

Installation testing and commissioning to be completed before .30-06-19

Measurment

You shall be responsible for your material at our site against theft or damage. Lockable room with keys shall be in your custody.

Security Remarks

Nil

Accepted the above Terms And Conditions For Otis Elevator Company (India) Ltd.

For Dr. Tejal Modi

Authorised Signatory

Name:

Date : /_/_

.



OTIS ELEVATOR COMPANY (INDIA) LIMITED

(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace,

Link Road, Malad (West), Mumbai 400 064, Maharashtra CIN: U29150MH1953PLC009158 PAN: AAACO0481E

Ph.: (91-22) 6679 5151 Fax: (91-22) 2844 9791

Website: www.otis.com

: 36AAACO0481E1ZS

: TE/NE/19000903

: 23/09/2019

TAX INVOICE

Duplicali -

ORIGINAL FOR RECIPIENT

OTIS ELEVATOR COMPANY (INDIA) LIMITED

H.NO. 6-2-30/1 & 2 S S Central

A. C. Guard Road Lakidikapool

Hyderabad 500004

GST Number GST Invoice No

GST Invoice Date

Whether tax payable under RCM : No Customer Name : Dr.Tejal Modi

Billing Address:

5-4-187/3 & 4, IInd Floor, M.G.Road, Sec

HYDERABAD 500003

State & State code : Telangana 36 PAN number : ADDPM3623R

GST Number: GSTNOTAVAIABLE

Negotiation Number

Invoice ID Project No Contract No

Purchase Order No Purchase Order Date

Place of Supply

: 52NAN197

U5/19029168 52NAN197 52NA7313

54970

Telangana

Site Address:

Silver Oak Villas Phase - IX, Sy. No. 291

HYDERABAD 501301

State & State code: Telangana 36

PAN number:

GST Number: GSTNOTAVAILABLE

S. No	HSN/SAC	DESCRIPTION	AMOUNT (INR)
1	995466	Charges towards Supply, Erection, Installation and Commissioning of Parts/Components of Lifts/Elevators	241,525.50
		Material: CV upon material rec eipt at site against contract value of Rs 805085	
		ADD: CGST@ 9.00% ADD: SGST@ 9.00% 21,737.29 21,737.30	43,474.59
		Payable Total Rs.	285,000.09

Rupees TWO LAC EIGHTY FIVE THOUSAND AND PAISE NINE ONLY

For Otis Elevator Company (India) Limited

Authorized Signatory

Terms & Conditions :

1.CASH NOT ACCEPTED

2. Payable on presentation, interest @ 18%p.a. would be levied on delayed payments

3.TDS Certificate under the applicable laws (including but not limited to GST) must be issued as per the timelines prescribed in the respective Acts.

We accept RTGS/NEFT Payments: Our Bank Account details (Please indicate Invoice number as reference for further communication)

Name of account: Otis Elevator Company (India) Limited Branch: Citi Bank N.A., D N Road, Fort, Mumbai -400001

Account No.

0001041037

MICR Code: 400037002

IFSC Code:

CITI0100000



OTIS ELEVATOR COMPANY (INDIA) LIMITED

(Registered & Head Office) 9th Floor, Magnus Towers, Mindspace,

Link Road, Malad (West), Mumbai 400 064, Maharashtra CIN: U29150MH1953PLC009158 PAN: AAACO0481E

Ph.: (91-22) 6679 5151 Fax: (91-22) 2844 9791

Website: www.otis.com

: 36AAACO0481E1ZS

: TE/NE/19000854

: 16/09/2019

TAX INVOICE

ORIGINAL FOR RECIPIENT

Duplicati

OTIS ELEVATOR COMPANY (INDIA) LIMITED

H.NO. 6-2-30/1 & 2 S S Central

A. C. Guard Road Lakidikapool

Hyderabad 500004

GST Number GST Invoice No

GST Invoice No GST Invoice Date

Whether tax payable under RCM : No

Customer Name : Dr.Tejal Modi

Billing Address:

5-4-187/3 & 4, IInd Floor, M.G.Road, Sec

HYDERABAD 500003

State & State code: Telangana 36
PAN number: ADDPM3623R
GST Number: GSTNOTAVAIABLE

Negotiation Number

Purchase Order Date

Invoice ID Project No

Contract No Purchase Order No

Place of Supply

52NAN197

U5/19028517 52NAN197 ✓

52NA7313 5497Q

Telangana

Site Address:

Silver Oak Villas Phase - IX, Sy. No. 291

HYDERABAD 501301

State & State code: Telangana 36

PAN number:

GST Number: GSTNOTAVAILABLE

S. No	HSN/SAC	DESCRIPTION	AMOUNT (INR)
1	995466	Charges towards Supply, Erection, Installation and Commissioning of Parts/Components of Lifts/Elevators	402,542.50
		Advance: CV against submission of layout against contract value of Rs 805085 ADD: CGST@ 9.00% ADD: SGST@ 9.00% Sign 1910.5 ACCURATION 36,228.82 36,228.83	72,457.65
		Payable Total Rs.	475,000.15

Rupees FOUR LAC SEVENTY FIVE THOUSAND AND PAISE FIFTEEN ONLY

For Otis Elevator Company (India) Limited

Authorized Signatory

Terms & Conditions :

1.CASH NOT ACCEPTED

2. Payable on presentation, interest @ 18%p.a. would be levied on delayed payments

3.TDS Certificate under the applicable laws (including but not limited to GST) must be issued as per the timelines prescribed in the respective Acts.

We accept RTGS/NEFT Payments: Our Bank Account details (Please indicate Invoice number as reference for further communication)

Name of account: Otis Elevator Company (India) Limited Branch: Citi Bank N.A., D N Road, Fort, Mumbai -400001

Account No.

0001041037


MICR Code: 400037002

IFSC Code:

CITI0100000

YES BANK Ltd., GROUND FLOOR, AGRAVANSHI PLAZA HUDA LANE, OF AS & Rayee
BEARING NO.1-8-387 SECUNDRABAD 500003
IFS CODE: YESB0000097
Payable At Par At All Branche

Payable At Par At All Branches of YES BANK Ltd.



or Bearer

या धारक को

Otis Elevators Company(India) Ltd.

Ninety Five Thousand Only

**95,000.00

A/c No. खाता क्र.

009799300000330

SAVINGS

BANK

TEJAL SOHAM MODI Please sign above

5005320024 013265# 31

aruna@modiproperties.com

From:

<sohammodi@modiproperties.com>

Date:

22-12-2018 4:31 PM

To:

<aruna@modiproperties.com>

Attach:

181222113640.pdf

Subject:

FW: SOV Site Apt Lift slab details given by otis engineer.

Aruna,

Print

Regards,

Soham Modi

Managing Director | +91 40 6633 5556 | sohammodi@modiproperties.com

Don't just buy a flat / villa! Buy a great lifestyle!

Affordable flats / villas in gated communities.

Modi Properties Pvt. Ltd. | www.modiproperties.com

5-4-187/3 & 4, M G Road, Sec'bad -03 | Ph: +91 40 6633 5551

From: purshotham@modiproperties.com <purshotham@modiproperties.com>

Sent: 22 12 2018 01:00 PM To: sriharsha.pvm@otis.com

Cc: sohammodi@modiproperties.com; prabhakar@modiproperties.com

Subject: SOV Site Apt Lift slab details given by otis engineer.

Dear Harsha,

Please find the attach Scan copy of Lift head Slab work to be taken up at Silver Oak Villas Site.

As per your site visit given details for Lift RCC Head slab we are doing the same.

we are going to cast slab

Please provide us 6 nos Hooks as per requirement given by you for lift erection purpose. Regards,

K Purshotham.

Project Manager | +91 95021 77288 | purshotham@modiproperties.com

Modi Properties Pvt. Ltd. | www.modiproperties.com

5-4-187/3 & 4, M G Road, Secunderabad -03 | Ph: +91 40 6633 5551

Don't just buy a flat or villa! Buy a great lifestyle!

We build affordable flats & villas in gated communities.

5,0NS 4) Hooks to be placed as per OTIS respuirments 24-1-12 Jan 41 (22) dol2-8 Shaft shailable - 1836 x 1738mm (Excluding Hastering) Over Head regulard - 14 pert from Lost landing 81/51/41 210



(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West), Mumbai – 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

Date: 22 December 2018 Neg No: 52NAN197

Dr. Tejal Modi . 5-4- 187/3&4, II Floor, MG Road, HYDERABAD Telangana 500003

Dear Sir,

Sub:. Proposal for (1)No. OTIS Electric Traction Elevator for your Site at Sy. No. 294, Cherlapally HYDERABAD, Telangana, 501301

Our Negotiation No. 52NAN197

As desired, we take pleasure in submitting herewith our Proposal Specifications No. 52NAN197 dt. 22 December 2018 in duplicate and layout for (1)No. OTIS Electric Traction Elevator for your subject building.

In the event you decide to place an order on us, kindly sign on all pages and return both copies of our proposal along with the advance payment cheque, when one copy duly approved by our authorized official will be returned to you for your records.

In case you desire any further information / clarification, please do not hesitate to contact us.

We now look forward to receiving your valued order, which we assure you, will receive best OTIS attention always.

Thanking you,

Yours faithfully,

OTIS ELEVATOR COMPANY (INDIA) LTD.

For OTIS ELEVATOR COMPANY (INDIA) LIMITED

Sri Harsha PVM +91-8828020062

1st Floor (Rart), House No-6-2-30/1&2, SS Central, AC Guards, Lakdikapool,

Hyderabad 500004, Telangana,

India

Telephone Visit us at : (022) 6679 5151 / 2844 9700

is at : www.otis.com





(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West),
Mumbai – 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

Dr. Tejal Modi . 5-4- 187/3&4, II Floor, MG Road, HYDERABAD Telangana 500003 Neg No: 52NAN197 Date: 22 December 2018 MODEL CODE: GeN2-Nova_MRL

Proposal of (1) nos. OTIS Elevators for your Project at HYDERABAD, Telangana

To be furnished and erected in accordance with the following details:

PRODUCT DETAILS : GEN2-Nova_MRL-IMPS CAPACITY (kgs) : 544 Kg, 8 persons. SPEED (mps) : 1 mps RISE (m) : 13 m STOPS : 5 Stops With (all opening on the same side) CONTROLLER TYPE : ACD3-MRL DRIVE POWER SUPPLY : 400/415 Volts (3 Phase AC) OPERATION CAR GROUP : Full collective operation CAR GROUP CAR GROUP : One car (simplex) MACHINE TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH CAR FINISH - Rear Mid Panel = Powder Coated Paint - Desert Sand - Side Mid Panels = Powder Coated Paint - Desert Sand - Side Corner Panels = Powder Coated Paint - Desert Sand - Side C			N8P-5S-SS-MRL, Unit 1- SILVER OAKS
DETAILS : GEN2-Nova_MRL-1MPS CAPACITY (kgs) : 544 Kg, 8 persons. SPEED (mps) : 1 mps RISE (m) : 13 m STOPS : 5 Stops With (all opening on the same side) / CONTROLLER TYPE : ACD3-MRL DRIVE : VF Regenerative (Closed Loop) POWER SUPPLY : 400/415 Volts (3 Phase AC) OPERATION : Full collective operation CAR GROUP : One car (simplex) MACHINE : PM Gearless (Located in shaft on top of guide rails) TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand	PRODUCT	T :	
CAPACITY (kgs) : 544 Kg, 8 persons. SPEED (mps) : 1 mps RISE (m) : 13 m STOPS : 5 Stops With (all opening on the same side) CONTROLLER TYPE : ACD3-MRL DRIVE : VF Regenerative (Closed Loop) POWER SUPPLY : 400/415 Volts (3 Phase AC) OPERATION : Full collective operation CAR GROUP : One car (simplex) MACHINE : PM Gearless (Located in shaft on top of guide rails) TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand • Rear Corner Panels = Powder Coated Paint - Desert Sand • Side Mid Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Front Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Side Corner Panels = Powder Coated Paint - Desert Sand • Front Panels = Powder Coated Paint - Desert Sand • Flust		1:	
SPEED (mps) : 1 mps RISE (m) : 13 m STOPS : 5 Stops With (all opening on the same side) CONTROLLER TYPE : ACD3-MRL DRIVE : VF Regenerative (Closed Loop) POWER SUPPLY : 400/415 Volts (3 Phase AC) OPERATION : Full collective operation CAR GROUP : One car (simplex) MACHINE : PM Gearless (Located in shaft on top of guide rails) TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand Rear Corner Panels = Powder Coated Paint - Desert Sand Rear Corner Panels = Powder Coated Paint - Desert Sand Rear Corner Panels = Powder Coated Paint - Desert Sand Rear Corner Panels = Powder Coated Paint - Desert Sand Rear Corner Panels = Powder Coated Paint - Desert Sand Car Side Mid Panel = Powder Coated Paint - Desert Sand Side Corner Panels = Powder Coated Paint - Desert Sand Car Side Corner Panels = Powder Coated Paint - Desert Sand Car Side Side Corner Panels = Powder Coated Paint - Desert Sand Car Side Corner Panels = Powder Coated Paint - Desert Sand FALSE CEILING TYPE : CD-41 FLASE CEILING FINISH : Cream VENTILLATION : Stainless Steel Mirror Finish Handrails on rear car panels FLOORING : Vinyl Tiles CAR DOOR FINISH : Powder Coated Paint - Desert Sand HAND RAILS : Stainless Steel Mirror Finish Handrails on rear car panels FLOORING : Vinyl Tiles CAR DOOR FINISH : Powder Coated Paint - Desert Sand HOISTWAY DIMENSIONS (W X D X D X D X D X D X D X D X D X D X		1:	
RISE (m) STOPS STO		1	
STOP'S : 5 Stops With (all opening on the same side) CONTROLLER TYPE : ACD3-MRL DRIVE : VF Regenerative (Closed Loop) POWER SUPPLY : 400/415 Volts (3 Phase AC) OPERATION : Full collective operation CAR GROUP : One car (simplex) MACHINE : PM Gearless (Located in shaft on top of guide rails) TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand		:	
CONTROLLER TYPE : ACD3-MRL DRIVE : VF Regenerative (Closed Loop) POWER SUPPLY : 400/415 Volts (3 Phase AC) OPERATION : Full collective operation CAR GROUP : One car (simplex) MACHINE : PM Gearless (Located in shaft on top of guide rails) TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand Rear Corner Panels = Powder Coated Paint - Desert Sand Rear Corner Panels = Powder Coated Paint - Desert Sand Rear Corner Panels = Powder Coated Paint - Desert Sand Side Mid Panels = Powder Coated Paint - Desert Sand Car Side Corner Panels = Powder Coated Paint - Desert Sand Side Corner Panels = Powder Coated Paint - Desert Sand Car Side Corner Panels = Powder Coated Paint - Desert Sand FALSE CEILING TYPE : CD-41 FLASE CEILING TYPE : Cream VENTILLATION : Cross flow fan HAND RAILS : Stainless Steel Mirror Finish Handrails on rear car panels FLOORING : Vinyl Tiles CAR DOOR FINISH : Powder Coated Paint - Desert Sand LANDING DOORS FINISH : Powder Coated Paint - Desert Sand HOISTWAY DIMENSIONS (W x D 4000 HOISTWAY DIMENSIONS (W x D 4000) TAR DIMENSIONS (W x D 5000) TAR DOOR OPENING (W x H - 1000) CAR & HOISTWAY DOOR TYPE : Central opening (CO) doors BOOR OPENING (W x H - 1000) DOOR OPENING (W x H - 1000) DOOR OPERATOR : DC Door Operator		1	5 Stops With (all opening on the same side)
POWER SUPPLY : 400/415 Volts (3 Phase AC) OPERATION : Full collective operation : ACR GROUP : One car (simplex) MACHINE : PM Gearless (Located in shaft on top of guide rails) TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand • Rear Corner Panels = Powder Coated Paint- Desert Sand • Side Mid Panels = Powder Coated Paint- Desert Sand • Side Corner Panels = Powder Coated Paint- Desert Sand • False Celling Type : CD-41 FLASE CEILING FINISH : Cream VENTILLATION : Cross flow fan HAND RAILS FLOORING : Vinyl Tiles CAR DOOR FINISH : Powder Coated Paint- Desert Sand / Fowder Coated Paint- Desert Sand Powder Coated Paint- Desert Sand		1	
POWER SUPPLY : 400/415 Volts (3 Phase AC) OPERATION : Full collective operation : ACR GROUP : One car (simplex) MACHINE : PM Gearless (Located in shaft on top of guide rails) TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand • Rear Corner Panels = Powder Coated Paint- Desert Sand • Side Mid Panels = Powder Coated Paint- Desert Sand • Side Corner Panels = Powder Coated Paint- Desert Sand • False Celling Type : CD-41 FLASE CEILING FINISH : Cream VENTILLATION : Cross flow fan HAND RAILS FLOORING : Vinyl Tiles CAR DOOR FINISH : Powder Coated Paint- Desert Sand / Fowder Coated Paint- Desert Sand Powder Coated Paint- Desert Sand	DRIVE	:	VF Regenerative (Closed Loop)
OPERATION CAR GROUP : One car (simplex) MACHINE : PM Gearless (Located in shaft on top of guide rails) TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand	POWER SUPPLY	1	
MACHINE I: PM Gearless (Located in shaft on top of guide rails) FRACTION MEDIA I: Flat Coated Steel Belt CAR FINISH I: Rear Mid Panel = Powder Coated Paint - Desert Sand IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		:	
MACHINE TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand : Rear Corner Panels = Powder Coated Paint- Desert Sand : Side Mid Panels = Powder Coated Paint- Desert Sand : Side Mid Panels = Powder Coated Paint- Desert Sand : Side Corner Panels = Powder Coated Paint- Desert Sand : Side Corner Panels = Powder Coated Paint- Desert Sand : Front Panels = Powder Coated Paint- Desert Sand : Front Panels = Powder Coated Paint- Desert Sand : Front Panels = Powder Coated Paint- Desert Sand : FLASE CEILING FINISH : Cream VENTILLATION : Cross flow fan HAND RAILS : Stainless Steel Mirror Finish Handrails on rear car panels FLOORING : Vinyl Tiles CAR DOOR FINISH : Powder Coated Paint- Desert Sand LANDING DOORS FINISH : Powder Coated Paint- Desert Sand PIT DEPTH : 1350 OVERHEAD HOISTWAY DIMENSIONS (W x D - mm) CAR DIMENSIONS (W x D x H - mm) CAR DIMENSIONS (W x D x H - mm) CAR B HOISTWAY DOOR TYPE DOOR OPENING (W x H - mm) DOOR OPENING (W x H - mm) DOOR OPENING : DC Door Operator	CAR GROUP	1:	One car (simplex)
TRACTION MEDIA : Flat Coated Steel Belt CAR FINISH : Rear Mid Panel = Powder Coated Paint - Desert Sand	MACHINE	:	
Rear Corner Panels = Powder Coated Paint- Desert Sand Side Mid Panels = Powder Coated Paint- Desert Sand False Celling Type Ceream FLASE Celling Finish Ceream FELORING CAR DOOR FINISH CAR DIMENSIONS (W x D - mm) CAR BIMENSIONS (W x D x H - mm) COR OPENING (W x D - mm) COR OPENING (W x D - mm) COR OPERAIOR CAR DOOR OPERAIOR Rear Corner Panels = Powder Coated Paint- Desert Sand Corner Panels = Powder Coated Paint- Desert Sand Front	TRACTION MEDIA	1	
FALSE CEILING TYPE FLASE CEILING FINISH Cream VENTILLATION CORS flow fan HAND RAILS Stainless Steel Mirror Finish Handrails on rear car panels FLOORING Vinyl Tiles CAR DOOR FINISH POWder Coated Paint- Desert Sand PIT DEPTH VENTINEN POWder Coated Paint- Desert Sand PIT DEPTH VENTINEN POWDER COATED PAINT- VENTINEN VENTINEN VENTINEN VENTINEN VINYL TILES VINYL TILE	CAR FINISH		 Rear Corner Panels = Powder Coated Paint- Desert Sand Side Mid Panels = Powder Coated Paint- Desert Sand Side Corner Panels = Powder Coated Paint- Desert Sand
VENTILLATION : Cross flow fan HAND RAILS : Stainless Steel Mirror Finish Handrails on rear car panels FLOORING : Vinyl Tiles CAR DOOR FINISH : Powder Coated Paint- Desert Sand / LANDING DOORS FINISH : Powder Coated Paint- Desert Sand PIT DEPTH : 1350 OVERHEAD	FALSE CEILING TYPE	:	1
HAND RAILS FLOORING CAR DOOR FINISH LANDING DOORS FINISH PIT DEPTH CAR DIMENSIONS (W x D - mm) CAR DIMENSIONS (W x D x H - mm) CAR & HOISTWAY DOOR TYPE DOOR OPENING (W x H - mm) DOOR OPERATOR Stainless Steel Mirror Finish Handrails on rear car panels Vinyl Tiles Powder Coated Paint- Desert Sand Powder Coated Paint- Desert Sand 1350 Powder Coated Paint- Desert Sand 1350 Floor Coated Paint- Desert Sand Powder Coated Paint- Desert Sand Powder Coated Paint- Desert Sand 1350 Floor Coated Paint- Desert Sand Powder Coated Paint- Desert Sand Powder Coated Paint- Desert Sand 1350 Floor Coated Paint- Desert Sand 1350 1350 1300	FLASE CEILING FINISH	:	Cream
FLOORING CAR DOOR FINISH LANDING DOORS FINISH Powder Coated Paint- Desert Sand PIT DEPTH 1350 OVERHEAD HOISTWAY DIMENSIONS (W x D - mm) CAR DIMENSIONS (W x D x H - mm) CAR & HOISTWAY DOOR TYPE DOOR OPENING (W x H - mm) DOOR OPERATOR : Vinyl Tiles Powder Coated Paint- Desert Sand 1350 1350 1800 mm W x 1600 mm D Required / Available- 1800 mm X 1700 mm 1100 mm W x 1300 mm D x 2200 mm H Central opening (CO) doors 800 mm W x 2000 mm H DOOR OPERATOR DC Door Operator	VENTILLATION	:	Cross flow fan
FLOORING CAR DOOR FINISH : Powder Coated Paint- Desert Sand LANDING DOORS FINISH : Powder Coated Paint- Desert Sand PIT DEPTH : 1350 OVERHEAD HOISTWAY DIMENSIONS (W x D - mm) CAR DIMENSIONS (W x D x H - mm) CAR & HOISTWAY DOOR TYPE DOOR OPENING (W x H - mm) DOOR OPERATOR : Vinyl Tiles Powder Coated Paint- Desert Sand 1350 Powder Coated Paint- Desert Sand 1400 1400 1500 1800 mm W x 1600 mm D Required / Available- 1800 mm X 1700 mm 1800 mm W x 1300 mm D x 2200 mm H Central opening (CO) doors 800 mm W x 2000 mm H DOOR OPERATOR : DC Door Operator	HAND RAILS	:	Stainless Steel Mirror Finish Handrails on rear car panels
LANDING DOORS FINISH : Powder Coated Paint- Desert Sand PIT DEPTH : 1350 OVERHEAD	FLOORING	:	
PIT DEPTH : 1350 OVERHEAD 4000 HOISTWAY DIMENSIONS (W x D - mm) : 1800 mm W x 1600 mm D Required / Available- 1800 mm X 1700 mm CAR DIMENSIONS (W x D x H - mm) : 1100 mm W x 1300 mm D x 2200 mm H CAR & HOISTWAY DOOR TYPE : Central opening (CO) doors DOOR OPENING (W x H - mm) : 800 mm W x 2000 mm H DOOR OPERATOR : DC Door Operator	CAR DOOR FINISH	:	Powder Coated Paint- Desert Sand /
OVERHEAD HOISTWAY DIMENSIONS (W x D - mm) CAR DIMENSIONS (W x D x H - mm) CAR & HOISTWAY DOOR TYPE DOOR OPENING (W x H - mm) DOOR OPERATOR 1800 mm W x 1600 mm D Required / Available- 1800 mm X 1700 mm 1100 mm W x 1300 mm D x 2200 mm H Central opening (CO) doors 800 mm W x 2000 mm H DC Door Operator	LANDING DOORS FINISH	:	
HOISTWAY DIMENSIONS (W x D - mm) CAR DIMENSIONS (W x D x H - mm) CAR & HOISTWAY DOOR TYPE DOOR OPENING (W x H - mm) DOOR OPERATOR : 1800 mm W x 1600 mm D Required / Available- 1800 mm X 1700 mm 1100 mm W x 1300 mm D x 2200 mm H Central opening (CO) doors 800 mm W x 2000 mm H DC Door Operator	PIT DEPTH	:	1350
(W x D - mm) 1800 mm W x 1600 mm D Required / Available- 1800 mm X 1700 mm CAR DIMENSIONS (W x D x H - mm) : 1100 mm W x 1300 mm D x 2200 mm H CAR & HOISTWAY DOOR TYPE : Central opening (CO) doors DOOR OPENING (W x H - mm) : 800 mm W x 2000 mm H DOOR OPERATOR : DC Door Operator	OVERHEAD		4000
X H - mm) CAR & HOISTWAY DOOR TYPE DOOR OPENING (W x H - mm) DOOR OPERATOR T100 mm W x 1300 mm D x 2200 mm H Central opening (CO) doors 800 mm W x 2000 mm H DO Door Operator		:	1800 mm W x 1600 mm D Required / Available- 1800 mm X 1700 mm
TYPE Central opening (CO) doors DOOR OPENING (W x H - : 800 mm W x 2000 mm H DOOR OPERATOR : DC Door Operator	x H - mm)	:	1100 mm W x 1300 mm D x 2200 mm H
mm) 800 mm W x 2000 mm H DOOR OPERATOR : DC Door Operator		:	Central opening (CO) doors
		:	800 mm W x 2000 mm H
		:	DC Door Operator

Telephone
Visit us at

: (022) 6679 5151 / 2844 9700

www.otis.com

PA



Otis Elevator Company (India) Limited (Registered & Head Office) 9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West), Mumbai – 400 064 CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

000		000/
COP	:	COP for stops <= 12 (950mm) in Stainless Steel #4(Hairline)
CAR POSITION	:	Monochrome LCD-Blue Background & White font
INDICATOR		Dot matrix (LED) Scrolling Display
HALL FIXTURES	:	O2000
		Pan Type Fixture ,
HALL FIXTURE FACE PLATE	:	Stainless Steel #4(Hairline)
HALL BUTTON ARRANGEMENT	:	LCD Monochrome type
STANDARD FEATURES	:	Anti-nuisance Car Call Protection
		 Independent Service (for Duplex only)
		Overload Device
		Nudging
		Emergency Firemen's Service
		Emergency Car Light Unit
		Infrared Curtain Door Protection
		Door Time Protection
		Emergency Alarm Button
		Extra Door Time of Lobby & Parking
		Suppose the contract of the co
		Door Open/Close Button
		Manual Rescue Operation
		Belt Inspection Drive
		Auto Fan Cut Off
OPTIONS INCLUDED	:	-NA- (No ARD as per client's requirement)

gompany (In Hyderabad Lakidikas

PA

Telephone

: (022) 6679 5151 / 2844 9700

Visit us at

www.otis.com





(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West),

Mumbai - 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

MAINTENANCE

Our quotation includes charges towards maintenance for **Twelve months**. The period of this maintenance shall commence from the date of completed installation and handing over of the lift. The date of commencement of this service shall I remain firm irrespective of any delay in building completion, availability of permanent power supply, inspection, taking over or commencing use of the elevator.

Maintenance will consist of regular checkups and other necessary adjustment and lubrication of the equipment by trained and competent personnel under our direction and supervision. The required supplies and parts will be provided except such parts as may be necessary due to negligence, misuse or accidents not attributable to the manufacturing deficiencies of the product. Upon your request, special inspections will be carried out should trouble develop between regular inspections and you agree to notify us promptly of any such trouble. All work will be performed during our regular working hours of our regular working days except for emergency and minor adjustment callback service which will be provided during regular working hours and also during any overtime hours. No work or service other than the specifically mentioned is included or intended under the terms and conditions of this contract.

It is agreed that you shall continue to be the exclusive owner of the equipment and thereby the possession or control thereof.

We shall not be liable for any loss, damage, or delay due to any cause beyond our reasonable control including but not limited to acts of government, strikes, fire explosion, theft, floods, riots, civil commotion, war, malicious mischief or act of God. Under no circumstances shall we be liable for consequential damages

Hyderabad &

(D&L)

Telephone Visit us at : (022) 6679 5151 / 2844 9700

us at : www.otis.com





(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West),

Mumbai - 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

PREPARATORY WORK

You Agree at Your Cost:

- 1 TO FURNISH within two weeks (or sooner if required) from the date of acceptance of this proposal, all required data for the performance of this contract.
- 2 TO DESIGN AND FURNISH a properly framed and enclosed legal elevator hoistway /structure which shall withstand the forces and loads resulting from use of the elevator. The hoistway should be lighted and be treated and painted to minimize the accumulation and circulation of dust.
- 3 TO provide an elevator pit of appropriate depth below the lowest landing and, if required, suitable drains and waterproofing.
- 4 TO provide AND INSTALL necessary hoistway, architraves, brick fascias/steel.
- 5 TO ensure all painting except of elevator material.
- TO performal cutting of walls, floors or partitions together with any repairs made necessary thereby, including grouting of all bolts, sills, members indicator and button boxes etc., in position
- 7 TO provide required power at the top floor landing terminating in suitable main switches for power and light circuits with circuit breakers, suitable earthing leads to top floor landing (refer layout) and other electrical protective devices necessary to meet legal code requirements.
- 8 TO providelight outlet point at the middle of the hoistway and a light point in the pit.
- TO arrange, during the erection, electric power of the necessary characteristics to provide illumination and for operation of tools and hoists if required and current for starting, testing and adjusting the elevator.
- 10 TO GUARD AND PROTECT the hoistway.
- 11 TO COMPLETE all work in such time as not to delay our work.
- 12 TO undertake the responsibility in whole or in part to pay and bear pro-rata expense of electric current, or expenses of any nature relating to the rest of the building and other contractor's work (unless provided for herein).
- TO PAY all fees that may be required in connection with the erection or preparation of the structure in which the elevator equipment is to be erected, including any general permit/certificate fees, usually billed by Governmental agency directly to the owner also including license fees for the installation or inspection of the elevator equipment
- TO PROVIDE suitable weatherproof lockup storage accommodation of approximately 50 Sq.M. per elevator with electric lights for elevator materials at the ground floor level near the hoistway. This should be available well before the arrival of the materials.
- 15 TO PROVIDE and maintain adequate safety and security measures as also retain Otis safety infrastructure to prevent any injury to third party or damage, theft or pilferage of material during storage, erection period and until the elevator is handed over.
- To provide hoisting hooks in the ceiling as per the arrangements shown in the equipment layout, that will support the loads indicated. These hooks must be certified for the loads indicated.
- 17 Provide a niche at the top portion of hoistway as indicated in the GA drawing.
- 18 TO PROVIDE acceptable living accommodation (complete with light, running water & sanitary facilities) for our erection crew at or near to site.
- TO INDEMNIFY and save us harmless against all liability arising out of your failure to carry out and comply with any of the foregoing requirements.

100

Telephone Visit us at

Hyderabad

Lakidikapoo

: (022) 6679 5151 / 2844 9700

: www.otis.com





(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West),

Mumbai - 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

CONDITIONS OF CONTRACT

- This Quotations shall remain valid and effective for 30 days from the date of proposal and thereafter shall be subject to 1. change without notice.
- The agreed contract price shall be valid for 52 weeks from the date of your acceptance of this proposal. Should the said 2 period be extended beyond this stipulated time due to (i) non-payment of the agreed amount as per clause 5 below; and / or (ii) due to non-submission of data or approved drawings required for the manufacture of the elevator as per clause 4 below; and / or (iii) delay in completion of the hoistway and machine room, we will submit for your acceptance the revised price prevailing on the date of such quotation and on its acceptance by you, we will programme the supply and installation of the equipment. In the absence of your acceptance of the revised price and payment of any additional advance that may become due, we may at our option, cancel the order with a cancellation charge of 10% of contract value.
- The adjustment in price resulting from tax variation or imposition of fresh taxes (including but not limited to GST) included in this 3. proposal may be claimed by us as soon as the amount thereof is ascertainable and shall be payable on demand.
- You agree to furnish us, within two weeks from the date of this agreement, all required data for the performance of the 4 contract. You agree that the hoistway structure along with preparatory work shall be ready and the proper electric power available in suitable place by the required date, after which we are to have their uninterrupted use for installation and adjustment of the elevator(s). If you cannot provide electric power by the required date and the installation of the equipment has been completed, you shall take over the elevator(s) and make payments as they fall due for payment in accordance with clause 5 below. Any delay due to this shall result in automatically extending the contract completion period accordingly.
- Payment shall be made pro rata basis per elevator as follows: 10% of contract value with your acceptance of this proposal, 50 5. % of contract value before scheduling of materials , 39% On Material at Site and the remaining 10% of contract value on commissioning or within 30 days of Otis's readiness to commission the equipment with the further provision that if we are delayed by any cause beyond our control, the final 10% will be paid to us within 90 days from the date the materials are ready for dispatch, Partial supplies when made shall be payable on pro rata basis as above. Any payment made after the due date shall bear late payment charges from such date at the rate of 1.5% per month or part thereof which you agree and will not be disputed later for justification. We reserve the right to dispose of the equipment or to discontinue our work or to withhold the release of completed elevator(s) at any time until overdue payments, with late payment charges, shall have been made as per the terms and conditions and we have assurance satisfactory to us that subsequent payments will be made as they fall due. We shall resume the work subject to our other manufacturing and / or erection commitments or schedules at that time. Provided that, this will in no way relieve you of your liabilities and obligations under this Contract. Any delay due to this will automatically extend the contract completion period correspondingly. Handing over shall be subject to receipt of final payment & on unit wise basis.
- It is agreed that our workmen shall be given a safe place to work and we reserve the right to discontinue our work in the 6. building whenever, in our opinion, this provision is being violated.
- Unless otherwise agreed, it is understood that the work will be performed during our regular working hours of our regular working days, If overtime work is mutually agreed upon and performed, an additional charge therefore, at our usual rate for such work, shall be added to the contract price.
- Force majeure: Under no circumstances shall either of us be liable for any loss, damage or delay due to any cause beyond 8. your/our reasonable control, including but not limited to lack of shipping space, embargoes, acts of any Government, strikes, lockouts, fire, accident, explosion, flood, riots, civil commotion, war, malicious mischief, delays in supplies of raw materials and components at our Works due to any or all of the reasons, such as energy crisis, electricity cut, rail/road transporter's strike, go slow, bandhs, non-availability of essential raw materials (iron and steel, pig iron, aluminium, copper, silver, brass, stainless steel, various alloys, electrical grade steel, etc.), act of God or of the State's enemies, or act of third party. Delay resulting from any cause beyond your/our reasonable control shall extend the time for completion of the work and the commencement of the free maintenance period. If for any such reasons, we cannot supply the equipment covered by this contract within <u>weeks</u> from the date of your acceptance of this proposal, we may, at our option, cancel the contract without being liable to pay any damages or compensation. Under no circumstances, shall either of us be liable for special, indirect or consequential loss or damages of any kind.
- 9. The title to each elevator shall pass to you when all payments for such elevator are received. We shall retain the right to lien and the right to retake possession of the elevator or any part thereof at your cost in the event of any defaultof the payments, irrespective of the manner of attachment to the realty, the acceptance of notes, extension of time for payment, or any security which we might hold, or the sale, mortgage or lease of the premises. This will be without prejudice to our right to recover the unpaid amounts and interest by any means or process or proceedings whatsoever. We shall be entitled to recover from you legal expenses incurred in collecting payments hereunder.
- This contract shall be deemed to be an indivisible works contract. 10.

Defect_liability period: We hereby guarantee the material supplied and the workmanship of the elevator(s) under this contract 11. for a period of 18 months from the date of initial supply of materials or 12 months from the date of completion of each elevator,

> (022) 6679 5151 / 2844 9700 www.otis.com

Lakidika poo

d

Telephone Visitus at

Hyderabad

PN





(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West),

Mumbai - 400 064

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

whichever is earlier, and we will rectify and make good any defects, not due to ordinary wear and tear, improper use, or lack of care, which may develop during this period. This guarantee (a) does not extend to consequential loss and/or damages and (b) is null and void in case of tampering and/or if maintenance, repairs and modifications are carried out by unauthorised persons.

- 12. We shall not be required to install or alter any equipment requested by Government Authorities at their discretion and not specifically incorporated in the local codes. However, such changes as well as changes in local codes after the date of this proposal if feasible, will be undertaken by us at extra cost.
- 13. If there are any changes, modifications, additions, deletions or extras to the scope of work outlined in this proposal, which are agreed to by us in writing, then, in such event, the contract price and the delivery period will be adjusted accordingly on mutually agreed terms and conditions.
- 14. This contract being an indivisible Works Contract, any packing cases, or left over materials or tools tackles, instruments, etc. brought to site are and shall remain our property. We reserve the right to sub-contract the work as and when we deem fit.
- 15. If any descriptive matter, drawings or illustrations brochures are furnished with our proposal, they are approximate and submitted only to show the general style, arrangement and dimensions of the machinery offered.
- 16. The equipment offered by us has been described in our attached specifications and complete equipment will be supplied and installed as per standard Otis design, manufacture and practice. In case of any variation between your specifications, terms and conditions and our quotation/specifications/correspondence, the latter shall prevail.
- 17. If materials supplied by us, whether installed or not, are required to be reconditioned/replaced at a later date due to delay on account of (i) non availability of power supply or other incomplete work by you, (ii) force majeure conditions, (iii) non payment of dues, the related cost shall be payable by you on demand.
- 18. Presently we have our manufacturing unit in Karnataka. Based on the technical specifications of the said contract and depending on availability and feasibility of transport or material, Otis at its sole discretion will source the material either from its factory and/or any other source anywhere in India and/or from overseas and hence we will not be in a position to furnish the duty payment details in respect of the bought out and imported materials.
- 19 If you cancel the contract and/or commit a breach of contract and or contract remains dormant for <u>24 weeks</u> from signing the contract, we shall be entitled to claim damages and/or compensation, including the costs of the materials and loss of profits/administrative expenses actual or at the rate of 10% of the value of the contract, whichever is higher.
- 20 All disputes, differences and claims whatsoever which shall at any time arise between the parties hereto or their respective representatives concerning this contract and all other documents in pursuance hereof as to the rights, duties, obligations or liabilities of the parties hereto respectively by virtue of this contract Shall be:
 - a) referred to senior managers of both the parties. If the parties fail to arrive at an amicable settlement and resolution of the issues then it.

(T) &2-

- b) Shall be referred to Arbitration in accordance with the provisions of the Arbitration and Conciliation Act 1996 as amended from time to time. Such arbitration proceedings will take place in Bengaluru * only, and shall be subject to jurisdiction of the Courts in Bengaluru.
- 21. The amount /advance paid as per the terms of contract, will be subject to lien and apportionment over the expenses of the contract by OTIS, subject to condition that same has to be informed to the PARTY in writing. The PARTY agrees that the decision of OTIS will be final in this regard and the party agrees that the same will not be challenged on any legal grounds.
- 22 This proposal when accepted by you and approved by our authorized official shall constitute the entire contract between us and all prior proposals, quotations, agreements, understandings, representations and arrangements not incorporated herein are superseded.
- 23. Any change in the terms and conditions of the contract after signing, shall be valid and binding only if the same are in writing and signed by authorized person from Head office of Otis situated in Mumbai.
- 24 It is agreed that he aggregate liability of Otis, whether under law or contract (including for third party claims) shall be limited to 25% of the Contract Value

25. The contract would be deemed to be concluded at Hyderabad*, after allocation of contract number by Otis.

Telephone Visit us at

(022) 6679 5151 / 2844 9700

: www.otis.com



(Registered & Head Office)

9th Floor, Magnus Towers, Mindspace, Link Road, Malad(West),

Mumbai - 400 064

() S

CIN No.: U29150MH1953PLC009158| PAN No: AAACO0481E

26 Delivery and Erection:

Company

Hyderabad

akidika

a) We will complete the installation of the elevator within 26 weeks from the date of receipt of order, advance payment, layout approval and settlement of all technical details whichever is later.

b) The completion period as stated above is subject to your handling over to us for uninterrupted use a clear dry elevator hoistway structure complete in all respects as per approved layout drawing alongwith preparatory work and power supply 2 weeks before the completion date indicated in (a) above.

c) If during the inspection of site, we observe that there is a delay in completion of the hoistway structure or availability of power supply, we may at our option delay the final assembly of materials and shipment to site so as to synchronize with the hoistway and machine room completion date. In such an event, a fresh completion date will be established depending upon minimum installation time indicated in (b) above.

If for reasons not attributable to Otis, workmen have to be moved out of your site, in such cases you will have to pay the additional cost involved in re-deployment of the workforce as & when demanded by Otis.

You shall exclusively be responsible for procuring permits/licenses from Statutory/ Regulatory Authorities, including but not limited to Lift Inspectorate/ PWD Officeand pay all necessary fees for such licenses/ permits and inspection fees. Otis may however at your request provide necessary support towards technical documentation and respond to and clarify technical queries as may be raised by the statutory authorities.

29. Otis India has entered into this Contract with you in good faith and in full reliance upon the representation made by you that you are not named in any of the watchlists issued by the various countries around the world.

In case this representation is found to be incorrect/breached, Otis India shall have the right to immediately cancel the Contract with no further liabilities or obligations on the Contract and be paid for the work performed till such date.

Customer Shall be exclusively liable to pay the Cess under the building & Other construction Workers Welfare Cess Act, 1996 without any deduction from the agreed contract value payable to OTIS.

Telephone Visit us at : (022) 6679 5151 / 2844 9700

is at : www.otis.com



Dr. Tejal Modi .

5-4- 187/3&4, II Floor, MG Road,

HYDERABAD Telangana

500003

TITLE : ___

Neg No: 52NAN197

Date: 22 December 2018

MODEL CODE: GeN2-Nova_MRL

WE PROPOSE to furnish and erect the installation outlined in the foregoing proposal Lift Solution Unit **Price** ₹8,05,085.00 N8P-5S-SS-MRL Unit 1 MODEL CODE: N8P-5S-SS-MRL Total Cost including delivery and installation The price/s quoted herein is/are exclusive of all taxes, as currently applicable, whether levied by the Central Government or the State Government. In the event of any amendment or variation in the rate or methodology for charging the applicable taxes, and/or, should be any new levies (including but not limited to GST) imposed in respect of this contract, the entire burden of any additional levy shall be borne and payable by you on demand at any time, in addition to the price/s stated herein. ₹1,44,915.00 **GST 18%** The price inclusive of GST 18% ₹ 9,50,000.00 In compliance with Section 171 of CGST Act 2017, the contract price has been determined after due consideration of the applicable taxes as on the relevant date (including but not limited to GST) on input side as well as on output side along with the available benefit of input tax credit as per the law GST Registration Number -----/ Unregistered Dealer PAN Number -----/PAN NOT APPLICABLE OTIS ELEVATOR COMPANY (INDIA) LTD., ACCEPTED IN DUPLICATE ON APPROVED FOR OTIS ELEVATOR CO. (I) LTD. AT MUMBAT (MAHARASHTRA), INDIA Lakidika AUTHORISED OFFICIAL

DATE: __



TERMS OF PAYMENT

Advance: CV as Advance with order	10%
Material: CV six weeks prior to supply of materials (before scheduling/Manufact uring)	50%
Advance: CV on Material at Site	30%
Final: CV before Handing Over the elevator	10%

CUSTOMERS SCOPE:

Company

Hyderabad

- 1. Two earth pits are to be provided exclusive for each elevators
- 2. Minor builder works in Customer Scope as per OTIS requirements
- 3. Storage room for material storage @ Site as per OTIS requirements
- 4. Power supply (3-phase & 1-phase) to be provided in the hoistway as per OTIS drawing

782

- 5. Bulkhead lighting to be provided in the hoistway as per OTIS drawings.
- 6. Scaffolding to be provided in the hoistway as per OTIS drawings.
- 7. Hooks/ISM Beams to be placed in Overhead Slab as per OTIS Drawings.

