

PO: 51056



Johnson Lifts Private Limited

Page : 1 of 12

Over fifty years of taking you higher!

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905669

ANNEXURE

Job No : L-L7858


DATE: 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AAACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
BRACKET ASSEMBLY					
1	01-95-01	CWT. GUIDE CLIP	8	NOS	C.Box 12 /1-2
2	210 110 1177	HEXAGON HEAD SCREW M10 X30 MM GRADE. 8.8	8	NOS	C.Box 12 /1-2
3	210 500 1032	HEXAGON NUT M10 GRADE 8	8	NOS	C.Box 12 /1-2
4	240 810 1054	PLAIN WASHER M10 11 ID X30 OD X3.0 MM IS 2016	8	NOS	C.Box 12 /1-2
5	240 820 1014	M10 SPRING WASHER	8	NOS	C.Box 12 /1-2
6	01-90-100-67-02-01	CAR GUIDE CLEAT 2	30	NOS	Case No. 13
7	01-90-E-001	CAR GUIDE CLEAT EXTENSION PLATE 1	15	NOS	Case No. 13
8	02-202-01-000-050-FFF-01-00-00 0150 436 361-C01-BOR	CWT GUIDE BRACKET ASSY. - LH	15	NOS	Loose-Ag0 26
9	02-202-01-000-050-FFF-02-00-00 0150-436-361-C01-BOR	CWT GUIDE BRACKET ASSY. - RH	15	NOS	Loose-Ag0 26
10	210 110 1276	HEXAGON HEAD BOLT M12 X40 MM GRADE 8.8	60	NOS	C.Box 12 /1-2
11	210 500 1033	HEXAGON NUT M12 GRADE 8	60	NOS	C.Box 12 /1-2
12	240 810 1091	PLAIN WASHER M12 -13 IDX30ODX3.0MM	120	NOS	C.Box 12 /1-2
13	240 820 1016	M12 SPRING WASHER	60	NOS	C.Box 12 /1-2
14	01-90-100-67-02-01	CAR GUIDE CLEAT 2	30	NOS	Case No. 13
15	01-90-E-001	CAR GUIDE CLEAT EXTENSION PLATE 1	15	NOS	Case No. 13
16	210 110 1276	HEXAGON HEAD BOLT M12 X40 MM GRADE 8.8	60	NOS	C.Box 12 /1-2
17	210 500 1033	HEXAGON NUT M12 GRADE 8	60	NOS	C.Box 12 /1-2
18	240 810 1091	PLAIN WASHER M12 -13 IDX30ODX3.0MM	120	NOS	C.Box 12 /1-2
19	240 820 1016	M12 SPRING WASHER	60	NOS	C.Box 12 /1-2
20	01-95-02	CAR GUIDE CLIP (FOR T75 AND T90 T-GUIDE) 01-95-02/REV-A	64	NOS	C.Box 12 /1-2
21	210 110 1186	HEXAGON HEAD SCREW M12 X30 MM GRADE 8.8	64	NOS	C.Box 12 /1-2
22	210 500 1033	HEXAGON NUT M12 GRADE 8	64	NOS	C.Box 12 /1-2
23	240 810 1091	PLAIN WASHER M12 -13 IDX30ODX3.0MM	64	NOS	C.Box 12 /1-2
24	240 820 1016	M12 SPRING WASHER	64	NOS	C.Box 12 /1-2
25	01-95-01	CWT. GUIDE CLIP	4	NOS	C.Box 12 /1-2
26	210 110 1177	HEXAGON HEAD SCREW M10 X30 MM GRADE. 8.8	4	NOS	C.Box 12 /1-2
27	210 500 1032	HEXAGON NUT M10 GRADE 8	4	NOS	C.Box 12 /1-2
28	240 810 1054	PLAIN WASHER M10 11 ID X30 OD X3.0 MM IS 2016	4	NOS	C.Box 12 /1-2
29	240 820 1014	M10 SPRING WASHER	4	NOS	C.Box 12 /1-2
30	01-96-01-005	PACKING SHIM 0.50 MM THK (FOR 50 X50 X6 MM T GUIDE) 01-96-01-005 REV#D	30	NOS	C.Box 6 /1-6
31	01-96-01-012	PACKING SHIM 1.20 MM THK (FOR 50 X50 X6 MM T GUIDE) 01-96-01-012 REV#D	30	NOS	C.Box 6 /1-6
32	01-96-06-005	PACKING SHIM FOR CAR RAIL BRACKET REV-C	30	NOS	C.Box 6 /1-6
33	01-96-06-012	PACKING SHIM FOR CAR RAIL BRACKET	30	NOS	C.Box 6 /1-6
34	01-95-01	CWT. GUIDE CLIP	60	NOS	C.Box 12 /1-2
35	01-96-06-005	PACKING SHIM FOR CAR RAIL BRACKET REV-C	10	NOS	C.Box 6 /1-6
36	01-96-06-012	PACKING SHIM FOR CAR RAIL BRACKET	20	NOS	C.Box 6 /1-6
37	210 110 1177	HEXAGON HEAD SCREW M10 X30 MM GRADE. 8.8	60	NOS	C.Box 12 /1-2
38	210 500 1032	HEXAGON NUT M10 GRADE 8	60	NOS	C.Box 12 /1-2





Over fifty years of taking you higher!

Johnson Lifts Private Limited

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

Page : 3 of 12

ANNEXURE

Job No : L-L7858

NO. : TN25131905669

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AAACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
		07-90-25-685-06			
72	13-05-06-30-01-00	C.WT GUIDE SHOE	4	NOS	C.Box 6 /1-6
73	13-10-06-00-C	OIL TANK ASSY WITH FIXING BRACKET USED FOR T GUIDE 50X50X6	2	NOS	C.Box 12 /1-2
74	210 110 1276	HEXAGON HEAD BOLT M12 X 40 MM GRADE 8.8	8	NOS	C.Box 12 /1-2
75	210 110 3002	M6 X 10 FLANGE HEX BOLT	8	NOS	C.Box 12 /1-2
76	240 820 1016	M12 SPRING WASHER	8	NOS	C.Box 12 /1-2
CAR SLING ASSEMBLY					
77	07-98-20-01-555-10-00	EYE BOLT ASSY	4	NOS	C.Box 6 /1-6
78	11-03-01-0010-0-Y-01-FFF-01- 00-0000-0500-1015-0BOR	BARRICADE SUB ASSY-LH	1	NOS	Loose-Ag0 52 /B-CAD
79	11-01-01-0008-02-FFF-0-00-00- 1290-S04-BOR	CROSS HEAD ASSY	1	NOS	Loose-Ag0 47
80	11-03-01-0010-0-Y-01-FFF-02- 00-0000-0500-1015-0BOR	BARRICADE SUB ASSY-RH	1	NOS	Loose-Ag0 52 /B-CAD
81	11-03-01-0010-0-Y-01-FFF-03- 00-1190-0500-0000-0BOR	BARRICADE SUB ASSY-REAR	1	NOS	Loose-Ag0 52 /B-CAD
82	11-04-06-0008-I-LH-00-00-FFF- 00-00-3200-S04-BOR	VERTICAL LH ASSY	1	NOS	Loose-Ag0 49
83	11-04-06-0008-I-RH-00-00-FFF- 00-00-3200-S04-BOR	VERTICAL RH ASSY	1	NOS	Loose-Ag0 49
84	11-08-01-C-1-1170-1135-N-3-LT- 005-FFF-00-0000-BOR	PLATFORM ASSY.	1	NOS	Loose-Ag0 10
85	12-01-03-LM-01-03-00	LEVER PLATE ASSY WITH THIMBLE	1	NOS	C.Box 16
86	12-01-03-LM-01-04-00	LEVER PLATE ASSY WITHOUT THIMBLE	1	NOS	C.Box 16
87	11-09-01-0008-I-2-0-1-N-FFF-00- 00-1290-S04-BOR	SAFETY CHANNEL ASSY	1	NOS	Loose-Ag0 47 /SAFET
88	12-01-03-LM-20-01-00	LIMIT SWITCH FIXING BRACKET ASSY	1	NOS	C.Box 16
89	11-12-01-02-00-FFF-00-3200- R03-WPS	OPERATING ROD ASSY	2	NOS	Pipe 11
90	11-12-01-01-00-FFF-00-0710- 000-WPS	CONNECTING ROD ASSY	1	NOS	Pipe 11
91	11-10-I-FFF-00-00-10-0000-BOR	INST.SAFETY GEAR WITH FABRICATED SHOE & MOUNTING BRACKET ASSY	2	NOS	C.Box 3 /1-3
92	13-00-10-50-05-00	FABRICATED CAR GUIDE SHOE ASSY-TOP	2	NOS	C.Box 3 /1-3
93	11-06-FFF-00-3260-A02-BOR	MLS RAMP ANGLE ASSY	1	NOS	Loose-Ag0 50 /RAMP
94	11-15-01-03-00-0008-0-02-FFF- 00-1650-CR3-BOR	CAR SILL ANGLE ASSY	1	NOS	Loose-Ag0 51
95	07-97-A-02-00	CAR BUFFER SPRING ASSY	1	NOS	Case No. 9
96	08-2-05-00-R-3000	PIT LADDER ASSY FOR REGULAR JOBS 08-2-05- 00-R-3000	1	NOS	Loose-Ag0 63 /PITLAD
97	59-90-60-300-01-00	STEADY CLAMP ASSY WITH FASTNERS	2	NOS	C.Box 6 /1-6
98	13-10-10-00-0	OIL TANK ASSY WITH OUT FIXING BRACKET USED FOR T GUIDE 75X62X10	2	NOS	C.Box 12 /1-2
FASTNERS FOR CAR SLING					
99	210 110 1177	HEXAGON HEAD SCREW M10 X 30 MM GRADE. 8.8	10	NOS	C.Box 12 /1-2
100	210 110 1186	HEXAGON HEAD SCREW M12 X 30 MM GRADE 8.8	20	NOS	C.Box 12 /1-2
101	210 110 1276	HEXAGON HEAD BOLT M12 X 40 MM GRADE 8.8	28	NOS	C.Box 12 /1-2
102	210 500 1032	HEXAGON NUT M10 GRADE 8	10	NOS	C.Box 12 /1-2



Johnson Lifts Private Limited

Page : 5 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

Over fifty years of taking you higher!

NO. : TN25131905669

ANNEXURE

Job No : L-L7858

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
140	28-08-CO-2-05	SILL CLAMPING BOLT	4	NOS	C.Box 12 /1-2
141	210 110 1315	HEXAGON HEAD SCREW M5 X 12 MM GRADE 8.8	4	NOS	C.Box 12 /1-2
142	240 810 1051	M5 PLAIN WASHER	4	NOS	C.Box 12 /1-2
143	240 820 1008	M5 SPRING WASHER	4	NOS	C.Box 12 /1-2
144	27-08-CO-01-10-0	DOOR SLIPPER ASSEMBLY	4	NOS	C.Box 12 /1-2
145	27-08-CO-10-11	EMERGENCY KEY (FOR POD)	2	NOS	C.Box 12 /1-2
146	27-08-CO-0850-795-00-CR15PF	CAR TOE GUARD ASSY	1	NOS	C.Box 46
147	210 190 1240	PHILIPS PAN HEAD SCREW M4 X 6 MM	4	NOS	C.Box 12 /1-2
148	210 500 1032	HEXAGON NUT M10 GRADE 8	4	NOS	C.Box 12 /1-2
149	240 810 1080	M10 PLAIN WASHER	4	NOS	C.Box 12 /1-2
150	240 820 1014	M10 SPRING WASHER	4	NOS	C.Box 12 /1-2
151	27-08-CO-09-03	TOE GUARD FIXING BRACKET	2	NOS	C.Box 6 /1-6
152	28-08-CO-2-05	SILL CLAMPING BOLT	4	NOS	C.Box 12 /1-2
153	28-08-CO-2-07	SQUARE NUT M4	4	NOS	C.Box 12 /1-2
LANDING DOOR ASSEMBLY					
154	27-08-CO-13-L-01-2FR-WF-0-FFF-00-00-2010-00-CS12GR	LANDING FAST DOOR ASSY - LH	6	NOS	C.Box 38 /1-8
155	27-08-CO-16-L-01-2FR-WF-0-FFF-00-00-2010-00-CS12GR	LANDING FAST DOOR ASSY - RH	6	NOS	C.Box 38 /1-8
VALANCE PLATE ASSEMBLY					
156	26-08-CO-03-01-01-FFF-00-00	VALANCE PLATE ASSY - LM2500 (800MM CO WITH FR CABLE) (DIRECT FIXING)	6	NOS	C.Box 35 /1-3
LANDING DOOR ENTRANCE MATERIAL					
157	27-08-CO-09-02	MAIN SILL	6	NOS	C.Box 38 /1-8
158	28-08-CO-01-01-000-000-FFF-00-01-0200-00-CS12GR	HORIZONTAL MEMBER TOP ASSY. WITH NUT HOLDER ASSY	6	NOS	C.Box 38 /1-8
159	28-08-CO-01-01-000-130-FFF-TP-01-0200-HM-GI05NL	TRIM PLATE (HORIZONTAL MEMBER) - JLPL CO	6	NOS	C.Box 38 /1-8
160	28-08-CO-02-01-000-130-FFF-TP-01-0200-BM-GI05NL	TRIM PLATE (FOR BOTTOM MEMBER)	6	NOS	C.Box 38 /1-8
161	28-08-CO-03-01-FEA-130-200-TP-01-1102-TS-GI05NL	TRIM PLATE (TOP) (VERTICAL MEMBER - LH) (FEA & OEA) - JLPL	1	NOS	C.Box 38 /1-8
162	28-08-CO-03-01-FEA-130-FFF-00-01-2204-00-CS12GR	VERTICAL MEMBER ASSY - LH	1	NOS	C.Box 38 /1-8
163	28-08-CO-03-01-STD-130-200-TP-01-1102-BM-GI05NL	TRIM PLATE (BOTTOM) (VERTICAL MEMBER - LH) - JLPL	6	NOS	C.Box 38 /1-8
164	28-08-CO-03-01-STD-130-200-TP-01-1102-TS-GI05NL	TRIM PLATE (TOP) (VERTICAL MEMBER - LH) - JLPL	5	NOS	C.Box 38 /1-8
165	28-08-CO-03-01-STD-130-FFF-00-01-2204-00-CS12GR	VERTICAL MEMBER ASSY - LH	5	NOS	C.Box 38 /1-8
166	28-08-CO-04-01-DPI-130-200-TP-01-1102-BM-GI05NL	TRIM PLATE (BOTTOM) (VERTICAL MEMBER - RH) - JLPL	6	NOS	C.Box 38 /1-8
167	28-08-CO-04-01-DPI-130-FFF-00-01-2204-00-CS12GR	VERTICAL MEMBER ASSY - RH	6	NOS	C.Box 38 /1-8
168	28-08-CO-04-01-STD-130-200-TP-01-1102-TS-GI05NL	TRIM PLATE (TOP) (VERTICAL MEMBER - RH) - JLPL	6	NOS	C.Box 38 /1-8
169	28-08-CO-08-01-01-00-FFF-00-01-00-00-GI10NL	LANDING TOE GUARD	6	NOS	C.Box 38 /1-8
170	28-08-CO-2-00-WOFB-F	BOTTOM MEMBER ASSY. WITHOUT FIXING	6	NOS	C.Box 39



Over fifty years of taking you higher!

Johnson Lifts Private Limited

Page : 7 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905669

ANNEXURE

Job No : L-L7858

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
206	40-3-03-06-1-02-0760-0198-0065-CR12ZY-00	CAR PUSH BOX ASSY	1	NOS	C.Box 32 /1-5
207	48-02-3-00-09-1-1-1-00-01-016-00	CAR TOP JUNCTION BOX ASSY.	1	NOS	C.Box 5
208	48-05-1-1-1-01-00	MAINTENANCE BOX ASSY	1	NOS	C.Box 5
209	48-07-00-1-1-0-00	PIT SWITCH ASSY WITH HARNESS WIRING	2	NOS	C.Box 5
210	48-08-0-0-0-01-00	AC ALARM/CAR BOTTOM LIGHT BOX.	1	NOS	C.Box 5
211	48-0-PTSW-00-00	IP65 PIT SWITCH ASSY.	1	NOS	C.Box 5
212	48-1-12020075-03-00	LANDING JUNCTION BOX ASSY FOR HARNESS WIRING	6	NOS	C.Box 5
COVER ASSEMBLY					
213	210 170 1790	CSK HEAD ALLEN SCREW M4 X 30 MM STAINLESS STEEL IS 6761	20	NOS	C.Box 10
214	40-1-1-P06-09-02-09-06-2-1-1-011-003-0780-0180-0000-0-SS20N4-00	MAIN CAR OPERATING PANEL ASSY	1	NOS	C.Box 10
215	45-01-2-1-09-01-09-DN-2-2-1-SS20N4-00	D&PI CUM DN PUSH BUTTON COVER ASSY	1	NOS	C.Box 10
216	45-01-2-1-09-01-09-UD-2-2-1-SS20N4-00	D&PI CUM UP&DN PUSH BUTTON COVER ASSY (TYPE 1)	4	NOS	C.Box 10
217	45-01-2-1-09-01-09-UP-2-2-1-SS20N4-00	D&PI CUM UP PUSH BUTTON COVER ASSY	1	NOS	C.Box 10
218	45-05-01-0-SS20N4-00	FIRE MAN SWITCH (FMS) COVER ASSY	1	NOS	C.Box 10
219	HW-09-0-02-0-0-3-116-1.5-00	CABLE HARNESS WIRING - RS232 9 PIN FEMALE D CONNECTOR 1.5 MTR	1	NOS	C.Box 10
220	210 150 1044	CHEASE HEAD SCREW M4 X 20 MM IS 1366	2	NOS	C.Box 10
221	210 500 1028	HEXAGON NUT M4 GRADE 8	2	NOS	C.Box 10
222	240 810 1051	M5 PLAIN WASHER	2	NOS	C.Box 10
223	290 300 1009	MAGNET - MODEL Y 30 - SIZE 40 X 25 X 6 MM	34	NOS	C.Box 10
224	400 225 1017	RECTANGLE BISTABLE MAGNETIC SENSOR SCHMERSAL MAKE BN325-R TYPE 250V/120VA/3A	3	NOS	C.Box 10
225	60-90-02	RAMP FIXING SIDE BRACKET60-90-02	2	NOS	C.Box 10
226	67-03-MRLS-GR-01-00	MAGNETIC REED SWITCH LEVELLING SENSOR ASSY FOR GR PROCESSOR	1	NOS	C.Box 10
227	67-04-350-01-00	MAGNETIC REED SWITCH MOUNTING BRACKET ASSY (SUITABLE FOR INST.SAFETY) VERTICAL GAP 130&150MM	2	NOS	C.Box 10
CAR BODY ASSEMBLY					
228	51-10-06-0408-0SPBP000-00-00-00-FFF-01-00-0100-1170-0022-SS12HL	SKIRTING PANEL REAR SIDE	1	NOS	C.Box 32 /1-5
229	51-10-06-0408-0SPLH000-00-00-00-FFF-01-00-0100-1012-0022-SS12HL	SKIRTING PANEL LEFT HAND SIDE	1	NOS	C.Box 32 /1-5
230	51-10-06-0408-0SPRH000-00-00-00-FFF-01-00-0100-1012-0022-SS12HL	SKIRTING PANEL RIGHT HAND SIDE	1	NOS	C.Box 32 /1-5
231	51-10-06-0408-LPC00P00-00-00-00-FFF-01-00-0300-0800-0100-CS12GR	LINTEL PANEL ASSY	1	NOS	C.Box 32 /1-5



Over fifty years of taking you higher!

Johnson Lifts Private Limited

Page : 9 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905669

ANNEXURE

Job No : L-L7858

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AAACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
252	70-90-ST-M76-00-20-00	BED PLATE WITHOUT MOUNTING RUBBER PADS SUITABLE FOR TORIN 6P & MONTANARI 6P/8P M/C	1	NOS	Loose-Ag2 17 /MOUN
253	70-90-ST-M76-00-20-19	RUBBER PAD FOR MONTANARI WINDING UNIT BED PLATE	4	NOS	C.Box 6 /1-6
254	600 100 1060	GEARED M/C IGD05-41P0-10MM-408 KG,6 P-0.6 / 1.00 MPS ,4KW MOTOR,1360 RPM,47HZ,+MINERAL OIL+FLYWHEEL	1	NOS	Loose-Wu 62 /CASE-
CONTROLLER ASSEMBLY					
255	210 110 1186	HEXAGON HEAD SCREW M12 X 30 MM GRADE 8.8	8	NOS	C.Box 12 /1-2
256	210 200 1341	ROUND HEAD SCREW M6 X 25 MM G.I.	18	NOS	C.Box 12 /1-2
257	210 220 1118	SELF TAP SCREW PAN HEAD NO.12 X 13 MM	84	NOS	C.Box 12 /1-2
258	210 350 1074	GRIP EXPANSION BOLT WITH NUT -M12 X 150 MM - SINGLE WEDGE TYPE	8	NOS	C.Box 12 /1-2
259	210 500 1033	HEXAGON NUT M12 GRADE 8	8	NOS	C.Box 12 /1-2
260	210 510 1015	SQUARE NUT M6 MS IS-2585	36	NOS	C.Box 12 /1-2
261	240 810 1062	PLAIN WASHER M6 6 ID X 25 OD X 1MM G.I.	36	NOS	C.Box 12 /1-2
262	240 810 1091	PLAIN WASHER M12 -13 IDX30ODX3.0MM	8	NOS	C.Box 12 /1-2
263	240 820 1010	SPRING WASHER M 6 IS 6375	18	NOS	C.Box 12 /1-2
264	240 820 1016	M12 SPRING WASHER	8	NOS	C.Box 12 /1-2
265	80-99-1-01-ST-00	STOOL FOR SMALL CONTROLLER	1	NOS	Loose-Ag2 18
266	80-99-4-01-ST-00	STOOL FOR JOHNSON ARD	1	NOS	Loose-Ag2 18
267	99-TBC-LC-01-01-00-10GI	TRUNKING BOX BOTTOM COVER WITH LENGTH COVER	6	NOS	Loose-Ag2 61
268	99-TBC-LC-01-02-00-10GI	TRUNKING BOX TOP COVER WITH LENGTH COVER	6	NOS	Loose-Ag2 61
269	80-01-1-1-3-01-05.4-04-01-01-3- 09-1-1-2-1-009-000-00	MACHINE ROOM CONTROLLER ASSY	1	NOS	Crate No. 31
270	430 100 1047	3 PHASE ARD JOHNSON (C) 1.0 KVA 48V (4 X 12V) DC-BOX TYPE W (470) X H(470) X D(235)	1	NOS	C.Box 25
271	80-99-4-03-00	BATTERY BOX ASSEMBLY 80-99-4-03-00	1	NOS	C.Box 24
O.S.G ASSEMBLY					
272	85-10-066-03-01-30-01-01-00-00	OSG ASSY. (0.66MPS/WITHOUT LIMIT SWITCH/MACHINE ROOM/OSG WHEEL DIA 300MM)	1	NOS	C.Box 4
273	85-16-00-00	OSG GUARD ASSY	1	NOS	C.Box 4
274	85-30-01-01-01-30-01-01-00-00	OSG TENSION WEIGHT ASSY./300 DIA/HORIZONTAL / INST.SAFETY/JLPL/LH	1	NOS	C.Box 7
MISCELLANEOUS					
275	99-080-10	COPPER EARTH BAR 99-080-10	1	NOS	C.Box 12 /1-2
276	210 110 3003	FLANGE SCREW M6 X 20 SERRATED WHITE FINISH -TRIVALENT	10	NOS	C.Box 12 /1-2
277	210 500 2001	M6 FLANGE NUT	10	NOS	C.Box 12 /1-2
278	400 701 1021	CABLE SOCKET 10 Sq.mm	20	NOS	C.Box 12 /1-2
279	210 110 1405	HEXAGON HEAD SCREW M6 X 30 MM GRADE 8.8	10	NOS	C.Box 12 /1-2
280	210 500 1035	HEXAGON NUT M6 GRADE 8	10	NOS	C.Box 12 /1-2
281	240 810 1061	PLAIN WASHER M6 6.6 ID X 16 OD X 1.6 MM IS 2016	10	NOS	C.Box 12 /1-2
FILLER WEIGHT					
282	07-99-685-15-M	FILLER WEIGHT 15 KG. M. O	16	NOS	Loose-Ag2 64



Johnson Lifts Private Limited

Page : 11 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905669

ANNEXURE

Job No : L-L7858

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
323	400 400 2058	EMERGENCY LIGHT LAMP BOARD LED TYPE (HIGH BRIGHT 15NOS LED) - ESBE	1	NOS	C.Box 40 /1-4
324	400 520 1638	CONNECTOR STRIP P.V.C. 5A 6 WAY	5	NOS	C.Box 40 /1-4
325	420 100 1003	SCREEN SENSOR WECO917B, 220V AC, 212 BEAMS	1	NOS	Pipe 42 /TST
326	020 000 0846	STICKERS - OVER LOAD	1	NOS	C.Box 40 /1-4
327	400 400 1661	OVER LOAD ANNOUNCIATOR (F 1701)	1	NOS	C.Box 40 /1-4
328	400 400 2058	EMERGENCY LIGHT LAMP BOARD LED TYPE (HIGH BRIGHT 15NOS LED) - ESBE	1	NOS	C.Box 40 /1-4
ERECTION ASSEMBLY					
329	020 000 0002	ROPE CLIP 6MM	6	NOS	C.Box 40 /1-4
330	020 000 0179	EARTH WIRE 8 GAUGE G I	2	NOS	C.Box 40 /1-4
331	020 000 0249	BOLT M6 X 25MM (CSK) F.T.M.S	20	NOS	C.Box 40 /1-4
332	020 000 0326	COTTON TAPE 19MM (3/4") 10 MTRS. LENGTH.	1	NOS	C.Box 40 /1-4
333	020 000 0385	CLAMP 19MM GI	56	NOS	C.Box 40 /1-4
334	020 000 0416	Armoured Cable 4Core x4 sq.mm 1.1KV Grade, PVC Type A, ST1, Copper & Armour as per IS&IS 1554.	12	NOS	C.Box 40 /1-4
335	020 000 2095	PVC CABLE HANGER WEDGE TYPE YELLOW COLOUR(RAINI)	4	NOS	C.Box 40 /1-4
336	020 000 2096	CABLE GUIDE WEDGE - YELLOW COLOUR (RAINI)	4	NOS	C.Box 40 /1-4
337	020 000 0514	CABLE GLAND 16MM - HMI MAKE	2	NOS	C.Box 40 /1-4
338	020 000 0517	CABLE GLAND 22MM - HMI MAKE	6	NOS	C.Box 40 /1-4
339	020 000 0528	CABLE TIE 200MM. COLOUR: WHITE.	100	NOS	C.Box 40 /1-4
340	020 000 0601	CABLE GLAND COPPER EARTH CLIP 16MM	2	NOS	C.Box 40 /1-4
341	020 000 0603	CABLE GLAND COPPER EARTH CLIP 25MM	6	NOS	C.Box 40 /1-4
342	020 000 0622	CABLE CLAMP 10 WAY (MATERIAL: NYLON 6)	28	NOS	C.Box 40 /1-4
343	020 000 0635	PVC HANGER FIXING PLATE (Thickness 3.15mm, Weight 600grms.)	2	NOS	C.Box 40 /1-4
344	020 000 0670	SPRING WASHER M6	16	NOS	C.Box 40 /1-4
345	020 000 0857	INSULATION TAPE (STEELGRIP 3/4" 9 MTRS. LENGTH)	1	NOS	C.Box 40 /1-4
346	020 000 1336	PLATE WASHER 1/2"	42	NOS	C.Box 40 /1-4
347	020 000 1408	PVC PIPE 19MM	2	NOS	Pipe 41 /ERE
348	020 000 1409	PVC PIPE 25MM	1	NOS	Pipe 41 /ERE
349	020 000 1501	ROPE CLIP 10MM	32	NOS	C.Box 40 /1-4
350	020 000 1574	PVC BEND 19MM	5	NOS	C.Box 40 /1-4
351	020 000 1577	CAR BOTTOM LAMP SWITCH 5A (ANCHOR MAKE)	1	NOS	C.Box 40 /1-4
352	020 000 1604	PVC BEND 25MM	4	NOS	C.Box 40 /1-4
353	020 000 1676	EARTH LINK 15 WAY	1	NOS	C.Box 40 /1-4
354	020 000 1891	ROPE 10 MM STEEL WIRE ROPE 10 MM BA 8 X 19 S RHO 1370 / 1770 NEWTON AS PER ISO 4344	105	NOS	C.Box 40 /1-4
355	020 000 2085	CAR BOTTOM LAMP HOLDER	1	NOS	C.Box 40 /1-4
356	110 700 1039	ROPE 6MM STEEL WIRE ROPE (6X19 CONSTN, 1420N/MM.SQ (ORIENT)	50	NOS	C.Box 40 /1-4
357	210 003 1010	APOLOMEA F6 - 6MM STANDARD NYLON PLUG	338	NOS	C.Box 40 /1-4
358	210 003 1025	FISCHER MAKE WEDGE ANCHORS - FWA 12 / 150	74	NOS	C.Box 40 /1-4
359	210 003 1040	12X130 ANCHOR ROD WITH NUT & WASHER	28	NOS	C.Box 40 /1-4

PO: 51056



Johnson Lifts Private Limited

Page : 1 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905659

ANNEXURE

Job No : L-L7857


DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AAACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
BRACKET ASSEMBLY					
1	01-95-01	CWT. GUIDE CLIP	8	NOS	C.Box 12 /1-2
2	210 110 1177	HEXAGON HEAD SCREW M10 X 30 MM GRADE. 8.8	8	NOS	C.Box 12 /1-2
3	210 500 1032	HEXAGON NUT M10 GRADE 8	8	NOS	C.Box 12 /1-2
4	240 810 1054	PLAIN WASHER M10 11 ID X 30 OD X 3.0 MM IS 2016	8	NOS	C.Box 12 /1-2
5	240 820 1014	M10 SPRING WASHER	8	NOS	C.Box 12 /1-2
6	01-90-100-67-02-01	CAR GUIDE CLEAT 2	30	NOS	Case No. 13
7	01-90-E-001	CAR GUIDE CLEAT EXTENSION PLATE 1	15	NOS	Case No. 13
8	02-202-01-000-050-FFF-01-00-00-0150-436-361-C01-BOR	CWT GUIDE BRACKET ASSY. - LH	15	NOS	Loose-Ag0 26
9	02-202-01-000-050-FFF-02-00-00-0150-436-361-C01-BOR	CWT GUIDE BRACKET ASSY. - RH	15	NOS	Loose-Ag0 26
10	210 110 1276	HEXAGON HEAD BOLT M12 X 40 MM GRADE 8.8	60	NOS	C.Box 12 /1-2
11	210 500 1033	HEXAGON NUT M12 GRADE 8	60	NOS	C.Box 12 /1-2
12	240 810 1091	PLAIN WASHER M12 -13 ID X 30 OD X 3.0MM	120	NOS	C.Box 12 /1-2
13	240 820 1016	M12 SPRING WASHER	60	NOS	C.Box 12 /1-2
14	01-90-100-67-02-01	CAR GUIDE CLEAT 2	30	NOS	Case No. 13
15	01-90-E-001	CAR GUIDE CLEAT EXTENSION PLATE 1	15	NOS	Case No. 13
16	210 110 1276	HEXAGON HEAD BOLT M12 X 40 MM GRADE 8.8	60	NOS	C.Box 12 /1-2
17	210 500 1033	HEXAGON NUT M12 GRADE 8	60	NOS	C.Box 12 /1-2
18	240 810 1091	PLAIN WASHER M12 -13 ID X 30 OD X 3.0MM	120	NOS	C.Box 12 /1-2
19	240 820 1016	M12 SPRING WASHER	60	NOS	C.Box 12 /1-2
20	01-95-02	CAR GUIDE CLIP (FOR T75 AND T90 T-GUIDE) 01-95-02/REV-A	64	NOS	C.Box 12 /1-2
21	210 110 1186	HEXAGON HEAD SCREW M12 X 30 MM GRADE 8.8	64	NOS	C.Box 12 /1-2
22	210 500 1033	HEXAGON NUT M12 GRADE 8	64	NOS	C.Box 12 /1-2
23	240 810 1091	PLAIN WASHER M12 -13 ID X 30 OD X 3.0MM	64	NOS	C.Box 12 /1-2
24	240 820 1016	M12 SPRING WASHER	64	NOS	C.Box 12 /1-2
25	01-95-01	CWT. GUIDE CLIP	4	NOS	C.Box 12 /1-2
26	210 110 1177	HEXAGON HEAD SCREW M10 X 30 MM GRADE. 8.8	4	NOS	C.Box 12 /1-2
27	210 500 1032	HEXAGON NUT M10 GRADE 8	4	NOS	C.Box 12 /1-2
28	240 810 1054	PLAIN WASHER M10 11 ID X 30 OD X 3.0 MM IS 2016	4	NOS	C.Box 12 /1-2
29	240 820 1014	M10 SPRING WASHER	4	NOS	C.Box 12 /1-2
30	01-96-01-005	PACKING SHIM 0.50 MM THK (FOR 50 X 50 X 6 MM T GUIDE) 01-96-01-005 REV#D	30	NOS	C.Box 6 /1-6
31	01-96-01-012	PACKING SHIM 1.20 MM THK (FOR 50 X 50 X 6 MM T GUIDE) 01-96-01-012 REV#D	30	NOS	C.Box 6 /1-6
32	01-96-06-005	PACKING SHIM FOR CAR RAIL BRACKET REV-C	30	NOS	C.Box 6 /1-6
33	01-96-06-012	PACKING SHIM FOR CAR RAIL BRACKET	30	NOS	C.Box 6 /1-6
34	01-95-01	CWT. GUIDE CLIP	60	NOS	C.Box 12 /1-2
35	01-96-06-005	PACKING SHIM FOR CAR RAIL BRACKET REV-C	10	NOS	C.Box 6 /1-6
36	01-96-06-012	PACKING SHIM FOR CAR RAIL BRACKET	20	NOS	C.Box 6 /1-6
37	210 110 1177	HEXAGON HEAD SCREW M10 X 30 MM GRADE. 8.8	60	NOS	C.Box 12 /1-2
38	210 500 1032	HEXAGON NUT M10 GRADE 8	60	NOS	C.Box 12 /1-2



INWARD

Inward No: 24051 Dt: 29/01/20

MRN No: 76591 Dt:

Received By: Sign: [Signature]

Vishu Homes



Johnson Lifts Private Limited

Page : 2 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905659

ANNEXURE

Job No : L-L7857

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
39	240 810 1054	PLAIN WASHER M10 11 ID X 30 OD X 3.0 MM IS 2016	60	NOS	C.Box 12 /1-2
40	240 820 1014	M10 SPRING WASHER	60	NOS	C.Box 12 /1-2
GUIDE ASSEMBLY					
41	13-49-00-01	OIL COLLECTOR, MATERIAL - PPCP FR	4	NOS	C.Box 18
42	13-49-00-02	OIL COLLECTOR BOTTOM PLATE	4	NOS	C.Box 6 /1-6
43	03-02-756210-5000	GUIDE RAIL 5 MTR	8	NOS	Loose-Ag0 1
44	03-02-0756210-3050-01-11-TOP-0	CAR GUIDE RAIL RH - TOP	1	NOS	Loose-Ag0 1
45	03-02-0756210-3050-01-11-TOP-0	CAR GUIDE RAIL LH - TOP	1	NOS	Loose-Ag0 1
46	03-03-756210-10	FISH PLATE	8	NOS	C.Box 6 /1-6
47	210 110 1276	HEXAGON HEAD BOLT M12 X 40 MM GRADE 8.8	64	NOS	C.Box 12 /1-2
48	210 500 1033	HEXAGON NUT M12 GRADE 8	64	NOS	C.Box 12 /1-2
49	240 820 1016	M12 SPRING WASHER	64	NOS	C.Box 12 /1-2
50	03-02-505006-5000	GUIDE RAIL 5 MTR	8	NOS	Loose-Ag0 1
51	03-02-0505006-3050-01-11-TOP-0	CWT GUIDE RAIL RH - TOP	1	NOS	Loose-Ag0 1
52	03-02-0505006-3050-01-11-TOP-0	CWT GUIDE RAIL LH - TOP	1	NOS	Loose-Ag0 1
53	03-03-505006	FISH PLATE	8	NOS	C.Box 6 /1-6
54	210 110 1177	HEXAGON HEAD SCREW M10 X 30 MM GRADE 8.8	64	NOS	C.Box 12 /1-2
55	210 500 1032	HEXAGON NUT M10 GRADE 8	64	NOS	C.Box 12 /1-2
56	240 820 1014	M10 SPRING WASHER	64	NOS	C.Box 12 /1-2
57	03-90-075-SB11-01-1370-ST0-00-C01-000	CAR GUIDE BASE ASSEMBLY	1	NOS	Loose-Ag0 46 /BASE
58	03-91-050-SB11-01-0847-ST0-00-C01-000	CWT GUIDE BASE ASSEMBLY	1	NOS	Loose-Ag0 46 /BASE
59	03-90-000-04-03	SHIM FOR GUIDE BASE - 3 MM THICK	10	NOS	C.Box 6 /1-6
60	03-90-000-04-03	SHIM FOR GUIDE BASE - 3 MM THICK	10	NOS	C.Box 6 /1-6
DIVERTOR WHEEL ASSEMBLY					
61	05-01-400B2-10-04-16-02-50-01-270-00	DIVERTOR WHEEL WITH SHAFT ASSY	1	NOS	C.Box 34
62	05-SH-99-50-00-007	SPACER FOR DIVERTOR WHEEL - DIA 50MM SHAFT	4	NOS	C.Box 12 /1-2
63	05-U12-50-102	U-CLAMP 12MM WITH 2 NOS HT LOCK NUT & 2NOS NUT.	2	NOS	C.Box 12 /1-2
COUNTER WEIGHT SLING ASSEMBLY					
64	07-98-20-02-555-10-00	EYE BOLT WITH SPRING ASSY.	4	NOS	C.Box 6 /1-6
65	92-90-16-10-04-1-00	ROPE GATHERING CLIP FOR ROPE 4 NOS,DIA 10MM PITCH 16MM-STRAIGHT TYPE	1	NOS	C.Box 6 /1-6
66	92-90-16-10-04-2-00	ROPE GATHERING CLIP FOR ROPE 4 NOS,DIA 10MM PITCH 16MM-ZIG ZAG TYPE	1	NOS	C.Box 6 /1-6
67	07-30-00-4R-2800	C.WT SLING 685 FRAME ASSY-4R-2800MM L	1	NOS	Loose-Cws 2
68	07-90-21-18000-01-00	C.WT GUARD FIXING BRACKET ASSY	4	NOS	C.Box 6 /1-6
69	07-97-A-02-00	CWT BUFFER SPRING ASSY	1	NOS	Case No. 9
70	07-20-20-51-01-9-00	FILLER WEIGHT BRACKET ASSY	2	NOS	C.Box 6 /1-6
71	07-90-25-685-06	C.WT GUARD FIXING FRAME -STD 685 MM WIDTH	1	NOS	C.Box 46



Johnson Lifts Private Limited

Page : 4 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Over fifty years of taking you higher!

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905659

ANNEXURE

Job No : L-L7857

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A No.: AACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
103	210 500 1033	HEXAGON NUT M12 GRADE 8	48	NOS	C.Box 12 /1-2
104	240 810 1054	PLAIN WASHER M10 11 ID X 30 OD X 3.0 MM IS 2016	10	NOS	C.Box 12 /1-2
105	240 810 1090	M12 PLAIN WASHER	20	NOS	C.Box 12 /1-2
106	240 810 1091	PLAIN WASHER M12 -13 IDX30ODX3.0MM	28	NOS	C.Box 12 /1-2
107	240 820 1014	M10 SPRING WASHER	10	NOS	C.Box 12 /1-2
108	240 820 1016	M12 SPRING WASHER	48	NOS	C.Box 12 /1-2
109	210 110 1276	HEXAGON HEAD BOLT M12 X 40 MM GRADE 8.8	30	NOS	C.Box 12 /1-2
110	210 110 3007	HEXAGON HEAD SCREW M8 X 50 MM GRADE 8.8	8	NOS	C.Box 12 /1-2
111	210 500 1033	HEXAGON NUT M12 GRADE 8	30	NOS	C.Box 12 /1-2
112	210 500 1036	HEXAGON NUT M8 GRADE 8	8	NOS	C.Box 12 /1-2
113	240 810 1071	PLAIN WASHER M8 9.0 ID X 28.0 OD X 4.0 MM	8	NOS	C.Box 12 /1-2
114	240 810 1091	PLAIN WASHER M12 -13 IDX30ODX3.0MM	30	NOS	C.Box 12 /1-2
115	240 820 1012	M8 SPRING WASHER	8	NOS	C.Box 12 /1-2
116	240 820 1016	M12 SPRING WASHER	30	NOS	C.Box 12 /1-2
CAR DRIVE UNIT ASSEMBLY					
117	25-00-00-00-03-02-10-11-FFF-00-0	DOOR DRIVE VWF ASSY WITH HARNESS FR CABLE	1	NOS	C.Box 8
118	25-08-CO-02-03-02-01-FFF-00-00	CAR DOOR DRIVE UNIT ASSY - LM900 (800MM CO WITH FR WIRE)	1	NOS	C.Box 8
119	25-08-CO-11-03-01-00-BD	CAR TOP SWITCH MOUNTING BRACKET ASSY FOR CO JLPMDRIVE UNIT WITH FR CABLE	1	NOS	C.Box 8
120	210 110 1177	HEXAGON HEAD SCREW M10 X 30 MM GRADE. 8.8	4	NOS	C.Box 8
121	210 110 1190	M10 X 25 MUSHROOM HEAD SQUARE NECK BOLT WITH NUT WITH WHITE PASSIVATION	6	NOS	C.Box 8
122	210 110 3100	M8 X 20 FLANGE SCREW 8.8 GRADE	8	NOS	C.Box 8
123	210 500 1032	HEXAGON NUT M10 GRADE 8	6	NOS	C.Box 8
124	210 500 1036	HEXAGON NUT M8 GRADE 8	8	NOS	C.Box 8
125	240 810 1080	M10 PLAIN WASHER	2	NOS	C.Box 8
126	240 810 1082	PLAIN WASHER M10 11 ID X 30 OD X 4.0 MM IS 2016	8	NOS	C.Box 8
127	240 820 1012	M8 SPRING WASHER	8	NOS	C.Box 8
128	240 820 1014	M10 SPRING WASHER	10	NOS	C.Box 8
129	25-08-CO-11-01-01-BD	DRIVE UNIT FIXING BOTTOM BRACKET	2	NOS	C.Box 8
130	25-08-CO-11-01-02-BD	DRIVE UNIT FIXING BRACKET	2	NOS	C.Box 8
CAR DOOR ASSEMBLY					
131	27-08-CO-13-C-02-000-03-F-FFF-00-00-2010-00-CS12GR	CAR FAST DOOR ASSY - LH	2	NOS	C.Box 36
CAR DOOR ENTRANCE MATERIALS					
132	210 500 1036	HEXAGON NUT M8 GRADE 8	4	NOS	C.Box 12 /1-2
133	240 810 1072	PLAIN WASHER M8 9.0 ID X 40.0 OD X 2.5 MM	4	NOS	C.Box 12 /1-2
134	240 820 1012	M8 SPRING WASHER	4	NOS	C.Box 12 /1-2
135	59-99-MP-02-00	M8 X 40 C- SECTION BOLT	4	NOS	C.Box 12 /1-2
136	210 500 1032	HEXAGON NUT M10 GRADE 8	4	NOS	C.Box 12 /1-2
137	240 810 1080	M10 PLAIN WASHER	4	NOS	C.Box 12 /1-2
138	240 820 1014	M10 SPRING WASHER	4	NOS	C.Box 12 /1-2
139	27-08-CO-09-02	MAIN SILL	1	NOS	C.Box 38 /1-8



Over fifty years of taking you higher!

Johnson Lifts Private Limited

Page : 6 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905659

ANNEXURE

Job No : L-L7857

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
171	28-08-CO-2-04	BRACKET AUXILLARY SILL	6	NOS	C.Box 38 /1-8
LANDING DOOR MATERIAL					
172	210 110 1313	HEXAGON FLANGE HEAD SCREW M6 X 12 MM	72	NOS	C.Box 15
173	210 170 1042	CSK HEAD SCREW M5 X 15 MM IS 1365	18	NOS	C.Box 15
174	210 190 1240	PHILIPS PAN HEAD SCREW M4 X 6 MM	24	NOS	C.Box 15
175	210 500 1029	HEXAGON NUT M5 GRADE 8	18	NOS	C.Box 15
176	210 500 2001	M6 FLANGE NUT	72	NOS	C.Box 15
177	240 810 1051	M5 PLAIN WASHER	18	NOS	C.Box 15
178	240 820 1008	M5 SPRING WASHER	18	NOS	C.Box 15
179	28-08-CO-2-07	SQUARE NUT M4	24	NOS	C.Box 15
180	210 350 1073	GRIP EXPANSION BOLT WITH NUT -M10 X 100 MM SINGLE WEDGE TYPE	12	NOS	C.Box 15
181	210 500 1032	HEXAGON NUT M10 GRADE 8	12	NOS	C.Box 15
182	240 810 1054	PLAIN WASHER M10 11 ID X 30 OD X 3.0 MM IS 2016	12	NOS	C.Box 15
183	240 820 1014	M10 SPRING WASHER	12	NOS	C.Box 15
184	28-08-CO-1-10-M	ENTRANCE HORIZONTAL SUPPORT BRACKET 28- 08-CO-1-10 L (FOR LANDING IIORI. MEMBER FIXING - WALL TO SILL EDGE 30MM)	12	NOS	C.Box 15
185	28-08-CO-2-05	SILL CLAMPING BOLT	12	NOS	C.Box 15
186	210 110 1313	HEXAGON FLANGE HEAD SCREW M6 X 12 MM	24	NOS	C.Box 15
187	210 500 2001	M6 FLANGE NUT	24	NOS	C.Box 15
188	28-08-CO-1-12-0	ENTRANCE VERTICAL SUPPORT BRACKET	24	NOS	C.Box 15
189	210 110 1315	HEXAGON HEAD SCREW M5 X 12 MM GRADE 8.8	24	NOS	C.Box 15
190	240 810 1051	M5 PLAIN WASHER	24	NOS	C.Box 15
191	240 820 1008	M5 SPRING WASHER	24	NOS	C.Box 15
192	27-08-CO-01-10-0	DOOR SLIPPER ASSEMBLY	24	NOS	C.Box 15
193	27-08-CO-11-00	DELOCKING ADAPTOR ASSEMBLY WITH RH KEY DIRECTION WASHER	6	NOS	C.Box 15
194	210 500 1032	HEXAGON NUT M10 GRADE 8	18	NOS	C.Box 15
195	240 810 1054	PLAIN WASHER M10 11 ID X 30 OD X 3.0 MM IS 2016	18	NOS	C.Box 15
196	240 820 1014	M10 SPRING WASHER	18	NOS	C.Box 15
197	28-08-CO-2-05	SILL CLAMPING BOLT	18	NOS	C.Box 15
198	210 110 1174	HEXAGON HEAD SCREW M8 X 25 MM GRADE 8.8	18	NOS	C.Box 15
199	210 350 1074	GRIP EXPANSION BOLT WITH NUT -M12 X 150 MM - SINGLE WEDGE TYPE	36	NOS	C.Box 15
200	210 500 1036	HEXAGON NUT M8 GRADE 8	36	NOS	C.Box 15
201	240 810 1070	PLAIN WASHER M8 9 ID X 17 OD X 1.6 MM	36	NOS	C.Box 15
202	240 810 1071	PLAIN WASHER M8 9.0 ID X 28.0 OD X 4.0 MM	36	NOS	C.Box 15
203	240 820 1012	M8 SPRING WASHER	36	NOS	C.Box 15
204	28-08-CO-2-10-01-0-090	ADJUSTABLE SILL SUPPORTING ANGLE FIXED BRACKET ASSY.(WALL TO SILL EDGE 30MM TO 65MM) 28-08-CO-2-10-01-0-090	18	NOS	C.Box 6/1-6
205	28-08-CO-2-10-02-0-090	ADJUSTABLE SILL SUPPORTING ANGLE MOVING BRACKET ASSY.(WALL TO SILL EDGE 30MM TO 65MM) 28-08-CO-2-10-02-0-090	18	NOS	C.Box 6/1-6

PUSH BOX ASSEMBLY



Johnson Lifts Private Limited

Page : 8 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Over fifty years of taking you higher!

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905659

ANNEXURE

Job No : L-L7857

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AAACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
232	51-10-06-0408-RPLH0000-20-00-00-FFF-01-00-2300-0185-0100-CS12GR	CAR BODY RETURN PANEL ASSY - LH	1	NOS	C.Box 32 /1-5
233	51-10-06-0408-RPRH0000-20-00-00-FFF-01-00-2300-0185-0100-CS12GR	CAR BODY RETURN PANEL ASSY - RH	1	NOS	C.Box 32 /1-5
234	51-20-06-0408-FF-2100-SP1-0000-RF01-S0-1-0-FFF-00-00-1150-1050-0000-CR20BW	CAR TOP MAIN ASSY.	1	NOS	C.Box 33
235	59-10-06-0408-FF1-1504-RFR1-S0-FFF-00-00-1020-0920-0070-CSCS-1212-GRGR	FALSE CEILING MAIN ASSY.	1	NOS	C.Box 33
236	59-60-01-01-02-FFF-00-00-0800-0000-0000-1000-SSST	SS ROUND HANDRAIL ASSY.	1	NOS	Pipe 11
237	59-90-50-FDA-01-2	FAN DIFFUSER CIRCULAR TYPE-MUNSHELL GREY	1	NOS	Loose 41
238	51-10-06-0408-SC000000-00-11-00-FFF-01-00-2200-0250-0032-CS12GR	CAR BODY SIDE PANEL ASSY - RSF	1	NOS	C.Box 32 /1-5
239	51-10-06-0408-SH000000-00-00-00-FFF-01-00-2200-0500-0035-CS12GR	CAR BODY SIDE PANEL ASSY - RC1	1	NOS	C.Box 32 /1-5
240	51-10-06-0408-SC000000-00-00-00-FFF-01-00-2200-0250-0032-CS12GR	CAR BODY SIDE PANEL ASSY - RSR	1	NOS	C.Box 32 /1-5
241	51-10-06-0408-RL0HL000-00-00-00-FFF-01-00-2200-0335-0032-CS12GR	CAR BODY SIDE PANEL ASSY - BLH	1	NOS	C.Box 32 /1-5
242	51-10-06-0408-SH000000-00-00-00-FFF-01-00-2200-0500-0035-CS12GR	CAR BODY SIDE PANEL ASSY - BC1	1	NOS	C.Box 32 /1-5
243	51-10-06-0408-RR0HR000-00-00-00-FFF-01-00-2200-0335-0032-CS12GR	CAR BODY SIDE PANEL ASSY - BRH	1	NOS	C.Box 32 /1-5
244	51-10-06-0408-SC000000-00-00-00-FFF-01-00-2200-0250-0032-CS12GR	CAR BODY SIDE PANEL ASSY - LSR	1	NOS	C.Box 32 /1-5
245	51-10-06-0408-SH000000-00-00-00-FFF-01-00-2200-0500-0035-CS12GR	CAR BODY SIDE PANEL ASSY - LC1	1	NOS	C.Box 32 /1-5
246	51-10-06-0408-SC000000-00-00-00-FFF-01-00-2200-0250-0032-CS12GR	CAR BODY SIDE PANEL ASSY - LSF	1	NOS	C.Box 32 /1-5
FASTNERS FOR CAR BODY					
247	210 110 3129	HEXAGON HEAD SCREW FLANGE TYPE M6 X 15 MM	203	NOS	C.Box 12 /1-2
248	210 500 2001	M6 FLANGE NUT	203	NOS	C.Box 12 /1-2
SWITCH ASSEMBLY					
249	90-50-00-00	MAIN LIMIT SWITCH ASSY NC TYPE	8	NOS	C.Box 3 /1-3
250	90-50-08	M.L.S MOUNTING BRACKET 90-50-08	8	NOS	C.Box 3 /1-3
251	90-50-08-00-T8	MLS BRACKET ASSEMBLY	8	NOS	C.Box 3 /1-3
WINDING UNIT ASSEMBLY					



Johnson Lifts Private Limited

Page : 10 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Over fifty years of taking you higher !

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905659

ANNEXURE

Job No : L-L7857

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
283	07-99-685-18	FILLER WEIGHT C I - 18 KGS	2	NOS	Loose-Ag2 64
284	07-99-685-27	FILLER WEIGHT 27 KGS	14	NOS	Loose-Ag2 64
TESTING ASSEMBLY					
285	020 000 0224	HACKSAW BLADE (VAJRACUT - 12" X 1/2" X 24 TPI)	1	NOS	C.Box 40 /1-4
286	020 000 0252	BOLT M6 X 25 MM MS HEX HEAD BOLT F.T	20	NOS	C.Box 40 /1-4
287	020 000 0528	CABLE TIE 200MM. COLOUR: WHITE.	100	NOS	C.Box 40 /1-4
288	020 000 0606	PVC FLEXIBLE HOSE 19 MM	1	NOS	C.Box 40 /1-4
289	020 000 0706	ARD ANNOUNCIATOR 12V TELUGU+ENGLISH H1701B	1	NOS	C.Box 40 /1-4
290	020 000 0752	STICKERS - LIFT MAIN	1	NOS	C.Box 40 /1-4
291	020 000 0806	EMERY SHEET (BLACK - FINE J297)	1	NOS	C.Box 40 /1-4
292	020 000 0840	STICKERS - SWITCH OFF POWER BEFORE HAND CRANKING	1	NOS	C.Box 40 /1-4
293	020 000 0857	INSULATION TAPE (STEELGRIP 3/4" 9 MTRS. LENGTH)	1	NOS	C.Box 40 /1-4
294	020 000 0986	PAINT BRUSH 1"	1	NOS	C.Box 40 /1-4
295	020 000 1200	NUT 6 MM M.S. HEX	20	NOS	C.Box 40 /1-4
296	020 000 1339	PVC SLEEVE 8 MM EPI BRAND	3	NOS	C.Box 40 /1-4
297	020 000 1346	PLATE WASHER 1/4"	40	NOS	C.Box 40 /1-4
298	020 000 1552	SIREN 12V DC (REVERSE HORN)	1	NOS	C.Box 40 /1-4
299	020 000 1554	PAINT BRUSH 2"	2	NOS	C.Box 40 /1-4
300	020 000 1653	EMERGENCY LIGHT CHARGER CUM TIMER	1	NOS	C.Box 40 /1-4
301	020 000 1655	CABLE 1PAIR+1CORE OF 1SQ.MM(32/0.2) CU. ELECTROLYTIC,PVC ST1, A GRADE,1.1KV,IS694/90 WITH PVC DIVIDER	10	NOS	C.Box 40 /1-4
302	020 000 1832	STICKERS-P.V.C DANGER PLATE	1	NOS	C.Box 40 /1-4
303	020 000 1833	STICKERS-RESCUE WHEEL	1	NOS	C.Box 40 /1-4
304	020 000 1834	STICKERS-RESCUE ZONE	1	NOS	C.Box 40 /1-4
305	020 000 1837	STICKERS-BREAK LEVEL	1	NOS	C.Box 40 /1-4
306	020 000 2083	OVER LOAD DEVICE WECO-LW-2 /10 MM	1	NOS	C.Box 40 /1-4
307	210 003 1010	APOLOMEA F6 - 6MM STANDARD NYLON PLUG	8	NOS	C.Box 40 /1-4
308	210 003 1032	APOLOMEA POZI DRIVE SCREW 4 X 40 MM BLUE PASSIVATED WITH FULL THREAD	8	NOS	C.Box 40 /1-4
309	325 300 1004	BANIYAN WASTE	1	NOS	C.Box 40 /1-4
310	360 300 1155	RESCUE PROCEDURE FOR CENTER OPENING	1	NOS	C.Box 40 /1-4
311	360 300 2148	RESCUE PROCEDURE FOR GEARED TORIN IGD05 MACHINE (WITH WHEEL)	1	NOS	C.Box 40 /1-4
312	360 400 1290	STICKER SHAFT LIGHT	1	NOS	C.Box 40 /1-4
313	360 400 1308	FLOOR NUMBER STICKER (0 - 3)	1	NOS	C.Box 40 /1-4
314	360 400 1309	FLOOR NUMBER STICKER 4	1	NOS	C.Box 40 /1-4
315	360 400 1310	FLOOR NUMBER STICKER 5	1	NOS	C.Box 40 /1-4
316	360 500 1336	STICKER DN UP	1	NOS	C.Box 40 /1-4
317	360 500 1337	LIFT NO	2	NOS	C.Box 40 /1-4
318	360 500 1338	FLOOR LEVEL	1	NOS	C.Box 40 /1-4
319	360 500 1340	M/C ROOM LIGHT	1	NOS	C.Box 40 /1-4
320	360 500 1341	LIFT LIGHT	1	NOS	C.Box 40 /1-4
321	400 150 1217	PVC SLEEVE 10 MM EPI BRAND	2	NOS	C.Box 40 /1-4
322	400 400 1661	OVER LOAD ANNOUNCIATOR (F 1701)	1	NOS	C.Box 40 /1-4



Johnson Lifts Private Limited

Page : 12 of 12

208, ARAKKONAM ROAD,, SENGADU,, SRIPERUMBUDUR TALUK,, KANCHEEPURAM DISTRICT- 602002

Phone : 91-44-27658701-05 Fax Grams: "LIFTS"

NO. : TN25131905659

ANNEXURE

Job No : L-L7857

DATE : 30/01/2020

GSTN NO : 33AAACJ0838Q1ZD

Income Tax P.A. No.: AAACJ 0838Q

Please receive the undermentioned goods in good condition.

S.No	Part No	Description	Qty	UOM	PKG
360	210 003 1032	(POLYMAK) APOLOMEAPOZI DRIVE SCREW 4 X 40 MM BLUE PASSIVATED WITH FULL THREAD	338	NOS	C.Box 40 /1-4
361	210 170 1867	MQLK-STB UNIVERSAL NYLON PLUG 10 X 80 MM WITH COLLAR AND HEXAGON SCREW,T40,COLLAR	62	NOS	C.Box 40 /1-4
362	020 000 1346	PLATE WASHER 1/4"	156	NOS	C.Box 40 /1-4
363	240 810 1187	PLATE WASHER M9 X 40 X 2.5MM	52	NOS	C.Box 40 /1-4
364	325 300 1004	BANIYAN WASTE	1	NOS	C.Box 40 /1-4
365	400 170 1117	ARMOURED COPPER CABLE 2CORE X 1.5 SQ.MM 1.1KV GRADE, PVC TYPE A, ST1, AS PER IS&IS 1554.	7	NOS	C.Box 40 /1-4
366	020 000 2028	12" CABIN FAN REGULAR BLACK GUARD AND SILVER COLOUR BLADE (REMI)	1	NOS	C.Box 40 /1-4
367	400 503 1464	LED CEILING LIGHT,COOL WHITE, PRIME PLUS 5W,240V 50HZ,375 LM 6500K,929001951760,PHILIPS	4	NOS	C.Box 40 /1-4
368	93-00-02-0F-CF	CABLE FIXING BRACKET-MS (Thickness 3.15mm, Weight 600 grms.)	2	NOS	C.Box 40 /1-4

Our risk and responsibility ceases when goods leave our factory. No claim will be entertained after goods have taken delivery by customers.

For Johnson Lifts Private Limited

Receiver's Signature

Authorised Signatory

Regd Office : No.1, East Main Road, Anna Nagar West Extn, Channai - 600 101

Head Office & Regd. Office 1, East Main Road, Anna Nagar Western Extension, Chennai 600101
Phone 044 26152200 Email info@johnsonlifts.com Website www.johnsonlifts.com



LIFT No. L-L7860 CIN No.: U27209TN1981PTC008718

T&C/08/QR/03

VISTA HOMES
SOHAM MANSION,
2ND FLOOR, 5-4-187/3 & 4,
M G ROAD,
-
SECUNDERABAD
PIN: 500003

Our Quotation Ref No. JL/56/TG01/00609/E/A00

Dear Sir/Madam,

Sub : Supply, Erection, Testing and Commissioning of above mentioned Johnson Lifts
Installed at :

SY.NO:193,
KAPRA

KUSHAIGUDA
HYDERABAD
500062

HANDING OVER CERTIFICATE

This day (13 / 03 / 2020) we have handed over to you in good working condition the Johnson Electrical Lift installed at the above premises after carrying out and completing all works enumerated in our quotation.

We have also handed over to you the Emergency Door Open Key and the Controller Key for the above Lift. Please sign and return to us the duplicate copy of this handing over letter at the earliest duly signed in token of having taken over the installation.

Also please be informed damages caused to the lift due to misuse/ water entry / leakage / seepage is not covered under the warranty.

Kindly note the warranty period for the above lift will be effective from

26/03/2020 to 25/03/2021

Lift taken over by :

Signature with Seal.

Handed Over By:
Johnson Lifts Private Limited

(Operation Head)

For Service, Maintenance and breakdowns please contact : 040-23078881, 23078882, 23078883

ONLY FOR OFFICE USE

BRANCH OFFICE		HEAD OFFICE	
ROUTE CODE	:	FSM ENTERED ON	:
SM NO	:	FSM ENTERED BY	:
SIGN BY S&M DEPT	:	CHECKED BY	:
		RECEIVED ON	:
		VERIFIED BY	:
		VERIFIED ON	Johnson Lifts Pvt Ltd

Hyderabad Office Plot No. B - 31, TIE Balanagar, Balanagar, Hyderabad - 500037
Phone 23073881 / 82 / 83 Email hyderabad@johnsonlifts.com

CUSTOMER GENERAL INFORMATION LETTER

LIFT NO: L-L7860
M/S . VISTA HOMES

SOHAM MANSION

5-4-187/3/4,

2N FLOOR,, M.G.ROAD,

SECUNDERABAD

PIN: 500003

SUB: Safety Operational Instructions of Johnson Elevator for Job no: L-L7860

Dear Sir,

We would like to inform you that we have completed the installation, testing & Commissioning work of the lift at your premises. **M/S. VISTA HOMES** Job No: L-L7860 trouble free usage of lift.

1. In case the lift is used for building material shifting and labor is using the lift for transport,

- Lift cabins to be properly protected to avoid scratches and damages of the lift cabin & doors
- Proper security/lift operator to be assigned during usage of lift(s)

Any material damage is found due to missuse of labor and material shifting, will be replaced on chargeable basis only. JLPL will not be responsible for any scratches in the lift panels which may occur in future, even if the lift was kept ideal without usage.

2. Landing sills, car sills and all lift entrances needs to be cleaned periodically to avoid accumulation of dust and other materials which may lead to malfunctioning of lift doors and other lift equipments.

3. Power supply


- 3 phase supply to be maintained between 380 volts to 415 volts and the power supply to be permanent
- Earth to neutral voltage should be less than 4 volts and greater than zero voltage at the time of lift running and ideal conditions.


Above said Improper earthing and power supply may lead to equipment failure and the same will not be covered under warranty

4. Should not use any acidic cleaning agents to clean the panels. Usage of improper agents may lead to corrosion of the lift panels and will mark a permanent stain in the lift panels. Please contact our service team to take up with cleaning processes.

5. The panel protective wrappers to be removed at the time of handing over and cleaned for gums. The gums may cause stain in the panels and may lead to rusting of panels irrespective of panel make - SS or painted. JLPL will not be responsible for any gum cleaning and rust in panels in future due to not removal of wrappers as per your request. JLPL will be cleaning the panels only on cost basis if both rust and stain happens because of not removing the wrappers at the time of handing over of the lifts.

Thanking you,
Yours faithfully,


**For Johnson Lifts Private Limited,
Authorized Signatory**


Customer Signature:

Customer Name:

Customer Phone No.:

Received Date:

Panel Protective wrappers – general instruction letter

LIFT NO: L-L7860

M/S . VISTA HOMES

SOHAM MANSION

5-4-187/3/4,

2N FLOOR,

M.G.ROAD,

SECUNDERABAD

PIN: 500003

Sub: Removal of panel protective wrappers. job no : L-L7860

Dear sir,

We have fixed the car body, landing doors, car doors & frames for the above lift at your site and safety sticker are intact. In this regards we are in need to remove panel protective wrappers before handing over.

If the panel protective wrappers are not removed immediately then the quality of panels & the final finish will not be up to the mark. Wrappers gum in the protective wrappers may leave stain marks in the panel if we try to remove the same in latter stage.


Also the wrappers will get addhered to the pannels due to heat in the environment and it will become impossible to remove the wrappers. In this case for removing the addhered wrappers additional process is involved to remove the wrappers which can be done on cheargeable basis.

In addition, After handing over of the lift for your usage, JLPL will not be responcible for any scratches or dents in any of the lift panels.

Thanking you & assuring you of our best services at all times.

Yours sincerely,

for Johnson lifts Pvt., Ltd



Accepted by.....

Sign & Seal

Authorized signatory

ARD Maintenance and General instructions

LIFT NO: L-L7860

M/S . VISTA HOMES

SOHAM MANSION

5-4-187/3/4,

2N FLOOR,

M.G.ROAD,

SECUNDERABAD

PIN: 500003

Subject : ARD Maintenance and General instructions.

Dear sir,

We would like to inform you that the above lift is installed with ARD (Automatic Rescue Device) unit. If the 3 Phase power supply goes OFF, this ARD unit will operate the lift to nearest floor with the help of battery incorporated in the system. In this regard we have to maintain these Batteries fully charged condition.

Here we advice/suggestion to keep lift main power supply always ON condition. Please don't switch OFF the lifts main supply which is the direct source for battery charging. If the main is switched OFF, the batteries charging voltage will be discharged and will lead to failure of Batteries. If the batteries fails ARD will not operate. The defected batteries should be replaced on chargeable basis.

This is for your kind information and Keep the lift Power supply always in ON condition to avoid battery discharge.



Thanks & Regards.

Customer signature

Date M/2/20

JLPL service center Information letter

LIFT NO: L-L7860

M/S . VISTA HOMES

SOHAM MANSION

5-4-187/3/4,

2N FLOOR,

M.G.ROAD,

SECUNDERABAD

PIN: 500003

Subject : JLPL service center informations

Dear sir,

We have handed over the lift JOB NO. L-L7860 in a good working condition on 13/03/2020

Please note our service center numbers below

Phone number

- 040 23078881
- 040 20378882
- 04023078883
- 9600069695
- 9600068592


Customer calls will be attended by our service center from 9AM to 9PM on all days including sundays and national holidays.


Please inform the below details to our service center at the time of your call for effective and quick services.

- | | |
|---------------------------------|----------------------------|
| • Lift Number | : L-L7860 |
| • Name and location of building | : Vista homes , Kustaiguda |
| • Contact person name | : Mr. Madhu |
| • Contact person mobile number | : 950221499 |

Thanking you and assuring you our best services.

Regards


Testing Engineer


Customer Signature

LOAD TEST & RESCUE PROCEDURE

LIFT NO: L-L7860

M/S . VISTA HOMES

SOHAM MANSION

5-4-187/3/4,

2N FLOOR,

M.G.ROAD,

SECUNDERABAD

PIN: 500003

We have completed testing work and we have explained the emergency operation to

the following persons at your site.

Emergency Operation explained to,


<u>Name</u>	<u>Signature</u>
1. mr - madhu	Madhu
2.	
3.	

Load test checked along with the following persons,

<u>Name</u>	<u>Signature</u>
1. mr - madhu	Madhu
2.	
3.	

Thanking you

For **JOHNSON LIFTS PVT.LTD.**



TEMPORARY POWER SUPPLY

LIFT NO: L-L7860

M/S . VISTA HOMES

SOHAM MANSION

5-4-187/3/4,

2N FLOOR,

M.G.ROAD,

SECUNDERABAD

PIN: 500003

Dear Sir,

We would like to inform you that we have completed our testing and commissioning work for your lift help of temporary power supply. During the Testing & commissioning period lift electrical & electronic components may get failure due to voltage fluctuation from the temporary power. Hence we request you to kindly provide the permanent power supply to avoid the material failure. If the components are get failed due to temporary power supply our company will not be responsible for the same and it will be replaced on chargeable basis only.

This is for your kind information,

For Johnson Lifts Private Limited,

Authorized Signature.



Customer Signature:

Naik

Customer Name:

Customer Phone No:

Received Date:

Johnson Lifts Private Limited

Head Office : No. 1, East Main Road, Anna Nagar Western Extension, Chennai - 600 101.

Phone : 26152200 (6 Lines)
Grams : "LIFTS"
Fax : 91-44-26151614
E-mail : info@johnsonliftsltd.com
Website : www.johnsonliftsltd.com

You are now the owner of _____ "JOHNSON" Lift/s. We are listing below some of the "Do"s and DON'Ts for using the Lift efficiently and to avoid frequent breakdowns and consequent inconveniences. Before informing us about the break-down, please check the following.

- a) Check for Power Supply -
If not power supply, please call Electricity Board.
- b) Check if all three phase Power Supply are available :
If not, Please call Electricity Board.
- c) Check the incoming main fuses -
If they are blown out, Please rewire it or call Electricity Board.
- d) Check whether all the landing gates and lift gates are closed properly
If not, close it.
- e) Please check whether all the three phases are in sequence
If not, call Electricity Board.
- f) Please check whether the MPCB is in "ON" Position -
If not, switch it on.
- g) Please check if any phase linking is there
If so, call Electricity Board.
- h) If your Lift is not running even after all the above check Ups, Please get in touch with our service Department on Phone No. 26152003, 26152004, 26152005, 26152006.

DO's and DON'Ts

1. Please keep your Machine Room under lock and key.
2. Please identify "JOHNSON LIFTS" Service Personnel before allowing them to attend to your lift.
3. Please do not allow unidentified persons to attend or check your lift.
4. Please put the lift lights "ON" Permanently.
5. Do not load the Lift beyond the rated load.
6. Do not put your hands through the gates when the Lift is on the landing or away from it.
7. Do not put your hands through the gates when the Lift is on the landing or away from it.
8. Do not allow water to enter into the lift well and to the machine room.
9. Do not touch the Lift parts without switching off the Power Supply.
10. Do not tamper with any of the Controller Circuits.

For relieving the Passengers trapped inside the Lift, the following steps may be observed :

- 1) If the Lift has stopped in between floors, Normally a large portion would be visible from one of the landings. Select that landing for carrying out rescue operations.
- 2) Insert the Door Open Key in the provision provided above the Push Box, Push the Door Open Key and Open the door lock. The door will open freely without any obstruction. If any obstruction is observed, reinsert the key a little deeper till the lock releases and gate open freely.
- 3) Help the Passengers to come out of the Lift. See that he does not slip into the Lift Shaft. If any stool is provided for stepping on, please hold it firmly so as to prevent it from slipping into Lift Shaft.

"CAUTION"

The Rescue Operation should only be carried out by responsible members. Please do not allow children to carry out the rescue operations.

If you are trapped in a Lift, please do not panic. Nothing will happen. Please press the **ALARM BELL** or should for help. Do not press any of the buttons unnecessarily while the rescue operation is on. If you have any difficulty in operation, or you require any guidance regarding the proper usage of the Lift please feel free to contact us at the above address so that we may be in a position to depute our personnel with a prior appointment to explain the various procedures.

You are entitled for periodical Free Service of the Lift both preventive and Corrective maintenance for a period of One Year. Our personnel will be coming periodically to carry out the maintenance of your Lift. After expiry of One Year Guarantee period, we offer Two types of Services.

1) Comprehensive Servicing and Maintenance Plan.

2) Routine Servicing and Maintenance Plan.

However, we will be getting in touch with you in this regard before the expiry of the warranty period.

GENERAL INFORMATION REGARDING TESTING COMPLETED SITE STATUS

JOB NO.: LL8765

DATE: 13/03/2020

NAME OF THE SITE: Vista homes.

SL.NO.	DESCRIPTION	YES	NO
1.	LIFT MACHINE ROOM WITH LOCKABLE ARRANGEMENT	✓	
2.	LIFT MACHINE ROOM LIGHTING ARRANGEMENT	✓	
3.	LIFT SHAFT LIGHTING / MAIN ARRANGEMENT	✓	
4.	IF THERE IS ANY POSSIBILITY OF WATER ENTRY INTO THE LIFT MACHINE ROOM / PIT		✓
5.	IF THERE IS ANY POSSIBILITY OF WATER ENTRY INTO THE LIFT SHAFT THROUGH THE LANDING FLOORS		✓
6.	LIFT ENTRANCE FLOORING COMPLETION	✓	
7.	LIFT ENTRANCE WALL TILES FIXING COMPLETION	✓	
8.	LIFT MACHINE ROOM STEPS OR LADDER PROVISION	✓	
9.	LIFT MACHINE ROOM VENTILATOR ARRANGEMENTS	✓	
10.	SEPARATE SINGLE PHASE MAIN FOR CAR LIGHTING.	✓	
11.	CORRECT RATING OF SINGLE PHASE MAIN SWITCH	✓	
12.	SEPARATE 3 PHASE MAIN FOR LIFT CONTROLLER	✓	
13.	CORRECT RATING OF 3 PHASE MAIN SWITCH	✓	
14.	8 SWG COPPER EARTHING - 2 NOS.	✓	
15.	MACHINE ROOM WHITE WASH	✓	
16.	TRAP DOOR ARRANGEMENTS		✓

SIGNATURE OF
TECHNICIANSIGNATURE OF
SITE AUTHORITY

TESTING ENGINEER



Head Office & Regd. Office 1, East Main Road, Anna Nagar Western Extension, Chennai 600101
Phone 044 26152200 Email info@johnsonliftsLtd.com Website www.johnsonliftsLtd.com

CIN No.: U27209TN1981PTC008718



Over fifty years of taking you higher!

LIFT No. L-L7859

T&C/08/QR/03

VISTA HOMES
SOHAM MANSION,
2ND FLOOR, 5-4-187/3 & 4,
M G ROAD,
SECUNDERABAD
PIN: 500003

Our Quotation Ref No. JL/56/TG01/00609/E/A00

Dear Sir/Madam,

Sub : Supply, Erection, Testing and Commissioning of above mentioned Johnson Lifts
Installed at :

SY.NO:193,
KAPRA

KUSHAIGUDA
HYDERABAD
500062

HANDING OVER CERTIFICATE

This day (26 / 02 / 2020) we have handed over to you in good working condition the Johnson Electrical Lift installed at the above premises after carrying out and completing all works enumerated in our quotation.

We have also handed over to you the Emergency Door Open Key and the Controller Key for the above Lift. Please sign and return to us the duplicate copy of this handing over letter at the earliest duly signed in token of having taken over the installation.


Also please be informed damages caused to the lift due to misuse/ water entry / leakage / seepage is not covered under the warranty.


Kindly note the warranty period for the above lift will be effective from

11/03/2020 to 10/03/2021

Lift taken over by :

Handed Over By:
Johnson Lifts Private Limited


Signature with Seal.


(Operation Head)

For Service, Maintenance and breakdowns please contact : 040-23078881, 23078882, 23078883

ONLY FOR OFFICE USE

BRANCH OFFICE		HEAD OFFICE
ROUTE CODE :	FSM ENTERED ON :	RECEIVED ON :
SM NO :	FSM ENTERED BY :	VERIFIED BY Johnson Lifts Pvt Ltd
SIGN BY S&M DEPT :	CHECKED BY	VERIFIED ON

Hyderabad Office Plot No. B-31, TIE Balanagar, Balanagar, Hyderabad - 500037
Phone 23073881 / 82 / 83 Email hyderabad@johnsonliftsLtd.com

CUSTOMER GENERAL INFORMATION LETTER

LIFT NO: L-L7859

Date: 25.02.2020

M/S . VISTA HOMES
SOHAM MANSION,
2ND FLOOR, 5-4-187/3 & 4,
M G ROAD,
SECUNDERABAD
PIN: 500003

SUB: Safety/Operational Instructions of Johnson Elevator for Job no: L-L7859
Dear Sir,

We would like to inform you that we have completed the installation, testing & Commissioning work of the lift at your premises. M/S . VISTA HOMES Job No: L-L7859 trouble free usage of lift.

1. In case the lift is used for building material shifting and labor is using the lift for transport,

- Lift cabins to be properly protected to avoid scratches and damages of the lift cabin & doors
- Proper security/lift operator to be assigned during usage of lift(s)

Any material damage is found due to missuse of labor and material shifting, will be replaced on chargeable basis only. JLPL will not be responsible for any scratches in the lift panels which may occur in future, even if the lift was kept ideal without usage.

2. Landing sills, car sills and all lift entrances needs to be cleaned periodically to avoid accumulation of dust and other materials which may lead to malfunctioning of lift doors and other lift equipments.

3. Power supply

- 3 phase supply to be maintained between 380 volts to 415 volts and the power supply to be permanent
- Earth to neutral voltage should be less than 4 volts and greater than zero voltage at the time of lift running and ideal conditions.


Above said Improper earthing and power supply may lead to equipment failure and the same will not be covered under warranty

4. Should not use any acidic cleaning agents to clean the panels. Usage of improper agents may lead to corrosion of the lift panels and will mark a permanent stain in the lift panels. Please contact our service team to take up with cleaning processes.

5. The panel protective wrappers to be removed at the time of handing over and cleaned for gums. The gums may cause stain in the panels and may lead to rusting of panels irrespective of panel make - SS or painted. JLPL will not be responsible for any gum cleaning and rust in panels in future due to not removal of wrappers as per your request. JLPL will be cleaning the panels only on cost basis if both rust and stain happens because of not removing the wrappers at the time of handing over of the lifts

Thanking you,
Yours faithfully,

**For Johnson Lifts Private Limited,
Authorized Signatory**



Mully
Customer Signature:
Customer Name:
Customer Phone No.:
Received Date:

Panel Protective wrappers – general instruction letter

LIFT NO: L-L7859

Date: 25.02.2020

M/S . VISTA HOMES
SOHAM MANSION,
2ND FLOOR, 5-4-187/3 & 4,
M G ROAD,
-
SECUNDERABAD
PIN: 500003

Sub: Removal of panel protective wrappers. job no : L-L7859

Dear sir,

We have fixed the car body, landing doors, car doors & frames for the above lift at your site and safety sticker are intact. In this regards we are in need to remove panel protective wrappers before handing over.

If the panel protective wrappers are not removed immediately then the quality of panels & the final finish will not be up to the mark. Wrappers gum in the protective wrappers may leave stain marks in the panel if we try to remove the same in latter stage.


Also the wrappers will get addhered to the pannels due to heat in the environment and it will become impossible to remove the wrappers. In this case for removing the addhered wrappers additional process is involved to remove the wrappers which can be done on cheargeable basis.


In addition, After handing over of the lift for your usage, JLPL will not be responcible for any scratches or dents in any of the lift panels.

Thanking you & assuring you of our best services at all times.

Yours sincerely,

for Johnson lifts Pvt., Ltd



Accepted by.....

Sign & Seal

Authorized signatory

ARD Maintenance and General instructions

LIFT NO: L-L7859

Date: 25.02.2020

M/S . VISTA HOMES
SOHAM MANSION,
2ND FLOOR, 5-4-187/3 & 4,
M G ROAD,
-
SECUNDERABAD
PIN: 500003

Subject : ARD Maintenance and General instructions.

Dear sir,

We would like to inform you that the above lift is installed with ARD (Automatic Rescue Device) unit. If the 3 Phase power supply goes OFF, this ARD unit will operate the lift to nearest floor with the help of battery incorporated in the system. In this regard we have to maintain these Batteries fully charged condition.

Here we advice/suggestion to keep lift main power supply always ON condition. Please don't switch OFF the lifts main supply which is the direct source for battery charging. If the main is switched OFF, the batteries charging voltage will be discharged and will lead to failure of Batteries. If the batteries fails ARD will not operate. The defected batteries should be replaced on chargeable basis.

This is for your kind information and Keep the lift Power supply always in ON condition to avoid battery discharge.

Thanks & Regards,



Customer signature Mulky

Date

JLPL service center Information letter

LIFT NO: L-L7859

Date: 25.02.2020

M/S . VISTA HOMES
SOHAM MANSION,
2ND FLOOR, 5-4-187/3 & 4,
M G ROAD,
-
SECUNDERABAD
PIN: 500003

Subject : JLPL service center informations

Dear sir,

We have handed over the lift JOB NO. L-L7859 in a good working condition
on ..26/02/2020

Please note our service center numbers below

Phone number

- 040 23078881
- 040 20378882
- 04023078883
- 9600069695
- 9600068592


Customer calls will be attended by our service center from 9AM to 9PM on all days including
sundays and national holidays.

Please inform the below details to our service center at the time of your call for effective and quick
services.


- Lift Number : LL 7859
- Name and location of building : Vista homes , Keshavnagar.
- Contact person name : m/madhu
- Contact person mobile number : 9502211499

Thanking you and assuring you our best services.

Regards



Testing Engineer


Customer Signature

LOAD TEST & RESCUE PROCEDURE

LIFT NO: L-L7859

Date: 25.02.2020

M/S . VISTA HOMES
SOHAM MANSION,
2ND FLOOR, 5-4-187/3 & 4,
M G ROAD,
-
SECUNDERABAD
PIN: 500003

We have completed testing work and we have explained the emergency operation to the following persons at your site.

Emergency Operation explained to,

<u>Name</u>	<u>Signature</u>
1. Mr. Madhu,	Madhu
2.	
3.	

Load test checked along with the following persons,

<u>Name</u>	<u>Signature</u>
1. Mr. Madhu,	Madhu
2.	
3.	

Thanking you

For **JOHNSON LIFTS PVT. LTD.**



TEMPORARY POWER SUPPLY

JOB NO. L-L7859

Date: 25.02.2020

M/S . VISTA HOMES
SOHAM MANSION,
2ND FLOOR, 5-4-187/3 & 4,
M G ROAD,
-
SECUNDERABAD
PIN: 500003

Dear Sir,

We would like to inform you that we have completed our testing and commissioning work for your lift help of temporary power supply. During the Testing & commissioning period lift electrical & electronic components may get failure due to voltage fluctuation from the temporary power. Hence we request you to kindly provide the permanent power supply to avoid the material failure. If the components are get failed due to temporary power supply our company will not be responsible for the same and it will be replaced on chargeable basis only.

This is for your kind information,

For Johnson Lifts Private Limited,

Authorized Signature.




Customer Signature:

Customer Name:

Customer Phone No:

Received Date:



Johnson Lifts Private Limited

Head Office : No 1, East Main Road, Anna Nagar Western Extension, Chennai - 600 101.

Phone : 26152200 (6 Lines)
Grams : "LIFTS"
Fax : 91-44-26151614
E-mail : info@johnsonliftsltd.com
Website : www.johnsonliftsltd.com

You are now the owner of _____ "JOHNSON" Lift/s. We are listing below some of the "Do"s and DON'Ts for using the Lift efficiently and to avoid frequent breakdowns and consequent inconveniences. Before informing us about the break-down, please check the following.

- a) Check for Power Supply -
If not power supply, please call Electricity Board.
- b) Check if all three phase Power Supply are available :
If not, Please call Electricity Board.
- c) Check the incoming main fuses -
If they are blown out, Please rewire it or call Electricity Board.
- d) Check whether all the landing gates and lift gates are closed properly
If not, close it.
- e) Please check whether all the three phases are in sequence
If not, call Electricity Board.
- f) Please check whether the MPCB is in "ON" Position -
If not, switch it on.
- g) Please check if any phase linking is there
If so, call Electricity Board.
- h) If your Lift is not running even after all the above check Ups, Please get in touch with our service Department on Phone No. 26152003, 26152004, 26152005, 26152006.

DO's and DON'Ts

- 1. Please keep your Machine Room under lock and key.
- 2. Please identify "JOHNSON LIFTS" Service Personnel before allowing them to attend to your lift.
- 3. Please do not allow unidentified persons to attend or check your lift.
- 4. Please put the lift lights "ON" Permanently.
- 5. Do not load the Lift beyond the rated load.
- 6. Do not put your hands through the gates when the Lift is on the landing or away from it.
- 7. Do not put your hands through the gates when the Lift is on the landing or away from it.
- 8. Do not allow water to enter into the lift well and to the machine room.
- 9. Do not touch the Lift parts without switching off the Power Supply.
- 10. Do not tamper with any of the Controller Circuits.

For relieving the Passengers trapped Inside the Lift, the following steps may be observed :

- 1) If the Lift has stopped in between floors, Normally a large portion would be visible from one of the landings. Select that landing for carrying out rescue operations.
- 2) Insert the Door Open Key in the provision provided above the Push Box, Push the Door Open Key and Open the door lock. The door will open freely without any obstruction. If any obstruction is observed, reinsert the key a little deeper till the lock releases and gate open freely.
- 3) Help the Passengers to come out of the Lift. See that he does not slip into the Lift Shaft. If any stool is provided for stepping on, please hold it firmly so as to prevent it from slipping into Lift Shaft.

"CAUTION"

The Rescue Operation should only be carried out by responsible members. Please do not allow children to carry out the rescue operations.

If you are trapped in a Lift, please do not panic. Nothing will happen. Please press the **ALARM BELL** or should for help. Do not press any of the buttons unnecessarily while the rescue operation is on. If you have any difficulty in operation, or you require any guidance regarding the proper usage of the Lift please feel free to contact us at the above address so that we may be in a position to depute our personnel with a prior appointment to explain the various procedures.

You are entitled for periodical Free Service of the Lift both preventive and Corrective maintenance for a period of One Year. Our personnel will be coming periodically to carry out the maintenance of your Lift. After expiry of One Year Guarantee period, we offer Two types of Services.

- 1) Comprehensive Servicing and Maintenance Plan.
- 2) Routine Servicing and Maintenance Plan.

However, we will be getting in touch with you in this regard before the expiry of the warranty period.


GENERAL INFORMATION REGARDING TESTING COMPLETED SITE STATUS


JOB NO. : LL7859

DATE : ...26/02/2020

NAME OF THE SITE : Vista homes.

SL.NO.	DESCRIPTION	YES	NO
1.	LIFT MACHINE ROOM WITH LOCKABLE ARRANGEMENT	✓	
2.	LIFT MACHINE ROOM LIGHTING ARRANGEMENT	✓	
3.	LIFT SHAFT LIGHTING / MAIN ARRANGEMENT	✓	
4.	IF THERE IS ANY POSSIBILITY OF WATER ENTRY INTO THE LIFT MACHINE ROOM / PIT	✓	✓
5.	IF THERE IS ANY POSSIBILITY OF WATER ENTRY INTO THE LIFT SHAFT THROUGH THE LANDING FLOORS	✓	✓
6.	LIFT ENTRANCE FLOORING COMPLETION	✓	
7.	LIFT ENTRANCE WALL TILES FIXING COMPLETION	✓	
8.	LIFT MACHINE ROOM STEPS OR LADDER PROVISION	✓	
9.	LIFT MACHINE ROOM VENTILATOR ARRANGEMENTS	✓	
10.	SEPARATE SINGLE PHASE MAIN FOR CAR LIGHTING.	✓	
11.	CORRECT RATING OF SINGLE PHASE MAIN SWITCH	✓	
12.	SEPARATE 3 PHASE MAIN FOR LIFT CONTROLLER	✓	
13.	CORRECT RATING OF 3 PHASE MAIN SWITCH	✓	
14.	8 SWG COPPER EARTHING - 2 NOS.	✓	
15.	MACHINE ROOM WHITE WASH	✓	
16.	TRAP DOOR ARRANGEMENTS	✓	


SIGNATURE OF
TECHNICIAN


SIGNATURE OF
SITE AUTHORITY


TESTING ENGINEER

CUSTOMER GENERAL INFORMATION LETTER

LIFT NO: L-L7860
M/S . VISTA HOMES
SOHAM MANSION
5-4-187/3/4,
2N FLOOR,, M.G.ROAD,
SECUNDERABAD
PIN: 500003

SUB: Safety Operational Instructions of Johnson Elevator for Job no: L-L7860
Dear Sir,

We would like to inform you that we have completed the installation, testing & Commissioning work of the lift at your premises. **M/S. VISTA HOMES** Job No: **L-L7860** trouble free usage of lift.

1. In case the lift is used for building material shifting and labor is using the lift for transport,

- Lift cabins to be properly protected to avoid scratches and damages of the lift cabin & doors
- Proper security/lift operator to be assigned during usage of lift(s)

Any material damage is found due to missuse of labor and material shifting, will be replaced on chargeable basis only. JLPL will not be responsible for any scratches in the lift panels which may occur in future, even if the lift was kept ideal without usage.

2. Landing sills, car sills and all lift entrances needs to be cleaned periodically to avoid accumulation of dust and other materials which may lead to malfunctioning of lift doors and other lift equipments.

3. Power supply


- 3 phase supply to be maintained between 380 volts to 415 volts and the power supply to be permanent
- Earth to neutral voltage should be less than 4 volts and greater than zero voltage at the time of lift running and ideal conditions.


Above said Imporper earthing and power supply may lead to equipment failure and the same will not be covered under warranty

4. Should not use any acidic cleaning agents to clean the panels. Usage of improper agents may lead to corrossion of the lift panels and will mark a parmanent stain in the lift panels. Please contact our service team to take up with cleaning processes.

5. The panel proctective wrappers to be removed at the time of handing over and cleaned for gums. The gums may cause stain in the panels and may lead to rusting of panels irrespective of panel make - SS or painted. JLPL will not be responsible for any gum cleaning and rust in panels in future due to not removal of wrappers as per your request. JLPL will be cleaning the panels only on cost basis if both rust and stain happens because of not removing the wrappers at the time of handing over of the lifts.

Thanking you,
Yours faithfully,


For Johnson Lifts Private Limited,
Authorized Signatory


Customer Signature:
Customer Name:
Customer Phone No.:
Received Date:

Panel Protective wrappers – general instruction letter

LIFT NO: L-L7860

M/S . VISTA HOMES

SOHAM MANSION

5-4-187/3/4,

2N FLOOR,

M.G.ROAD,

SECUNDERABAD

PIN: 500003

Sub: Removal of panel protective wrappers. job no : L-L7860

Dear sir,


We have fixed the car body, landing doors, car doors & frames for the above lift at your site and safety sticker are intact. In this regards we are in need to remove panel protective wrappers before handing over.

If the panel protective wrappers are not removed immediately then the quality of panels & the final finish will not be up to the mark. Wrappers gum in the protective wrappers may leave stain marks in the panel if we try to remove the same in latter stage.

Also the wrappers will get addhered to the pannels due to heat in the environment and it will become impossible to remove the wrappers. In this case for removing the addhered wrappers additional process is involved to remove the wrappers which can be done on chergeable basis.


In addition, After handing over of the lift for your usage, JLPL will not be responsbile for any scratches or dents in any of the lift panels.

Thanking you & assuring you of our best services at all times.



Yours sincerely,

for Johnson lifts Pvt., ltd

Accepted by.....

Sign & Seal

Authorized signatory

ARD Maintenance and General instructions

LIFT NO: L-L7860

M/S . VISTA HOMES

SOHAM MANSION

5-4-187/3/4,

2N FLOOR,

M.G.ROAD,

SECUNDERABAD

PIN: 500003

Subject : ARD Maintenance and General instructions.

Dear sir,

We would like to inform you that the above lift is installed with ARD (Automatic Rescue Device) unit. If the 3 Phase power supply goes OFF, this ARD unit will operate the lift to nearest floor with the help of battery incorporated in the system. In this regard we have to maintain these Batteries fully charged condition.

Here we advice/suggestion to keep lift main power supply always ON condition. Please don't switch OFF the lifts main supply which is the direct source for battery charging. If the main is switched OFF, the batteries charging voltage will be discharged and will lead to failure of Batteries. If the batteries fail ARD will not operate. The defected batteries should be replaced on chargeable basis.

This is for your kind information and Keep the lift Power supply always in ON condition to avoid battery discharge.



Thanks & Regards.

Customer signature

Date M/8/20