


Night View



LOTUS

ARRIVE ALIVE



LOTUS - 2016

INDEX OF LOTUS® PRODUCTS

S.No.	Particulars	Page Nos
1.	Traffic & Road Safety Cones and Accessories & Posts	1 & 2
2.	Que Controller, PU/PVC Spring Post, Delineator Post, House Keeping Cone	2
3.	Speed Breakers / Humps, Portable Bumps, Rumbler Strip & Cable Guards	3 & 4
4.	Rubber / EVA / ABS Corner / Column Guards & Parking Wheel Stoppers	5
5.	Ramps, Kerbs & Aluminium Ramps	6
6.	Titan Barrier, A type Barrier, Anti Dazzle Board, Crash Barrels & Drums	7
7.	Folding Plastic & Metal Barricades	7
8.	Bollards & Barriers & Reflective Garments	8
9.	Delineators, Floor Stands & SS "No Parking Boards", Guide Post & Lane Divider	9
10.	All Types of Water Filled Crash Barriers	10 & 11
11.	RPM's / Solar Studs / Glass Road Studs / Reflectors	12
12.	Solar Delineator / New Solar Studs / Dome Mirrors	13
13.	LED Batons / Flashers / Revolving Light & Magnetic Flashers	14
14.	Median Markers / Speed Check Gun / Ceramic Studs / Solar Signages	15
15.	Outdoor Retro Reflective / Railway / Construction Zone Signages	16
16.	Indoor / Malls / Multiplex & Multi Level Parking Signages & Emergency Exit Light	17 & 18
17.	Lane Marking / Barication / Reflective Tapes & Wheel Clamp Locks / Convex Mirrors	19
18.	Alcohol Breath Tester / Metro Rail Flashers / Signal Head Blinker / Solar Delineator	20
19.	Strobe Lights (Interceptors) / Solar Signal Heads	21
20.	Multi Gate Folding Plastic & Metal Barricades	Back Page

Lotus in India started its operations in the year 2006 with its Indian Head Quarters based in Hyderabad, due to its strategic central location for ease of distribution throughout India.

Lotus has over 30 years of global exposure / experience in Traffic, Road & Parking Safety Management Products / Services & Projects.

In India Lotus sees enormous growth opportunities in the nascent, young and vibrant market. What with the endless road projects, Growing public transportation infrastructure like Metro Projects, Bridges & Flyovers Rapid Transit systems for Buses. SEZ & Software Parks, Hotels, various prestigious facilities related with defence, aeronautical / aerospace, research & development activities etc.

Lotus strives to provide quality certified products with SAFETY as its primary concern.


Vision : To see itself as the leading products / services / consultancy providers in India in the next 5 years.
In the Traffic / Road Safety Field.

Mission : Provide optimum quality solutions at best value price for money for all our Products.

Looking forward to establishing long term associations with our channel partners / distributors / end users & all other valued clients.

Lotus® Traffic & Road Safety Cones & Posts

Arguably the biggest & widest range of cones & posts in India
EPDM Cone - Fully Reflective & Fully Flexible



LZH - 750

Models	Square Base	Weight	Height	Fully reflective high intensity prismatic non tearable sleeve makes this cone one of its kind
LZH - 750	400 mm	2.75 kgs	750 mm	
Retractable Cone				

Lotus® Triangular Reflective Cone with Rings




LPC - 780

Base Size : 400 x 400 mm
Reflective Material : MP Flu. Sleeve
Weight : 4.00 k

Lotus® - PVC Cones

Fully Flexible Without Rubber Base



Fully Flexible With Rubber Base



Models	Square Base	Weight	Reflective
LFC - 500			
LFC - 700			
LFC - 900	360 mm	4.3 kgs	

Models	Square Base	Weight	Reflective
LFCH - 500			
LFCH - 700			
LFCH - 900	360 mm		

Lotus® Traffic & Construction Zone Regular Cones



Models	Square Base	Weight	Height	Most economical and effective product suitable for multiple applications
RKTC-100	490 mm	4.5 kgs	1000 mm	
RKTC-75	380 mm	2.5 kgs	750 mm	
RKTC-50	280 mm	1.5 kgs	500 mm	

Lotus® Traffic Control (Police) Cone



Lotus® Collapsible Fabric Cone



Models : LCFC - 500 & LCFC - 700 (Supplied in Convenient Carry Case)		
Models	Square Base	Weight
LCFC - 500		
LCFC - 700		

A Unique Reflective Fabric Based Cone With Led Battery Operated Flasher.

Very Convenient & Effective Product For Portability & Easy Handling (Can Be Folded Into 14" Square & Kept in Easy Carry Case)

(Ask for Detailed Specifications)


Lotus® Warning Posts




Lotus® Delineator Post



Lotus® PU / PVC Spring Posts





Lotus® House Keeping Cones



Lotus® S.S. Que Controller





Lotus® Cones Related Accessories






Lotus® Speed Retarders / Humps




12 Months
Warranty



12 Months
Warranty



12 Months
Warranty



Lotus® Rumbler Strip



Made of EPDM Material
Size : L500mm x W100mm x H25mm / pc

Model No.		LSB-001
Middle Section	Size :	L1000 x W380 x H50 mm/pc
	Weight :	17.0 kg/pc
End Cap	Size :	L190 x W380 x H50 mm/pc
	Weight :	2.0 kg/pc

Model No.		LSB-002
Middle Section	Size :	L500 x W400 x H50mm
	Weight :	
End Cap	Size :	L250 x W400 x H50mm
	Weight :	

Model No.		LSB - 003
Middle Section	Size :	L500 x W350 x H50 mm/pc
	Weight :	7.0 kg/pc
End Cap	Size :	L175 x W380 x H50 mm/pc
	Weight :	1.8 kg/pc

Model No.		LSB - 003 ECO
Middle Section	Size :	L500 x W350 x H50 mm/pc
	Weight :	7.0 kg/pc


Model No.		LSB-004
Middle Section	Size :	L1000 x W350 x H50 mm/pc
	Weight :	14.0 kg/pc
End Cap	Size :	L190 x W350 x H50 mm/pc
	Weight :	1.8 kg/pc

Model No.		LSB - 005
Middle Section	Size :	L 250 x W 350 x H 50mm
	Weight :	1.5 Kgs Per Pc (Without Filling)
End Cap	Size :	L190 x W350 x H50 mm/pc
	Weight :	0.8 Kgs Per Pc

Model No.		LSB - 005 ECO
Middle Section	Size :	L 250 x W 350 x H 50mm
	Weight :	1.5 Kgs Per Pc (Without Filling)

Model No.		LSB-006
Middle Section	Size :	L600 x W500 x H32 mm/pc
	Weight :	9.0 kg/pc
End Cap	Size :	L600 x W250 x H32 mm/pc
	Weight :	3.0 kg/pc


Lotus® Portable Bump




L 3000 x W 250 x H 25mm
Foldable Size : 360 x 250 x 310mm

(Ask for Detailed Specifications)


Lotus® Speed Retarders / Humps



Model No.		LSB-007
Middle Section	Size :	L 500 x W 425 x H 75mm
	Weight :	14 Kgs Per Pc
End Cap	Size :	L 200 x W 425 x H 75mm
	Weight :	2.8 Kgs Per Pc




Model No.		LSB-008
Middle Section	Size :	L500 x W400 x 75mm/pc
	Weight :	
End Cap	Size :	L200 x W400 x 75mm/pc
	Weight :	




Model No.		LSB-009
Middle Section	Size :	L500 x W900 x 50mm/pc
	Weight :	
End Cap	Size :	L200 x W900 x 50mm/pc
	Weight :	

Lotus® Cable Guards / Protectors





Model No.		LSB-010
Section	Size :	L900 x W500 x 55mm/pc
	Weight :	



Model No.		LSB-011
Section	Size :	L900 x W500 x 55mm/pc
	Weight :	



Lotus® Spike Barrier / Deaccelerator




Lotus® Rubber Corner Guard



Rubber Corner Guard
Height : 800 mm
Thickness : 8mm/10mm/12mm

Round
Corner Guard

Right-angled
Corner Guard




LECG - 1
H790 x W110 x Angle 90°

LECG - 2
H800 x W90 x Angle 90°

- ❖ Made of EVA raw materials which are eco-friendly
- ❖ Non-toxic, durable and cold & hot resistant.
- ❖ Easy installation and durable product
- ❖ Widely used in kindergarten, children amusement park, parking lot, hospital, hotel, school, airport office and elderly apartment.
- ❖ Anti-bumping, shockproof, easy cleaning
- ❖ Available in different colours

- ❖ UV stabilized and made of impact copolymer polypropylene plastic.
- ❖ No Steel Reinforcements Needed
- ❖ Concrete Keepers bond concrete to plastic
- ❖ No Painting or Rebar are Required
- ❖ Available in different colors

Lotus® Column Guard



W Type Column Guard
L : 40" x W 9"

With Thermoplastic
Yellow Reflective

LOTUS® DOCK BUMPERS



LDB
L900 x W150 x H150mm


LOTUS® WALL PROTECTOR



LWP
L800 x W220mm

LOTUS® ABS PARKING WHEEL STOPPERS

LPWS
L2000 x W150 x H110mm



LOTUS® RUBBER PARKING WHEEL STOPPERS



LRPWS - 1
L500 x H100mm x Wt. 5.0kg



LRPWS - 2
L500 x H100mm x Wt. 5.0kg



LRPWS - 3
L560 x H100mm x Wt. 5.0kg



LRPWS - 4
L500 x H100mm x Wt. 5.0kg


LOTUS® RAMPS & KERBS



Model No.	LR-1	
Middle Section	Size :	L1070 x W610 x H65mm/pc
	Weight :	16 kgs



Model No.	LR-2	
Middle Section	Size :	L600 x W300 x 100mm/pc
	Weight :	
End Cap	Size :	L300 x W300 x 100mm/pc
	Weight :	




Model No.	LR-3	
Middle Section	Size :	L1100 x W750 x 240mm/pc
	Weight :	225 kgs





LOTUS WHEEL CHOKE (HNV)



LOTUS WHEEL CHOKE (LMV)






Highly durable anti slip surface | Light reflectors built in on some ramps | Can support vehicles upto 30000kgs.
Manufactured from 100% recycled rubber compound | Rest & Go - To just slide up to the kerb and start loading.
Optional Permanent fixing kit available | Use individually or Link in Line to form a longer, more permanent Ramp.
Volume pricing available.



LOTUS® ALUMINIUM RAMPS


Model No. LR-ALU



Available in lengths 87cm - 290cm (34" - 113")
Quick and easy to set up with upto a 300kgs capacity
Unique design enables incredible grip
Silent telescopic mechanism allows the ramp to be used at any length
Safety clip prevents opening when stored
Aerospace technology ensures incredible strength yet lightweight ramps
Perfect for kerbs and steps
Low kerbs and long beveled sides greatly increases ground clearance for (scooters and power chairs)
Comprehensive 2 year warranty



Lotus® Titan Barriers



Wheels can be Added to make the Titan Barrier Movable

Solar Movable Diversion Message Board




Lotus 3 Piece Barrier



Lotus® Crash Barrels & Drums



Lotus® Anti Dazzle Boards



ABSM - 1



ABSM - 2



ABSM - 3



1. ABSM - 1 (900 x 200)
2. ABSM - 2 (800 x 180)
3. ABSM - 3 (850 x 200)



Lotus® Reflective Garments / Accessories


Reflective Vests For Workers / Executives



1" R.T. Tape



2" Glodian



2" Heat Transfer



Water Repellant Hi-Viz



Cross Belts



Hi-Viz Suit



2" Yellow Glodian



LED Cross Belts


Reflective Caps - With / Without Logo



Reflective Hand Gloves - Glodian / Heat Transfer Types



Reflective Arm Bands



Single Color
2" Glodian



Multi Color
W/o Reflective



Single Color
Heat Transfer

(Ask for Detailed Specifications)

Bollards & Barriers

Hazzard Marker /
M.S. Bollard



Square Bollard
Height : 1030mm



Square Bollard Round Top
Height : 910mm



Safety Life Bollard
Height : 1405mm



Mini Bollard
Height : 800mm



Traffic Barrier
Height : 1050mm Top Width : 160mm
Tapering Width : 210mm
Base : Round 310mm

LOTUS® Remote Controlled Revolving Search Light



(Ask for Detailed Specifications)

Guide Post Night View



Lotus Guide Posts




Height : 1440mm
Reflector 100mm Dia


Lotus^{RO} - Delineators

Size
850 x 100mm

LDS



ABS Flexible Delineators



40" x 50mm



GREEN KORBA
CLEAN KORBA

48" x 50mm
(With message Plate)



36" x 50mm



48" x 50mm



60" x 63mm

Lotus^{RO} Hazard / Diversion Cone



LHC - 700



LHC - 500

Very useful on medians & during diversions


Powder Coated M.S. Delineators HIP Reflective with Jali

Lotus^{RO} Make Portable Floor Stands

LOTUS^{RO} SS FLOOR STAND & NO PARKING BOARD



Lotus^{RO} Make House Keeping Floor Stands 4-Sided



NO PARKING



New Products



Lotus^{RO} Make Foldable Umbrella



Lane Divider with Flap



Lotus^{RO} Make Retractable Spring Loaded QUE Stanchion



(Ask for Detailed Specifications)


Lotus® Water Filled Crash Barrier & Inter Connecting Planks

LBR 1 : (L)1150mm x (W) 500mm x (H) 800mm
LBR 2 : (L)1650mm x (W) 600mm x (H) 1000mm




Lotus® Interconnecting Plank
LCP : (L)1100mm x (W) 250mm x (H) 450mm


Colors
Available



LBR-002



Water filled crash barrier




LBR 3
Length : 1500mm
Width : 450mm
Height : 650mm
Weight : 12.5kgs



Lotus Mini Barrier




City Barricade



LBR 5
Length : 1500mm
Top Width : 150mm
Bottom Width : 430mm
Height : 1200mm
Weight : 19kgs

Water filled crash barrier




LBR 4 : (L) 1500mm x (W) 460mm x (H) 800mm
Weight : 16.5kgs

Three Piece Water Filled Anti Crash Barrier




Lotus® Safety Fluorescent Barricading Fence



SR / BR Series Roll Size
Made of LLDPE Material H : 1mtr x L : 50mtrs

Height : 900mm
Vessel Head : 900mm x 900mm x 900mm
Vessel Tail : 450mm x 900mm x 900mm
Net Weight : 55 kg
Water Capacity : 600 kg




Model No. FZT-003

(Ask for Detailed Specifications)

Lotus® Anti Crash Water Filled Barriers

LOTUS® JUMBO BARRIERS



LJB-1

Dimensions(mm) :
L1250 x W500 (F) x W1380 (B) x H1000
Water Ballast : 615 Ltrs.

Varied Color Options Available
A Must for Toll Gates, Intersections, Medians & High Risk Zone
Facilities where there is "Heavy Vehicle" Collision Risk
3 layer construction with foaming in the middle for extra strength




Optional
Signage

LJB-2

Dimensions(mm) :
L1070 x W440 (F) x W720 (B) x H930
Water Ballast : 365 Ltrs.

LOTUS® METRO BARRIER




LMB

Dimensions(mm) :
L2100 x W440 x H1100
Water Ballast : 55 Ltrs.

- ♦ Customisation as per requirements
- ♦ Different modules of High Impact wire mesh to provide Varied heights
- ♦ Easy to setup and dismantle
- ♦ Highly Effective for Construction Zones

LOTUS® ECO BARRIER



LKB

Dimensions(mm) :
L1100 x W525 x H850
Water Ballast : NIL



LOTUS® KART BARRIER



LKB

Dimensions(mm) : L1300 x W400 x H600
Water Ballast : 30 Ltrs.









LOTUS® ROAD DIVIDER BARRIER



LRDB

Dimensions(mm) :
L2100 x W700 x H1000
Water Ballast : 85 Ltrs.

RAISED PAVEMENT MARKER/CAT'S EYE/ROAD STUDS





LOTUS® SOLAR ROAD STUDS



LOTUS® REFLECTORS



LOTUS® GLASS ROAD STUDS




(Ask for Detailed Specifications)

Lotus® Solar Delinators

Large
114(140) x 950
(12 LEDs)



Solar Island Marker
(16 LEDs)



Large
114(140) x 950


Solar Island Marker
(20 LEDs)



Small
114(140) x 350
(4 LEDs)



Solar Ergonomic
Island Marker
(16 LEDs)





Small
114(140) x 350






Medium
114(140) x 650





LOTUS® SOLAR STUDS (NEW ARRIVALS)




LSS(P)
Polycarbonate Shell Based Solar Studs
Size : 116 x 116 x 25mm



LSGR
Solar Guard Rail Reflector
Size : 83mm x Dia 78mm
Bottom For Fixing : 79mm



LSS(F)
FRP Shell Based Solar Studs
Size : 100 x 100 x 25mm




LSS(PR)
Polycarbonate Shell Based Solar Studs
Size : 116 x 116 x 21mm





Lotus® Unbreakable Dome Mirrors

(Full Dome - 360 view)




4-Way Intersections or Large-area
Panoramic Viewing-Ceiling Mount

(Half Dome - 180 view)



3-Way "T" Intersections - Wall
or Ceiling Mount

(Quarter Dome - 90 view)



2-Way "L" Intersections - Corner,
Wall or Ceiling Mount

(Ask for Detailed Specifications)

Lotus® LED Batons

Available in 2.6R, 2.6RG, 9R, 9RG
(Battery & Rechargeable Models)

Magnetic Base & Torch
on Tip (2.6RG)



Unbreakable all weather Baton & Flasher
Rechargeable Type | Ten Flashing Modes



New Product



Warning Signal Visible up to Half a Mile
Compact and highly visible can replace
bulky triangle fixtures Contains a
strong magnet for placement on vehicle.


Lotus® Flashers - Cone Mountable / Delineator Mountable / Stand Alone

LT - 01




3V ; 0.1W V : 30x13.5xDia7
Colors : Red / Yellow / Blue / White
Reflective decagon in the middle
Flashing : Steady bright,
Quick Flashing, Slow Flashing

LT - 02



3V ; 0.1W V : 13.5 x Dia10
Colors : Red / Yellow / Blue
Bottom Magnet Sticks
on auto's top easily.
Flashing : Steady bright,
Quick turning bright,
Slow turning bright

LT - 03



3V ; 0.15W
V : 36 x 18 x Dia10.3
Colors : Red / Yellow
Circle reflective

G-Series G1, G2, G3



Solar Flasher / Light
Mountable & Stand Alone
Colors : Red / Yellow
Visual Distance : 800m in Dark

LT - 04



3V ; 0.15W
V : 108 x 220
Colors : Red / Yellow / Blue
Circle Reflective

LT - 05



3V ; 0.05W
V : 36.5 x 19 x Dia10
Colors : Red / Yellow
Circle Reflective

Lotus Revolving Light



Colors : Blue / Amber / Red
Suitable for: VIP Vehicles
Ambulance / Patrol Vehicles

1E10 - BH



Solar Warning Light (77mm x 144mm)
Solar cell : 250mWp
Battery : Ni-MH 800mAh/2.4V
Light Source : 6 (10mm dia) Ultra-bright LED
Optional lighting mode : fast / slow flash

LT - 06



3V : 0.15W
V : 36 x 18
Colors : Red / Amber
Flashing : Steady with
light sensor

LT - 07



3V : 0.15W
V : 36 x 18
Colors : Red
Flashing : Steady with
light sensor

LT - 08




Solar Warning Light
75 x 140
Battery : Ni-MH 800mAh
Light Source : Ultra Bright 3W LED
Flashing : Steady with
light sensor

H-Series H1, H2, H3



Solar Warning Light
Mountable / Stand alone
Color : Red / Amber
Flashing : Steady with
light sensor

LOTUS® MEDIAN MARKERS




LOTUS® SPEED CHECK GUN



(Ask for Detailed Specifications)
(Also Available with Printer)

LOTUS® CERAMIC STUDS



LOTUS® SOLAR POWERED SIGNAGE BOARDS




Features:

Solar panel- 3 watts Mono Crystalline Panel
Battery- 6 volt / 4.5 AH- C 20
Automatic Flashing at night time
Each shining day of charging could last flashing for 180 hours
No power cost. Power charge from the sun
No digging for electrical wire and no power supply problem.
No electrical meter and electricity charges.
Its convenient to install it anywhere
Convex lensed Led.'s 99 or as required in Red, Amber, Green or white color.

Material Used:

The outer cabinet has been developed from Rust proof Powder coating processing,
The Front panel is made up of Aluminium/ACP Aluminium Sheet of 3 mm thick pasted with
HIP commercial grade high reflective grade sheet or as per your requirement.
LED shines part, diameter 18mm-Actual LED 5 mm (contains) Red/yellow/Green/White light LED.
Charge Controller : Cuts down at 4.8 volts to ensure a long life to battery.
Flicker Frequency: Approximately 60/the minute, according to the arrow direction Shining.
Period of Revolution: The light controls the automatic control also uses for at night.
Use Environment: To -20 degree centigrade ~ 70 outdoors use.
Produce Size: 750*600*46 mm.



OUTDOOR SAFETY SIGNAGE

Authorised Converter For



TRAFFIC / HIGHWAY ROAD SIGNS CONFORMING TO LATEST IRC - MORTH SPECIFICATIONS



MANDATORY



WARNING



INFORMATORY



PUBLIC TELEPHONE



PETROL



HOSPITAL



FIRST AID POST



EATING PLACE



LIGHT REFRESHMENT



RESTING PLACE



NO THROUGH ROAD



CYCLE STAND



TAXI STAND



AUTO RIKSHA STAND



CYCLE RIKSHA STAND



PARKING FOR AMBULANCE



PARKING THIS SIDE




PARKING BOTH SIDE



SCOOTER & MOTOR CYCLE STAND

ALL SIGNS AVAILABLE IN ENGINEERING / HIP / DIAMOND GRADE REFLECTIVE SHEETING

RAILWAY SIGNS IN HIP / DIAMOND GRADE REFLECTIVE



SIGNS DURING ROAD CONSTRUCTION

SIGNS DURING CONSTRUCTION									
TEMPORARY ROAD SURFACE	NO WORKS TRAFFIC	TRAFFIC CONTROL AHEAD	WORKS TRAFFIC ONLY	ROAD AHEAD CLOSED	PEDESTRIANS	WORKS TRAFFIC ACCESS ONLY	ROAD CLOSED	ONE WAY	ONE WAY
PASS WITH CARE	REDUCED SPEED 30	DIVERSION 400 m	DIVERSION	DIVERSION ENDS	REDUCED SPEED AHEAD	Single file traffic	Restriction Ends Sign	No Stopping or Standing	Prohibited in Both Way

(Ask for Detailed Signage Catalogue)

INDOOR SIGNAGE

Signs available in PHOTOLUMINESCENT, VINYL, STAINLESS STEEL ETCHED
in Acrylic, Polycarbonate, Aluminium & M.S. Medium

Direction



Safety




Prohibition



Space Identification & Combination



Warning & Aqua Safety



Fire Equipment & Mandatory



(Ask for Detailed Signage Catalogue)


Malls / Multiplex Signage / Multi Level Parking Signs Outdoor / Indoor



Construction Site Related Outdoor Safety Signage



Lotus® Self contained Rechargeable Emergency Exit Lights



(Ask for Detailed Signage Catalogue)

Lotus® Speciality Tapes

Different types of Speciality Tapes

Colors Available



- A. Anti skid Tape (W : 25mm & 50mm)
- B. Conspicuity Tapes (W : 50mm)
- C. Commercial Grade Reflective Tape
- D. Engineering Grade Reflective Tape
- E. High Intensity Grade Prismatic Reflective Tape
- F. Diamond Grade Reflective Tape
- G. Photo Luminescent Tape
- H. PVC Reflective Tape (Garment) (W : 25mm & 50mm)
- I. Fabric Reflective Tape (Garment) (W : 25mm & 50mm)



Dispenser for Floor / Lane Marking Tape


Uses : Very Useful for Demarcating Safe Area's from Work Area's on Factory Floors & Other Institutional Areas

Standard Size : 2" W x 33 Mtrs


Option for other widths available

Reflective / Non Reflective options Available

Underground Cable Protection Tape



Ezzy™ Barricade Tapes




300mtrs/500mtrs/Kg options available

Wheel clamps - Wheel clamps are used to prevent illegal parking




Lotus® Wheel Clamp Lock



Jimmy Proof

LWCL-JP



1. New design wheel lock, wheel clamp, tyre lock
2. High Protection 3. Heavy Duty Endurance



ALFA

LWCL-ALFA LOCK

This Wheel Lock features an exclusive dual-action design that locks the entire wheel to keep your vehicles safe. Completely immobilizes the wheel from rotating or turning. Weather resistant, highly visible bright color, compact to install and use. It fits the wheel tire's width up to 10.6 inches.



Anti-Theft Wheel Clamp:

Anti-theft deterrence for your car | Heavy-duty all-steel design | Fit for 13-14-15 inch wheels up to 220 Width Fully adjustable clamp with lock-and-key design | Two tubular keys included | Net weight: 6.5kg / Gross weight: 7kg

Lotus® Unbreakable Convex Mirror

(Made of Poly Carbonate)

Also available in Indoor Model in all Sizes



Outdoor Model

Sizes Available :

Dia 30cm / 45cm / 60cm / 80cm / 100cm

Lotus® SS Convex Mirror

(Made of Stainless Steel)



Outdoor Model

Sizes Available :

Dia 30cm / 45cm / 60cm / 80cm / 100cm

Lotus® Alcohol Breath Tester



Model 1 Model 2 Model 3 Model 4



Model AT-8100

- Advanced fuel cell alcohol sensor
- Perfect accuracy for personal self checking
- Direct testing process in LCD indication
- Digital LCD display with orange backup
- Portable and fashioned design
- Battery saved design, low voltage indication
- Real-time clock and temperature display
- History 50 records memory
- Customer self-calibration available
- Mini printer optional
- Display: Digital LCD display in Classic orange lighting
- Dimension: LXbXh, 128X67X32mm.
- Weight: ≤ 82 g (Battery Excluded)

Lotus® Metro Rail Flashers






LZD - 11

Cone / Delineator Flasher / Light
Aluminium Die Cast
Size : 90 x 156mm
Colors : Red / Amber




Signal Heads / Blinkers




By far the fastest selling solar flasher
the rugged aluminium die cast body
makes it durable & all weather resistant
specifically suitable to Indian climatic condition

Lotus® Traffic Police Helme



High impact resistant
Helmet with Reflective Stick

Lotus® Solar Sunflower / Square Delineator



For Placement
near beginning of
Traffic Median

LOTUS® SOLAR SIGNAL HEADS



Lotus® Interceptors

Used by all Road Transport Authorities/ Police Personal
Highway Patrol Vehicles / VIP / Ambulance



STREET EAGLE

Motor & LED Type
Color Combinations :
Red / Blue / Amber Motor
LED



SUPER THIN

Motor & LED Type
Color Combinations :
Red / Blue / Amber Motor
LED



RHOMBIC


Motor & LED Type
Color Combinations :
Red / Blue / Amber Motor
LED - N.A.



IEPL ALUMINIUM


Motor & LED Type
Color Combinations :
Red / Blue / Amber Motor
LED

LOTUS® MULTIGATE - FOLDING PLASTIC & METAL BARRICADES




Metal


When Folded (440mm x 300mm x 950mm)
When Fully Extended (3000mm x 300mm x 950mm)



WITH WHEELS



New Product




Plastic

When Folded (125mm x 475mm x 1070mm)
When Fully Extended (2215mm x 475mm x 1120mm)

485m/m=19"



168m/m=5.35"

168m/m=6.6"



A portable high impact and temperature resistant plastic expandable barricade designed to quickly render areas safe for both crowd control and vehicles. There is highly visible reflective tape on four sides achieving exceptional visibility. The Multi-Gate expands 90 inches and locks in place at a desired length. There is a place to attach a reflector unit and an option to fill with water.

MAX : 2300m/m = 90"



LOTUS
ARRIVE ALIVE

Lotus Impex Solutions

email : esales@lotusimpexsolutions.org
web : www.lotusimpexsolutions.org

Authorised Distributor