



Crompton Greaves Consumer Electrical Limited

Fans Division

Plant: Plot No. 1, Goa IDC Industrial Estate, Bethora,
Ponda, GOA 403409 T: +91 832 2331230

Registered Office

Equinox Business Park, 1st Floor, Tower 3, LBS Marg,
Kurla (W), Mumbai, 400070, Maharashtra, India

Customer Service

Toll Free Number: **1800 419 0505** (9am-7pm) (Mon to Sat)
24x7 web registration on
www.crompton.co.in





NORTHERN REGION

Delhi / Faridabad / Ghaziabad -

3rd Floor, Express Building, 9-10,

Bahadur Shah Zafar Marg,

Near Ito Crossing,

New Delhi-110002.

Tel: (011) 23460700.

Jaipur - Church Road,

P.O. Box - 173, Jaipur - 302001.

Tel: (0141) 3018814

Jalandhar - BXII - 407,

2nd Floor, Near BSF Chawk,

Ladowall Road, Jalandhar

-144001. Tel: (0181) 5044240

Lucknow - Saran Chambers II,

3rd Floor, Park Road,

Lucknow - 226001.

Tel: (0522) 3321565.

WESTERN REGION

Mumbai - 302/A- Wing,

Business Square, Chakala,

Andheri Kuria Road,

Andheri(East), Mumbai- 400093.

Ahmedabad - 405, Gala Argos,

Nr Chirag Motors, Gujarat College

road, Ellisbridge,

Ahmedabad- 380006.

Indore - 409, Saiguru Earmay,

Opp C21 Mall, A B Road,

Indore - 452010.

Mob - 9111399928.

Nagpur - Gokul Keshav

Apartment, Plot No 3,

Block No FF1 & FF2, 2nd Floor,

Khambha Main Road, Devnagar

Square, Nagpur-440015.

Pune - Office No-7, 4th Floor,

Vega Center, Tower-A, Shankar

Seth Road, Gultekdi, Swargate,

Pune- 411037. Tel: 020-41318883

Raipur - A-311, Crystal arcade,

Near Lochi Para Chowk, Shankar

Nagar road, Raipur - 492007.

Tel - 0771-4903405.

EASTERN REGION

Kolkata - 50, Chowringhee Road,

1st Floor, Rear Block,

Kolkata 700071.

Tel: (033) 40514920/40514982.

Bhubaneswar - Janpath Tower,

3rd floor, Ashok Nagar, Unit II,

Bhubaneswar - 751009.

Tel: (0674) 2531429.

Guwahati - C/O SKC Logistics

Pvt Ltd, Near Car Chark,

G.S. Road, Ganeshguri,

Guwahati - 781005, ASSAM.

Tel: 8811094992.

Patna - House No.-9,

Shri Sadan, 3rd floor, Patliputra

Colony, Patliputra Golambar,

opposite Ruban Hospital, Patna.

Pin-800013. Tel: 9631879981.

Ranchi - 3, West End Park,

Kaju Bagan, Near Junior DAV

School, P.O. Hehal, Ratu Road,

Ranchi - 834005, Jharkhand.

SOUTHERN REGION

Chennai - 3, MGR, Salai

(K.H. Road), Nungambakkam,

Chennai- 600034, (044)

42247500/7600/7575.

Bangalore - 3rd Floor, JP Square,

#17, 3rd Cross, 5th Main,

Chamarajpet, Bangalore - 560018.

Tel: (080) 41391908/1909.

Coimbatore - SF-219,

Annamalai Industrial Park,

Kalapatti, Coimbatore - 641048.

Tel: (0422) 3193101/101.

Cochin - 46/3386, Cochin House,

Arakadavu Road, Vennala P.O.,

Cochin-682028.

Phone no: 0484-2803623.

Madurai - 2,3 Mangayarkarasi

College Road, Paravai, Madhurai -

625402. Tel: (0452) 2667771.

Secunderabad - No: 101 & 102,

Babukhan Millenium Centre,

Somajiguda, Hyderabad- 500082.

Phone no: 040 40709999.

Vijayawada - No 4 & 5 Janaki

Ramalah Godwon, Ganguru

Village, penamaluru Mandal,

Vijayawda -521139.

VORTEX SERIES (AIR CIRCULATORS)

450 mm	600 mm	750 mm
Pedestal	Pedestal	Pedestal
Wall	Wall	Wall



Pedestal



Wall

Special Features

- Aerodynamically designed blades for higher air delivery.
- Heavy duty motor with double ball bearing for Longer Life.
- Oscillation to 85° deg.
- Heavy Base for Greater Stability
- Improved guard Design
- Attractive aesthetic to suit your application.
- Increase in RPM from 1400 to 1440

Major Applications


- Railway Stations
- Airports
- Heat Treatment
- Pandal Decorators
- Factories
- Public Places

Performance Guide

Product ID	Type	Sweep (mm)	Phase	Speed (rpm)	Capacitor (mfd)	Air Delivery (M3/H)	Current (amp)	Power Input (watts)	Noise Level (dba)	Adjustable height (M)
ACVORTEX18PF	Pedestal	450	Single	1440	3.15	7500	0.45	100	64	1.35 / 1.025
ACVORTEX18WM	Wall	450	Single	1440	3.15	7500	0.45	100	64	
ACVORTEX24PF	Pedestal	600	Single	1440	5	16000	0.95	200	68	1.75 / 1.325
ACVORTEX24WM	Wall	600	Single	1440	5	16000	0.95	200	68	
ACVORTEX30PF	Pedestal	750	Single	1440	5	22200	1.2	250	76	1.75 / 1.325
ACVORTEX30WM	Wall	750	Single	1440	5	22200	1.2	250	76	

- Rated Voltage 230v. 50Hz AC for single phase 415v. 50Hz for three Phase fans
- Built in Regulator Available only for 450mm sweep

Dimensional Specifications



Model	A	B	H		E		C		D		F	G	I	J	K
			Mini	Max	Mini	Max	Mini	Max	Mini	Max					
VORTEX 450 mm PF	450	450	1135	1200							350	164			
VORTEX 600 mm PF	600	515	1290	1600								164			
VORTEX 750 mm PF	750	515	1290	1600								164			
VORTEX 450 mm WF	450				760	800	70	120	380	450		164	85	115	190
VORTEX 600 mm WF	600				830	870	120	160	530	580		164	85	115	190
VORTEX 750 mm WF	750				1100	1200	120	160	530	580		164	85	115	190

INDUSTRIAL FANS

Features:

- Totally enclosed, continuously rated highly efficient heavy-duty motor with pressure die cast aluminium rotor mounted on two ball bearings.
- Aerodynamically contoured blades handle maximum air with minimum power consumption.
- Rigid frame with rubber mountings for silent operation.
- Epoxy powder coating with specially pretreated components for better resistance to corrosion.
- Degree of protection against dust & water entry is IP55



HEAVY DUTY EXHAUST FANS

Specifications								
Model Name	Impeller Diameter MM	Phase	Pole	Power Input (Watts)	Speed (RPM)	Air Delivery (CMH)	Current (AMP)	Noise Level (dB)
EXH0300-4-1 (IS)	300	Single	4 Pole	70	1400	1700	0.43	56
EXH0300-6-1 (IS)	300	Single	6 Pole	55	950	1450	0.26	54
EXH0300-4-1 (IS)	300	Single	4 Pole	150	1400	3750	0.72	63
EXH0300-4-3	300	Three	4 Pole	150	1400	3750	0.30	63
EXH0300-6-1	300	Single	6 Pole	100	950	2000	0.40	56
EXH0450-4-1 (IS)*	450	Single	4 Pole	350	1400	6120	1.90	65
EXH0450-4-3	450	Three	4 Pole	350	1400	6120	0.94	65
EXH0450-6-1	450	Single	6 Pole	145	950	3400	0.70	63
EXH0600-6-1	600	Single	6 Pole	550	950	9400	2.65	65
EXH0600-6-3	600	Three	6 Pole	550	950	9400	1.27	65
EXH0700-8-3	700	Three	8 Pole	1200	700	25700	2.60	68

* Also available in IP65 rating for industries like Ceramic, Spice, Cement etc

COOLER KIT

- Strong High Performance motor
- Peak performance even at low voltages
- High quality electrical steel & copper wire for longer life

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
500	145	1370	3215

Specification of Submersible Pump

Model	Max Head	Power Input (in Watts)	Recommended Cooler Height	Discharge (Liters/hr)
(STD)	5.5 feet	12	3-3.5 feet	500





White

Ivory



Note: All Dimensions are in mm


Model	Sweep	A	B	C	D	E
AXIAL AIR 100mm (46")	100	129	100	108	85	11
AXIAL AIR 200mm (8")	177	177	145	146	95	12



Sweep	(mm)	Power Inputs	Speed	Air Delivery
150	100	20	1750	275
100	100	12	2400	140

OH
Speed

AXIAL AIR




White

Ivory



Note: All Dimensions are in mm


Model	Sweep	A	B	C	D	E
RIVIERA DASH 100mm	100	150	157	144	58	25
RIVIERA DASH 150mm	150	197	144	144	85	25



Sweep	(mm)	Power Inputs	Speed	Air Delivery
150	100	22	2000	200
100	100	17	2500	120


OH
Speed

RIVIERA DASH




White

Ivory



Note: All Dimensions are in mm

Model	Sweep	A	B	C	D	E
RIVIERA SPRINT 100mm	100	195	195	84	146	36
RIVIERA SPRINT 150mm	150	158	157	82	108	35



Sweep	(mm)	Power Inputs	Speed	Air Delivery
150	100	20	2000	200
100	100	17	2500	120


OH
Speed

RIVIERA SPRINT

Crompton

BRISK AIR

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
150	25	1300	275
200	30	1300	450
250	40	1250	720



Model	Sweep	A	B	C	D	E
BRISK AIR	150mm (6")	150	240	172	90	50
BRISK AIR	200mm (8")	200	300	240	80	40
BRISK AIR	250mm (10")	250	350	290	80	48

Note: All Dimensions are in mm

Aerodynamic blades for faster speed



Powerful air suction for odorless and clean air



Light and rust proof body for durability



Ivory




White



BRISK AIR PLUS

*Also Available in Ivory Colour

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMH)
150	25	1300	275
200	30	1300	450



Model	Sweep	A	B	C	D	E
BRISK AIR PLUS	150mm (6")	150	240	172	90	50
BRISK AIR PLUS	200mm (8")	200	300	240	80	40

Note: All Dimensions are in mm

Aerodynamic blades for faster speed



Powerful air suction for odorless and clean air




Light and rust proof body for durability



Ivory



White




Ventilus White available only in 10 inches



Note: All Dimensions are in mm

Model	Sweep	A	B	C	D	E
VENTILUS 250mm (10")		250	350	290	80	48
VENTILUS 200mm (8")		200	300	240	90	45
VENTILUS 150mm (6")		150	240	175	80	50



Sweep	(mm)	Power Inputs	Speed	(Watts)	(RPM)	Air Delivery
250		35	1300			900
200		30	1300			450
150		25	1300			275


- 3 Automatic Shutter for dust protection
 3 Powerful air suction for odourless clean air delivery

VENTILUS



Note: All Dimensions are in mm

Model	Sweep	A	B	C	D	E
BRISK AIR HS 200mm (8")		292x292	248	230	139	13
BRISK AIR HS 150mm (6")		235x235	190	183	138	14



Sweep	(mm)	Power Inputs	Speed	(Watts)	(RPM)	Air Delivery
200		50	2370			460
150		40	2470			350

OH speed


BRISK AIR HS



Crompton

Note: All dimensions are in mm.

Model	Riviera Bolt	200mm	200	294	235	114	33	E
	Sweep	A	B	C	D			



Sweep	200	55	2200	720
Power Inputs	(mm)	(Watts)	(RPM)	(CMH)
Air Delivery				

RIVIERA BOLT

Ohl Speed



Aerodynamic blades for faster speed



Powerful air suction for odorless and clean air



Light and rust proof body for durability



Automatic dust protection shutters for hassle-free hygiene



White

Ivory



Sweep	225	31	1380	800
Power Inputs	(mm)	(Watts)	(RPM)	(CMH)
Air Delivery				

- For specific market
- A sleek and stylish domestic exhaust fan
- available in 3 sizes
- Sturdy Metal body with Metal blades.
- corrosion resistant coating on blade and body
- Plastic bird screen for protection from birds and foreign matter

FLUX AIR

Grey




EXHAUST FANS

TRANSAIR/ TRANSAIR REVERSIBLE

- With the flick of a switch one can opt for exhaust mode or fresh air mode in Transair Reversible
- Bird screen for protection against bird & foreign matter
- Reversible type available in 225mm & 300mm size only

Sweep	Power	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMH)
150	50	2000	320
225	45	1400	720
300	70	1380	1600



Grey

DRIFT AIR PLUS

- Sturdy Metal body with Metal blades
- Metal bird screen for protection from birds and foreign matter

Sweep	Power	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMH)
150	42	2300	400
225	38	1370	800
300	50	1350	1160




Silver

WHIRL FLO

Sweep	400 (mm)
Power Inputs	58 (Watts)
Speed	1330 (RPM)
Air Delivery	75 (CFM)

- PP Blade, low noise operation
- Thermal overload protection for long lasting motor
- Smooth Oscillation




White

HIGH FLO WAVE

Sweep	400 (mm)
Power Inputs	50 (Watts)
Speed	1300 (RPM)
Air Delivery	70 (CFM)

- PP blade low noise operation
- Smooth oscillation
- Thermal overload protection for long lasting Motor
- Elegant aesthetic



White

Sweep	400	50	1300	70
(mm)		(Watts)	(RPM)	(CMM)
Power Inputs				
Speed				
Air Delivery				

- PP blade low noise operation
- Smooth oscillation
- Thermal overload protection for long lasting Motor
- Elegant aesthetic

HIGH FLO LG 16"



Stand Operation

Light Grey



Crompton

Azure Blue

Wine Red

Grey

Sweep	400	58	1330	75
(mm)		(Watts)	(RPM)	(CMM)
Power Inputs				
Speed				
Air Delivery				


* Also Available in Wine Red, Azure Blue, KD White

- PP Blade, low noise operation
- Thermal overload protection for long lasting motor
- Smooth Oscillation

!FLO



Stand Operation



Sweep	400	105	2100	85
(mm)		(Watts)	(RPM)	(CMM)
Power Inputs				
Speed				
Air Delivery				

- Elegant looks
- Wide oscillation with control

FIZZAIR (HI-SPEED)



Stand Operation



Opal White

Crompton

Sweep (mm)	400	110	2000	85
Power Inputs (Watts)	300	80	2100	52
Speed (RPM)				
Air Delivery (CMM)				

* 300 mm sweep is available only in White

* Also Available in Grey

Wide Oscillation with control

Elegant Looks

High Air Delivery



WIND FLO (HI-SPEED)

Sweep (mm)	450	60	1200	75
Power Inputs (Watts)				
Speed (RPM)				
Air Delivery (CMM)				

Elegant aesthetic

Thermal overload protection for long lasting Motor

Smooth Oscillation

PP blade low noise operation



HIGH FLO LG 18"

Sweep (mm)	400	110	2100	115
Power Inputs (Watts)				
Speed (RPM)				
Air Delivery (CMM)				

Wide Oscillation with control

Elegant looks



HIGH SPEED





White

Wine Red



Light Grey



KD White

Crompton Red




WALL MOUNT FANS

SSTORM2

- Hi Air Delivery with Low noise operation
- Thermal protection for long lasting motor
- Royal Finish
- Smooth Oscillation

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
450	90	1350	100




Black Silver

SDX BLACK GOLD

- Metallic sturdy construction, thermal overload protection for long lasting motor
- Royal Colour

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
400	54	1360	77





Black Gold

HIGH FLO CRESSIDA

- Remote control wall mounted fan
- Three modes of operations (normal, natural, sleep) for added convenience
- Corrosion resistant powder coated guards

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
400	55	1300	70



Light Grey

HIGH FLO WAVE

- PP blade low noise operation
- Thermal Overload Protection for Long Lasting Motor
- Smooth Oscillation, Elegant Aesthetic

Sweep (mm)	400
Power Inputs (Watts)	50
Speed (RPM)	1300
Air Delivery (CMM)	70



Sweep (mm)	400
Power Inputs (Watts)	50
Speed (RPM)	1300
Air Delivery (CMM)	70

- PP Blade, low noise operation
- Thermal overload protection for long lasting motor
- Smooth Oscillation
- Elegant aesthetic

HIGH FLO LG 16"



Sweep (mm)	400
Power Inputs (Watts)	58
Speed (RPM)	1330
Air Delivery (CMM)	75

* Also Available in KD White

- Study base
- Long lasting motor
- Smooth Oscillation



? FLO





Opal White
High Air Delivery

FIZZAIR HI SPEED

Sweep (mm)	400
Power Inputs (Watts)	105
Speed (RPM)	2100
Air Delivery (CMM)	85

- Elegant looks
- Wide oscillation with control

HIGH FLO PRIME



Sweep (mm)	400
Power Inputs (Watts)	55
Speed (RPM)	1330
Air Delivery (CMM)	70

- Large Base for stability
- Thermal overload protector



Black



White



Red

MINI SAPPY



- PP Blade, low noise operation
- Thermal overload protection for long lasting motor
- Smooth Oscillation
- Elegant aesthetic

Sweep (mm)	400
Power Inputs (Watts)	54
Speed (RPM)	1360
Air Delivery (CMM)	77



White



Sweep (mm)	400
Power Inputs (Watts)	110
Speed (RPM)	2000
Air Delivery (CMM)	85

- High Speed Fan
- Elegant Looks
- Wide oscillation with control

WIND FLO (HI-SPEED)

Omni Speed
High Air Delivery



Sweep (mm)	400
Power Inputs (Watts)	110
Speed (RPM)	2100
Air Delivery (CMM)	115

- Elegant looks
- Wide Oscillation with control

HIGH SPEED

Omni Speed



Sweep (mm)	450
Power Inputs (Watts)	60
Speed (RPM)	1200
Air Delivery (CMM)	75

- PP Blade, low noise operation
- Thermal overload protection for long lasting motor
- Smooth Oscillation
- Elegant aesthetic

HIGH FLO LG 18"

Stable Operation



WINDMILL

- Metallic Sturdy Construction
- Thermal Overload Protection for Long Lasting Motor
- Elegant Colour

Sweep	400	54	1360	77
Power Inputs	(mm)	(Watts)	(RPM)	(CMM)
Speed	Air Delivery			



Chrome Black

Sweep	400	55	1300	70
Power Inputs	(mm)	(Watts)	(RPM)	(CMM)
Speed	Air Delivery			

- Remote controlled pedestal fan in metallic black colour option of manual control available
- Three modes of operations (Normal, Natural, Sleep) for added convenience
- Corrosion resistant powder coated guards



Steel Grey

Sweep	400	55	1300	70
Power Inputs	(mm)	(Watts)	(RPM)	(CMM)
Speed	Air Delivery			

- Remote controlled pedestal fan in metallic black colour option of manual control available
- Three modes of operations (Normal, Natural, Sleep) for added convenience
- Corrosion resistant powder coated guards



Steel Grey

HIGH FLO ESTER

SSTORM2

- Thermal protection for long lasting motor
- Royale Finish
- Smooth Oscillation

Sweep (mm)	450
Power Inputs (Watts)	90
Speed (RPM)	1350
Air Delivery (CMM)	100



Silver Black

WINDSTAR FARRATA

- Sturdy iron cast base
- Aluminium blades

Sweep (mm)	500
Power Inputs (Watts)	160
Speed (RPM)	1330
Air Delivery (CMM)	6800



White-Grey

SDX BLACK GOLD

- Metallic sturdy construction, thermal overload protection for long lasting motor
- Royal Colour

Sweep (mm)	400
Power Inputs (Watts)	54
Speed (RPM)	1360
Air Delivery (CMM)	77




Black Gold

SDX BLACK GOLD

Black metal stand & guard, golden colour metal blades

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
400	54	1360	77



Black Gold


iFLO



- Sturdy Base
- Smooth Oscillation
- Long lasting motor

* Also Available in KD White

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
400	58	1330	75



Grey



Wine Red




Azure Blue

HIGH FLO EVA




- Elegant looks
- Wide Oscillation with control

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
400	50	1300	70



White



Ivory


TABLE FANS

HIGH SPEED



- High Speed fan
- Elegant looks
- Wide Oscillation with control

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
400	110	2100	115



KD White




Crimson Red

FIZZAIR HISPEED



- High Speed Fan
- Elegant looks
- Wide Oscillation with control

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
400	105	2100	85




Opal White

WINDMILL

- Unique Windmill like Blade for hi performance
- Thermal Overload Protection for Long Lasting Motor

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
400	54	1360	77




Ash Grey



Chorme Black

- With Regulator
- Energy efficient fan from BEE
- National Energy Conservation Award for
- Power Saving Fan

EMPOWER 50



Opal White

- Also Available in Brown, Bianco
- Energy efficient fan from BEE
- National Energy Conservation Award for
- Power saving fan


ENTRUST 50



Opal White

- Also Available in Bianco, Satin Brown
- Power saving fan

ASSET 50



Opal White



Brown

Crompton

Sweep	1200	50	Speed	370	Air Delivery	210
	(mm)	(Watts)	Power Inputs	(RPM)	(CMM)	

Sweep	1200	50	Speed	370	Air Delivery	215
	(mm)	(Watts)	Power Inputs	(RPM)	(CMM)	

Sweep	1200	50	Speed	370	Air Delivery	215
	(mm)	(Watts)	Power Inputs	(RPM)	(CMM)	


c Double Ball Bearing

SEA BREEZE




Sweep	1200	Speed	380	Air Delivery	200
(mm)		(RPM)		(CMM)	
Power Inputs	70				
(Watts)					

PAVAN



Sweep	1200	Speed	380	Air Delivery	200
(mm)		(RPM)		(CMM)	
Power Inputs	70				
(Watts)					

PAVAN DECO



Sweep	1200	Speed	380	Air Delivery	200
(mm)		(RPM)		(CMM)	
Power Inputs	70				
(Watts)					

NEO BREEZE

Double Ball Bearing
Long Lasting

Sweep
(mm)
1200

Power Inputs
(Watts)
75

Speed
(RPM)
380

Air Delivery
(CMM)
205



Ivory



Opal White

Brown

HILL BRIZ

Double Ball Bearing
Long Lasting

Sweep
(mm)
1200


Power Inputs
(Watts)
75

Speed
(RPM)
370

Air Delivery
(CMM)
205



Brown



Opal White

Ivory

SEA WIND

Double Ball Bearing
Long Lasting

Sweep
(mm)
1200

Power Inputs
(Watts)
70

Speed
(RPM)
380

Air Delivery
(CMM)
200





Ivory



Opal White

Luster Brown




WINZER

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
1200	70	380	200



WWPS

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
1200	50	310	200



* Also Available in Ivory

WWHE

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
1200	50	310	200
1400	60	290	245

ENERGY SAVING FANS



HIGH SPEED PLUS



- Power saving fan
- National Energy Conservation Award for Energy efficient fan from BEE

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
1200	53	370	218





AURA PLUS



- Power saving fan
- National Energy Conservation Award for Energy efficient fan from BEE

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
1200	53	380	218



HS DECORA PLUS



- Power Saving Fan
- National Energy Conservation Award for Energy efficient fan from BEE

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
1200	53	370	218

ALPHA BRIZ




• Double Ball Bearing
* Also Available in Ivory

Sweep
(mm)
1200

Power Inputs
(Watts)
75

Speed
(RPM)
380

Air Delivery
(CMM)
205



NEO BREEZE DECO



• Double Ball Bearing
* Also Available in Brown, Ivory

Sweep
(mm)
1200

Power Inputs
(Watts)
75

Speed
(RPM)
380

Air Delivery
(CMM)
205



BRIZ AIR



• Double Ball Bearing
* 1400 mm sweep is available only in opal white

Sweep
(mm)
1400
1200
1050
900
600

Power Inputs
(Watts)
75
75
68
60
62

Speed
(RPM)
290
380
370
415
850

Air Delivery
(CMM)
245
205
180
145
115



COOL BREEZE

Double Ball Bearing



*900 mm sweep is available only in opal white
*Dark choco colour is available only in 1200 mm sweep



Sweep	Power Inputs	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMM)
1400	82	290	245
1200	75	380	210
1050	70	420	165
900	65	460	135
600	55	860	110

Luster Brown



Dark Choco



Opal White



Ivory




ARIYA BRIZ

Double Ball Bearing



Sweep	Power Inputs	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMM)
600	64	850	120
1200	68	380	210



Brown




Luster Brown



Ivory



Opal White



SUPER BRIZ DECO

Decorative Irons on Motors and Blades

Double Ball Bearing

*Silver White available only in 1200 mm sweep



Silver White



Birken Ivory



Birken White



Smoked Brown



Sweep	Power Inputs	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMM)
1400	80	300	245
1200	70	400	210
900	60	420	140

BRIZAIR DECO

Double Ball Bearing

Long Lasting



Sweep (mm)	1200
Power Inputs (Watts)	75
Speed (RPM)	380
Air Delivery (CMM)	205

COOL BREEZE DECO

Double Ball Bearing
Long lasting performance

Long Lasting



Sweep (mm)	1200
Power Inputs (Watts)	75
Speed (RPM)	380
Air Delivery (CMM)	210

SMART BREEZE

(HI SPEED)

* Also Available in Matt Brown

OH Speed



Sweep (mm)	1200
Power Inputs (Watts)	70
Speed (RPM)	380
Air Delivery (CMM)	210



RIVIERA SUPER SPEED



- Safety Cable
- * Also Available in Bianco

Sweep	Power Inputs	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMM)
1200	72	400	233

RIVIERA (HI SPEED)






- Simplicity in motor design
- Standard model with good performance
- * Bianco colour available in 1200 sweep only



ZAPAR HI SPEED



- * 900 mm sweep is available only in Opal White and Brown
- * 1050 mm sweep is available only in Opal White



Sweep	Power Inputs	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMM)
900	60	390	155
1050	66	370	195
1200	72	380	230

Sweep	Power Inputs	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMM)
1400	80	280	270
1200	70	370	230
1050	66	370	195
900	60	390	155
600	64	900	120

Unique gold line on motor

HIGH SPEED

*Ruby colour is available in 1200 mm sweep only in
*600, 900, 1050, 1400 mm sweep are available only in

Opal White, Brown and Ivory



Opal White



Brown



Ivory

Unique Motif's on the Blades
Excellent & Long Lasting Paint Finish

Sweep	Power Inputs	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMM)
1200	70	370	230

NEW ARRIVAL

HS CRYPTO

Unique Motif



Luster Brown

NEW ARRIVAL

ULTRA

Sweep	Power Inputs	Speed	Air Delivery
(mm)	(Watts)	(RPM)	(CMM)
1200	75	380	230



Opal White



Brown



Ivory



Sweep	1200	Power Inputs	70	Speed	370	Air Delivery	230
(mm)	(mm)	(Watts)	(RPM)	(RPM)	(CMM)		

OH
Speed

HIGH SPEED METALLIC

Dusky Brown



Sweep	1200	Power Inputs	73	Speed	380	Air Delivery	215
(mm)	(mm)	(Watts)	(RPM)	(RPM)	(CMM)		

Smooth Curvature for high speed and optimum air delivery.

FLAVIA PC

Ivory



Silver White



Brown



Sweep	1200	Power Inputs	70	Speed	370	Air Delivery	230
(mm)	(mm)	(Watts)	(RPM)	(RPM)	(CMM)		

Elegantly designed blades for high speed and air delivery.

OH
Speed

CALIBER

White



Brown



Ivory



Crompton

- Ornamental design with gold finish shanks on motor & blades
- Gold ring on canopies

HIGH SPEED DECORA



Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
1400	80	280	270
1200	70	370	230



- 600, 900 and 1050 mm sweeps are available only in Pearl Silver White and Bakers Brown
- 1400 mm sweep is available only in Bakers Brown



JURA




Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
1400	84	285	270
1200	74	380	230
1050	65	360	190
900	62	410	155
600	65	875	120



Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
1200	77	370	220

AVAMOUR

- Attractive Decor and Colors





Sweep	1400	80	280	270
(mm)	1200	74	370	230
Power Inputs	900	60	390	155
(Watts)	900	60	390	155
Speed	900	390	370	230
(RPM)	900	390	370	230
Air Delivery	900	390	370	230
(CMM)	900	390	370	230


HS DECORA SCION

- Available in two Different Colour Combinations
- Dual Deco trims on the shank & canopy



HS DECORA METALLIC

- Aerodynamically designed blades for high speed and air delivery
- Superior metallic colour options to enhance decor
- Gold ring on caponies



CALIBER HI SPEED METALLIC

- Elegant designed blades for high speed and air delivery
- Available in glittering metallic colour combination for enhance decor



- Unique petal shaped blades to enhance aesthetics
- Attractive trims to complement modern decor

LERONE



Husky Gold



- Elegant diamond shaped design to complement home decor
- Broad blades for high speed and optimum air delivery

DIAMOND



Silver White



- Smooth curvature for high speed and optimum air delivery
- Attractive glittering metallic 2 tone colour combination

FLAVIA



Gold Brown



Golden Green



Sweep (mm)	1200	80	370	225
Power Inputs (Watts)	76	390	215	
Speed (RPM)	390	215		
Air Delivery (CMM)	215			

Sweep (mm)	1200	76	390	215
Power Inputs (Watts)	76	390	215	
Speed (RPM)	390	215		
Air Delivery (CMM)	215			


Sweep (mm)	1200	73	380	215
Power Inputs (Watts)	73	380	215	
Speed (RPM)	380	215		
Air Delivery (CMM)	215			

Sweep	1400	84	285	270
Power Inputs	1200	74	380	230
Speed	900	62	410	155
(mm)	600	65	875	120
(RPM)	600	65	875	120
(Watts)	600	65	875	120
Air Delivery	1200	84	285	270



- Contemporary design to complement modern decor
- Broad and aerodynamically designed blades for high air delivery
- * 600, 900, 1400 sweeps are available only in Ivory

AURA High Air Delivery



Sweep	1200	77	370	225
Power Inputs	1200	77	370	225
Speed	900	62	410	155
(mm)	600	65	875	120
(RPM)	600	65	875	120
(Watts)	600	65	875	120
Air Delivery	1200	84	285	270



- Exotic Blade Trims & Body Ring

SPLITZ



- Decorative gold trims
- Stylish canopies
- Four blades

DEC'AIR High Air Delivery

Sweep	1200	85	280	230
Power Inputs	1200	85	280	230
Speed	900	62	410	155
(mm)	600	65	875	120
(RPM)	600	65	875	120
(Watts)	600	65	875	120
Air Delivery	1200	84	285	270



Crompton

- Unique petal shaped blades to enhance aesthetics
- Attractive trims to complement modern decor



SENORITA




Opal White

Sweep	1200	900	75	370	225
(mm)	1200	900	(Watts)	(RPM)	(CMM)
Power Inputs	60	420	Speed	Air Delivery	

- Aesthetically superior deco trims
- Innovative Designer Fan Blade
- Available in Stunning Color Combinations



SENOPRIME



Cool Grey



Roast Brown



Maroon Matt



Olive Green




Sweep	1400	1200	84	285	270
(mm)	1400	1200	(Watts)	(RPM)	(CMM)
Power Inputs	65	360	Speed	Air Delivery	

- Contemporary design to complement modern decor
- Metallic finish for superior aesthetics
- Also Available in Copper and Pearl
- *600, 900, 1050, 1400 mm sweep available only in New White



AURA METALLIC



New White



Bronze



AIR 360

Crompton



Ivory



Luster Brown




Opal White

FIRST TIME IN INDUSTRY

Product	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
Air 360	82	360	265
Air 360 Deco			

COVERS 50% | MORE SPACE



Gliding technology
provides 50% more
room coverage



Aerodynamic blade
design for superior
air delivery



Anti drag
technology for
smoother air flow

AVAMOUR ANTIDUST




Sweep (mm)	1200
Power Inputs (Watts)	77
Speed (RPM)	370
Air Delivery (CMM)	220

Rustic Choco



Matt Satin Finish

JURA PRIME ANTIDUST



Sweep (mm)	1200
Power Inputs (Watts)	74
Speed (RPM)	380
Air Delivery (CMM)	230

Conch Cream



Unique Dual Tone Deco Trims

DIGNITA ANTIDUST



Sweep (mm)	1200
Power Inputs (Watts)	77
Speed (RPM)	370
Air Delivery (CMM)	225

Caramel



Roseberry



Snow Onyx



Titanium Effect



Antique Beige



Lagoon Blue



Himalaya Grey



Mélange Beige



Husky Gold



Lilac Gloss



Dusky Brown



Butterscotch



Chicory



Lilac Matt



Onyx



Birken Effect



Sweep (mm)	Power Input (Watts)	Speed (RPM)	Air Delivery (CMM)
1400	84	285	270
1200	74	380	230
1050	65	360	190
900	62	410	155
600	65	875	120

• Also Available in Mica Matt
 * 600, 900 and 1050 sweeps are available in Birken Effect. Onyx and Chicory
 ** 1400 sweep is available only in Birken Effect

AURA PRIME ANTIDUST



CHOOSE FROM VARIOUS COLOURS

Crompton

INDIA'S 1ST ANTI-DUST FAN

CHOOSE FROM VARIOUS COLOURS

AVANCER PRIME ANTIDUST



*900 and 1400 sweeps are available only in Cocoa Gold, Bakers Brown and Conch Cream

*1050 sweeps are available only in Cocoa Gold and Conch Cream

Sweep (mm)	Power Inputs (Watts)	Speed (RPM)	Air Delivery (CMM)
900	56	420	155
1050	68	390	195
1200	77	370	230
1400	84	285	270



Cocoa Gold



Cherry Silver



Roast Brown



Lilac Matt




Conch Cream



Mica Matt



Indigo Blue



Silky Silver



Antique Beige



Winter Glow



Coffee Brown



Bakers Brown




Lagoon Blue

AMOUR

- Contemporary design to complement modern decor
- Aerodynamically designed blades for high speed and air delivery

High Air Delivery




Sweep (mm)	1200
Power Inputs (Watts)	77
Speed (RPM)	370
Air Delivery (CMM)	230

AVANCER

- Contemporary design to complement modern decor
- Broad and aerodynamically designed blades for high air delivery

High Air Delivery




Sweep (mm)	900
Power Inputs (Watts)	56
Speed (RPM)	420
Air Delivery (CMM)	155

AVANCER PRIME

- Contemporary design to complement modern decor
- Broad and aerodynamically designed blades for high air delivery

High Air Delivery



Sweep (mm)	1200
Power Inputs (Watts)	77
Speed (RPM)	370
Air Delivery (CMM)	230

Crompton

- Decorative motor and designer blades to complement modern decor
- Unique petal shaped blades to enhance aesthetics

DEVINE



Roast Brown



Rustic Brown



Sweep (mm)	1200
Power Inputs (Watts)	72
Speed (RPM)	390
Air Delivery (CMM)	218

Silver White



Amber



- High Speed
- Decorative Leaf Shaped trims

OH
Speed

FLYLEAF



INDIA'S 1st TEMPERATURE-SENSING SMART CEILING FAN

AVANCER E-SENSE

Ergonomically designed remote hand set




Sweep (mm)	1200
Power Inputs (Watts)	77
Speed (RPM)	370
Air Delivery (CMM)	230

Onyx Black



Silver White



Bakers Brown



Sweep (mm)	1200
Power Inputs (Watts)	70
Speed (RPM)	350
Air Delivery (CMM)	210

- Contemporary designed to complement modern decor
- Metallic finish for superior aesthetics
- Aerodynamically designed blades for high speed and air delivery

TRITON

ELECTROPLATED FINISH



Antique Brass



Brushed Steel



Antique Copper



Sweep (mm)	1200
Power Inputs (Watts)	72
Speed (RPM)	320
Air Delivery (CMM)	200

- Magnificent Carvings for a royal décor
- Decorative lampshades to Enhance Beauty
- Convenience Pull Cord for Speed and light Control

URANUS



Black Chrome



Ivory




Sweep (mm)	1300
Power Inputs (Watts)	82
Speed (RPM)	350
Air Delivery (CMM)	220

- Powerful Motor for better performance
- Sharp Strapping blade designed for superior air flow
- Metallic finish for superior aesthetics

KANNON

ELECTROPLATED FINISH



Gun Metal



Antique Brass



Antique Copper



Brushed Steel



JUPITER

- ☛ Magnificent Carvings for a royal décor
- ☛ Decorative lampshades to Enhance Beauty
- ☛ Convenience Pull Cord for Speed and light Control



Sweep	1200	75	300	210
	(mm)	(Watts)	(RPM)	(CMM)
Power Inputs			Speed	Air Delivery

NEBULA

- ☛ Magnificent Carvings for a royal décor
- ☛ Decorative lampshades to Enhance Beauty
- ☛ Convenience Pull Cord for Speed and light Control



Sweep	1200	72	320	200
	(mm)	(Watts)	(RPM)	(CMM)
Power Inputs			Speed	Air Delivery

TITANIS

- ☛ Contemporary design to compliment modern decor
- ☛ Exclusively designed shanks and blades for optimum air flow



PREMIUM FANS



Sweep	1200	70	350	210
	(mm)	(Watts)	(RPM)	(CMM)
Power Inputs			Speed	Air Delivery

Crompton





Crompton