



SREE VANI WEIGH BRIDGE

Thurkapally, Shameerpet Mandal, Kolthur Road, R.R. Dist. - 500 078.
Cell : 9440003460

24
HOURS
SERVICE

COMPUTERISED 60M TONNES WEIGH BRIDGE

SERIAL No.:
CHARGES Rs.

De

VEHICLE No. :

GROSS

1544

TARE

25770

NETT

Kgs.

DATE

Kgs.

DATE

Kgs.

Received By:

INWARD
Inward No: 1538
MRN No: 80698
Dt: 06-07-20
TIME: 11:00
Sign: [Signature]
RESEARCH CENTERS PVT. LTD.

OPERATOR'S SIGNATURE

వాహనము ప్లాట్ ఫారం విడిచిన తర్వాత మా బాధ్యత లేదు.
Our responsibility ceases once the vehicle leaves the platform.



SREE VANI WEIGH BRIDGE

శ్రీ వాణి ధర్మ కాంట్

Thurkapally, Shameerpet Mandal, Kolthur Road, R.R. Dist. - 500 078.

Cell : 9440003460

24
HOURS
SERVICE

COMPUTERISED 60M TONNES WEIGH BRIDGE

SERIAL No.: 544
CHARGES Rs.

VEHICLE No. :

7007UF8568

GROSS

25770

Kgs.

DATE :

06-07-20

17:03

TIME:

TARE

10830

Kgs.

DATE :

06-07-20

20:59

TIME:

NETT

14940

Kgs.

OPERATOR'S SIGNATURE

వారుకర్లు పాత పాదం నిడిచిన తర్వాత మా బాధ్యత పేరు.



SREE VANI WEIGH BRIDGE

శ్రీ వాణి ధర్మ కాంట్

Thurkapally, Shameerpet Mandal, Kolthur Road, R.R. Dist. - 500 078.
Cell : 9440003460

24
HOURS
SERVICE

COMPUTERISED 60M TONNES WEIGH BRIDGE

SERIAL No.:
CHARGES Rs.

VEHICLE No. :

GROSS

Kgs.

DATE :

TIME:

TARE

Kgs.

DATE :

TIME:

NETT

Kgs.

INWARD	
Inward No: 1538	TIME: 06.07.20
MRN No: 80898	Dt: 6
Received By:	Sign: Jd
SRI VANI RESEARCH CENTERS PVT. LTD.	
OPERATOR'S SIGNATURE	

వాహనము ప్లాట్ ఫారం విడిచిన తర్వాత మా బాధ్యత లేదు.
Our responsibility ceases once the vehicle leaves the platform.

INWARD

MINI WEIGH BRIDGE

60 MT. ELECTRONIC & COMPUTERISED WEIGH BRIDGE

Thurkapally (V), Shameerpet (M), Medchal (D)

Cell: 9440003460



TD.

No.

734

DUE RECEIPT

Date

RESEARCH CENTERS PVT. LTD.

M/s

M. V. R. L.

Please weight our lorry bearing

Vehicle No.

TS 07UF 8568

and give the bill for the same

Receipt Sl. No.

1944

RS. 250/-, 200/-, 150/-, 100/-,

RS. 80/-, 60/-, 50/-, 40/-

Signature



NCL INDUSTRIES LIMITED

RMC DIVISION

Original For Recipient
NAGARJUNA RMC
Powering Construction

REGD. OFFICE: NCL PEARL, 7th Floor, Near Rail Nilayam, S.D. Road,
Secunderabad - 500 026. Ph: 040-30120000 Fax: 040-29807871 CIN:L33130TG1979PLC002521

DELIVERY CHALLAN CUM TAX INVOICE

Works: NCL Industries Limited, SY.No.281(P) & Sy No 282(p), Rampally Village Keesara
Mandal, Medchal Dist., Telangana

GSTIN: 36AAACN7002L1ZJ

Vehicle No.: TS07UF8568

PO No.: 68171

Invoice No / Date : RM-2020-07-779 - 06/07/2020

Name of Recipient (Billed to)

RMCG0111 - GV RESEARCH CENTERS PRIVATE LIMITED

5-4-187/3&4, II nd Floor,, Soham Mansion, MG
Road,, SECUNDERABAD, HYDERABAD, INDIA,,

36 / Telangana

GSTIN/ Unique ID 36AAHCG4562D1ZP

Address of Delivery

InnopoliS, Sy no-542, Genome
Valley,, Thurkapally,, Hyderabad, HYDERABAD, INDIA,,

GSTIN/ Unique ID

Whether tax is payable on reverse charge basis Y/N: N

Advance document No.

Place of supply (Place, State Name & Code):

POUR LOCATION

WALL / COLUMN / SLAB / FOUNDATION / OTHERS

S.No.	Description of Goods/ Services	HSN of Goods / Services	Quantity in CUM	Rate Per CUM	Value of Supply
1	M-30 GRADE	38245010	6.00	3,644.07	21,864.41

Gross Value

21,864.41

Taxable Value of Supply

21,864.41

Taxes Tax Rates

CGST 9.00 % 1,967.80

SGST 9.00 % 1,967.80

Total Taxes 3,935.59

Grand Total 25,800.00

Total Tax value (In words) Three Thousand Nine Hundred Thirty-Five And Fifty-Nine Paise Only

Total Invoice value (In words) Twenty-Five Thousand Eight Hundred And Zero Paise Only

SPECIFIED TARGET SLUMP	W/C	MSA	MIN. ADM	MIN. CEM	CEMENT TYPE
100 +/- 25		20MM	PFA/GGBS		OPC/PPC/PSC
SITE ARRIVAL TIME	POUR START TIME	POUR END TIME	SITE DEP . TIME	PLANT ARRIVAL TIME	

Special Conditions: 1. You must ensure timely wetting and proper cover on the concrete surface before it dries and starts hardening i.e. before ponding for curing to avoid plastic shrinkage cracks. We will not be responsible for such cracks developed, if any, at site.

2. The Concrete shall be placed at the required location within 3 hours from the time of Batching. We are not liable for the failure of Concrete unloaded beyond 3 hours.

3. We are not responsible for the slump, loss of strength or quality of the concrete when water and/or other materials added at site by or at the request of customer.

Payment & Other Conditions: 1. Payment against this invoice should be made on or before due date. Failing which, will attract Interest @ 24% pa from the due date.

2. All Correspondence should be to our Hyderabad Office only.

3. Legal Jurisdiction is Courts of Hyderabad only.

Caution: Please warn concrete users to minimise contact with wet cement and wet concrete to avoid any risk of serious injury (e.g. wear soluble and protective clothing). If contact occurs, wash thoroughly, without any delay.

Certificate: Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Received In Good Condition

For Ncl Industries Limited

Signature of Customer

Authorised Signatory

INWARD	
Inward No: 1538	Dt: 06.07.20
MRN No:	Dt:
Received By:	Sign:
G.V. RESEARCH CENTERS PVT. LTD.	

of batch reports - 1739

NAGARJUNA PMC

Job no. 0120135539
Cycles 6
Sub-cycle m3 1.00
Customer code 416
Total m3 6.00
Jobsite code 416
Disch.: 01
Truck/mixer code TS07UF8568
START Date 7/6/20 Time 13:44:28
END Date 7/6/20 Time 13:53:32

Code M-30 G V RESERCH

Formula name: G V RESERCH CENTERS PVT LTD

Nr. 423	Formula type: Batch	Resist. cl.:	Slump:	1 m3	Theor.	%Moist	%Abs	Corr	Batched	Diff	Er%	Netting	Cts. wet	Ads. wet
Code	Constituent name	UM												
20MM	20MM	Kg		660	3960	0.00	M	0.00	3960	3935	-25	-0.6	656	0
SAND 1	SAND 1	Kg		770	4620	1.50	M	0.00	4680	4668	-12	-0.3	778	60
10MM	10MM	Kg		440	2640	0.00	M	0.00	2640	2618	-22	-0.8	436	0
	Tot. agg.	Kg		1870	11220				11280	11221	-59	-0.5	1870	60
CEMENT 2	CEMENT 2	Kg		70	420				420	416	-4	-1.0	69	
CEMENT 3	CEMENT 3	Kg		290	1740				1740	1740	0	0.0	290	
WATER	WATER	Kg		175	1050				1020	1021	1	0.1	170	
ADDITIVE 1	ADDITIVE 1	Kg		1.50	9.00				9.00	9.07	0.07	0.8	1.51	8.97
	Tot. mix:	Kg		2407	14439				14469	14407	-62		2401	68.96

Water		Tot Cem.	2156	Cycle time (m.s)	09:03
Aggregate	60	W/C ratio	0.000	Plant cycle time (m.s)	01:28
Absorbed	0	W/C real	0.506	Discharge time (s)	36
Batched	991			Mixing time (s)	17
Recycled	0			Env. humidity	0.00
Additives	9			Env. temp. °C	0
Manual	0			min °C	0
In truck	0			max °C	0
Offset	30				
Total	1090				

INWARD	
Inward No: 1538	Dt: 06-07-20
MRN No:	Dt:
Received By:	Sign: <i>[Signature]</i>
G.V. RESEARCH CENTERS PVT. LTD.	



SREE VANI WEIGH BRIDGE

శ్రీ వాణి ధర్మ కాంట్

Thurkapally, Shameerpet Mandal, Kolthur Road, R.R. Dist. - 500 078.

Cell : 9440003460

24
HOURS
SERVICE

COMPUTERISED 60M TONNES WEIGH BRIDGE

SERIAL No.:
CHARGES Rs.

VEHICLE No. :

GROSS

Kgs.

DATE :

TARE

Kgs.

DATE :

NETT

Kgs.

INWARD	
Inward No: 1537	Dr: 06/07/20
MRN No: 50877	TIME: 11:35
Received By:	Sign:
TIME:	
SEARCH CENTERS PVT LTD.	

OPERATOR'S SIGNATURE

వాహనము ప్లాట్ ఫారం విడిచిన తర్వాత మా బాధ్యత లేదు.

Our responsibility ceases once the vehicle leaves the platform.



SREE VANI WEIGH BRIDGE

శ్రీ వాణి ధర్మ కాంట్

Thurkapally, Shameerpet Mandal, Kolthur Road, R.R. Dist. - 500 078.
Cell : 9440003460

24
HOURS
SERVICE

COMPUTERISED 60M TONNES WEIGH BRIDGE

SERIAL No.:

VEHICLE No. :

CHARGES Rs.

26220

06-07-20

12:35

GROSS

11720

Kgs.

DATE :

06-07-20

TIME:

12:35

TARE

14500

Kgs.

DATE :

TIME:

NETT

Kgs.

OPERATOR'S SIGNATURE

వాహనము ప్లాట్ ఫారం విడిచిన తర్వాత మా బాధ్యత లేదు.

Our responsibility ceases once the vehicle leaves the platform

/ Unique ID

36AAHCG4562D1ZP

GSTIN/ Unique ID

er tax is payable on reverse charge basis Y/N: N

Advance document No.

of supply (Place, State Name & Code):



NCL INDUSTRIES LIMITED RMC DIVISION

Original For Recipient
NAGARJUNA RMC

REGD. OFFICE: NCL PEARS, 7th Floor, Near Ravi Theatre, S.D. Road,
Secunderabad - 500 026. Ph: 040-26130000 Fax: 040-26607873 CIN: L22109TG0999999999

DELIVERY CHALLAN CUM TAX INVOICE

Works: NCL Industries Limited, Sy No 281(P) & Sy No 282(P), Ramgally Village, Medchal Mandal, Medchal Dist., Telangana

GSTIN: 36AAACH76071123

Vehicle No.: AP23YS232

PO No.: 68171

Invoice No / Date : 001-2020-07-776 - 06/01/2020

Name of Recipient (Billed to)

RMCG0111 - GV RESEARCH CENTERS PRIVATE LIMITED

5-4-187/3&4, II nd Floor,, Soham Mansion, MG
Road,, SECUNDERABAD, HYDERABAD, INDIA,,

36 / Telangana

GSTIN/ Unique ID 36AAHCG4562D1ZP

Address of Delivery

Innapolis, Sy no-542, Genome
Valley,, Thurkapally,, Hyderabad, HYDERABAD, INDIA,,

GSTIN/ Unique ID

Advance document No.

Whether tax is payable on reverse charge basis Y/N: N

Place of supply (Place, State Name & Code):

POUR LOCATION		WALL / COLUMN / SLAB / FOUNDATION / OTHERS			Value of Supply
S.No.	Description of Goods/ Services	HSN of Goods / Services	Quantity in CUM	Rate Per CUM	
1	M-30 GRADE	38245010	6.00	3,644.07	21,864.41
Gross Value					21,864.41
Taxable Value of Supply					21,864.41
Taxes					
CGST					1,967.80
SGST					1,967.80
Total Taxes					3,935.59
Grand Total					25,800.00

Total Tax value (In words) Three Thousand Nine Hundred Thirty-Five And Fifty-Nine Paise Only

Total Invoice value (In words) Twenty-Five Thousand Eight Hundred And Zero Paise Only

SPECIFIED TARGET SLUMP	W/C	MSA	MIN. ADM	MIN. CEM	CEMENT TYPE
100 +/- 25		20MM	PFA/GGBS		OPC/PPC/PSC
SITE ARRIVAL TIME	POUR START TIME	POUR END TIME	SITE DEP. TIME	PLANT ARRIVAL TIME	

Special Conditions: 1. You must ensure timely wetting and proper cover on the concrete surface before it dries and starts hardening i.e. before ponding for curing to avoid plastic shrinkage cracks. We will not be responsible for such cracks developed, if any, at site.
2. The Concrete shall be placed at the required location within 3 hours from the time of Batching. We are not liable for the failure of Concrete unloaded beyond 3 hours.
3. We are not responsible for the slump, loss of strength or quality of the concrete when water and/or other materials added at site by or at the request of customer.

Payment & Other Conditions: 1. Payment against this invoice should be made on or before due date. Failing which, will attract Interest @ 24% pa from the due date.

2. All Correspondence should be to our Hyderabad Office only.

3. Legal Jurisdiction is Courts of Hyderabad only.

Caution: Please warn concrete users to minimise contact with wet cement and wet concrete to avoid any risk of serious injury (e.g. wear soluble and protective clothing). If contact occurs, wash thoroughly, without any delay.

Certificate: Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Received in Good Condition

Signature of Customer

INWARD		For Ncl Industries Limited	
Inward No: 1537	Dt: 6.7.20	Authorised Signatory	
MRN No: 80899	Dt: 1		
Received By:	Sign:		
GV RESEARCH CENTERS PVT. LTD.			

of batch reports - 1738

NAGARJUNA RMC

Customer code
416

Jobsite code
416

Truckmixer code
AP23Y5232

Disch.: 01

START

END

Date 7/6/20

Date 7/6/20

Time 10:37:38

Time 10:46:19

Sub-cycle
m3 1.00

Total
m3 6.00

Code: M-30 G V RESERCH

Formula type: Batch

Formula name: G V RESERCH CENTERS PVT LTD

Type:

Vol. mass.:

Consist.:

Agg. diam.:

Exp.Cl:

Batched

Diff.

Er%

Net/m3

Cns wat

Abs wat

Resist cl:

Slump.

Constituent name	UM	1 m3	Theor.	%Moi	%Abs.
20MM	Kg	660	3960	0.00 M	0.00
SAND 1	Kg	770	4620	1.50 M	0.00
10MM	Kg	440	2640	0.00 M	0.00
Tot agg:	Kg	1870	11220		
CEMENT 2	Kg	70	420		
CEMENT 3	Kg	290	1740		
WATER	Kg	175	1050		
ADDITIVE 1	Kg	1.50	9.00		
Tot. mix:	Kg	2407	14439		

Corr.	Batched	Diff.	Er%	Net/m3	Cns wat	Abs wat
3960	3935	-25	-0.6	656	0	0
4692	4699	7	0.1	783	72	0
2640	2617	-23	-0.9	436	0	0
11292	11251	-41	-0.4	1875	72	0
420	417	-3	*-0.7	70		
1740	1742	2	0.1	290		
1008	1010	2	0.2	168		
9.00	9.02	0.02	0.2	1.50	8.93	
14469	14429	-40		2405	80.93	

Water	70	Tot Cem.
Aggregate	0	W/C ratio
Absorbed	980	W/C real
Batched	0	
Recycled	9	
Additives	0	
Manual	0	
In truck	30	
Offset	1089	
Total		

2159	Cycle time (m:s)
0.000	Plant cycle time (m:s)
0.504	Discharge time (s)
	Mixing time (s)
	Env. humidity
	Env. temp. °C
	min °C
	max °C

08:41
01:25
36
16
0.00
0
0
0

INWARD	
Inward No: 1837	Dt: 6.7.20
MRN No:	Dt:
Received By:	Sign: <i>[Signature]</i>
G.V. RESEARCH CENTERS PVT. LTD.	



SREE VANI WEIGH BRIDGE

శ్రీ వాణి ధర్మ కాంట్

Thurkapally, Shameerpet Mandal, Kolthur Road, R.R. Dist. - 500 078.
Cell : 9440003460

24
HOURS
SERVICE

COMPUTERISED 60M TONNES WEIGH BRIDGE

SERIAL No.:

VEHICLE No. :

CHARGES Rs. 500
150

GROSS 25260

Kgs.

DATE :

TIME:

TARE

Kgs.

DATE :

INWARD

TIME:

NETT

Kgs.

Inward No: 1835

Dt: 06-07-20

URN No: 80901

Dt: 4

Received By:

Sign: [Signature]

RESEARCH CENTERS OPERATOR'S SIGNATURE

వాహనము ప్లాట్ ఫారం విడిచిన తర్వాత మా బాధ్యత లేదు.
Our responsibility ceases once the vehicle leaves the platform.



SREE VANI WEIGH BRIDGE

శ్రీ వాణి ధర్మ కాంట్

Thurkapally, Shameerpet Mandal, Kolthur Road, R.R. Dist. - 500 078.

Cell : 9440003460

24
HOURS
SERVICE

COMPUTERISED 60M TONNES WEIGH BRIDGE

SERIAL No.:

CHARGES Rs.

VEHICLE No. :

GROSS

TARE

NETT

Kgs.

DATE :

TIME:

Kgs.

DATE :

TIME:

Kgs.

MATERIAL INWARD

Inward No: 1585

MRN No: 80901

Received By:

DE: 06-07-20

DE: 4

Sign: [Signature]

OPERATOR'S SIGNATURE

వాహనము ప్లాట్ ఫారం విడిచిన తర్వాత మా బాధ్యత లేదు.
Our responsibility ceases once the vehicle leaves the platform.

SRI VANI WEIGH BRIDGE

60 MT. ELECTRONIC & COMPUTERISED WEIGH BRIDGE

Thurkapally (V), Shameerpet (M), Medchal (D)

Cell : 9440003460

Inward No: _____
Received By: _____

Dt: 06/09/24

Sign: _____

DUE RECEIPT

Date: _____

No. _____

M/s. _____

732

UVR RESEARCH CENTERS PVT. LTD.

Please weight our lorry bearing

Vehicle No. _____

Ap234 5228

and give the bill for the same

Receipt Sl. No. : _____

1576

RS. 250/-, 200/-, 150/-, 100/-,

RS. 80/-, 60/-, 50/-, 40/-

Signature

SREE VANI WEIGH BRIDGE

శ్రీ వాణి ధర్మ కాంట్

Thurkapally, Shameerpet Mandal, Kolthur Road, R.R. Dist. - 500 078.
Cell : 9440003460

24
HOURS
SERVICE

COMPUTERISED 60M TONNES WEIGH BRIDGE

SERIAL No.:
CHARGES Rs.

VEHICLE No. :

GROSS 25260

Kgs.

DATE :

TIME:

TARE 11090

Kgs.

DATE :

TIME:

NETT 14170

Kgs.

OPERATOR'S SIGNATURE

వాహనము ప్లాట్ ఫారం విడిచిన తర్వాత మా బాధ్యత లేదు.
Our responsibility ceases once the vehicle leaves the platform.



NCL INDUSTRIES LIMITED

RMC DIVISION

Original For Recipient



REGD. OFFICE: NCL PEARL, 7th Floor, Near Rail Nilayam, S.D. Road,
Secunderabad - 500 026. Ph: 040-30120000 Fax: 040-29807871 CIN: L33130TG1979PLC002521

DELIVERY CHALLAN CUM TAX INVOICE

Works: NCL Industries Limited, SY.No.281(P) & Sy No 282(p), Rampally Village Keesara
Mandal, Medchal Dist., Telangana
GSTIN: 36AAACN7002L1ZJ

Vehicle No.: AP23Y5228

PO No.: 68171

Invoice No / Date : RM-2020-07-776 - 06/07/2020

Name of Recipient (Billed to)

RMCG0111 - GV RESEARCH CENTERS PRIVATE LIMITED

5-4-187/3&4, II nd Floor,, Soham Mansion, MG
Road,, SECUNDERABAD, HYDERABAD, INDIA,,

36 / Telangana

GSTIN/ Unique ID 36AAHCG4562D1ZP

Address of Delivery

Innopolis, Sy no-542, Genome
Valley,, Thurkapally,, Hyderabad, HYDERABAD, INDIA,,

GSTIN/ Unique ID

Whether tax is payable on reverse charge basis Y/N: N

Advance document No.

Place of supply (Place, State Name & Code):

POUR LOCATION		WALL / COLUMN / SLAB / FOUNDATION / OTHERS			
S.No.	Description of Goods/ Services	HSN of Goods / Services	Quantity in CUM	Rate Per CUM	Value of Supply
1	M-30 GRADE	38245010	6.00	3,644.07	21,864.41
Gross Value					21,864.41
Taxable Value of Supply					21,864.41
Taxes					Tax Rates
CGST					9.00 %
SGST					9.00 %
Total Taxes					3,935.59
Grand Total					25,800.00

Total Tax value (in words) Three Thousand Nine Hundred Thirty-Five And Fifty-Nine Paise Only

Total Invoice value (in words) Twenty-Five Thousand Eight Hundred And Zero Paise Only

SPECIFIED TARGET SLUMP	W/C	MSA	MIN. ADM	MIN. CEM	CEMENT TYPE
100 +/- 25		20MM	PFA/GGBS		OPC/PPC/PSC
SITE ARRIVAL TIME	POUR START TIME	POUR END TIME	SITE DEP . TIME	PLANT ARRIVAL TIME	

Special Conditions: 1. You must ensure timely wetting and proper cover on the concrete surface before it dries and starts hardening i.e. before ponding for curing to avoid plastic shrinkage cracks. We will not be responsible for such cracks developed, if any, at site.
2. The Concrete shall be placed at the required location within 3 hours from the time of Batching. We are not liable for the failure of Concrete unloaded beyond 3 hours.
3. We are not responsible for the slump, loss of strength or quality of the concrete when water and/or other materials added at site by or at the request of customer.

Payment & Other Conditions: 1. Payment against this invoice should be made on or before due date. Failing which, will attract Interest @ 24% pa from the due date.
2. All Correspondence should be to our Hyderabad Office only.
3. Legal Jurisdiction is Courts of Hyderabad only.

Caution: Please warn concrete users to minimise contact with wet cement and wet concrete to avoid any risk of serious injury (e.g. wear soluble and protective clothing). If contact occurs, wash thoroughly, without any delay.

Certificate: Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Received in Good Condition

For Ncl Industries Limited

Seal & Signature of Customer

Authorised Signatory

INWARD

Inward No: 1535 Dt: 06-07-20

MRN No: 80901 Dt: 4

Received By: Sign: 91

G V. RESEARCH CENTERS PVT. LTD.

Batch reports - 1736

NAGARJUNA RMC

Customer code		Jobsite code		Truckmixer code										
135536		416		AP23Y5231										
Cycles	Sub-cycle	Total	Disch.: 01		START	END								
6	m3 1.00	m3 6.00			Date 7/6/20	Date 7/6/20								
					Time 08:54:33	Time 09:05:46								
Nr. 423	Code: M-30 G V RESERCH		Formula name: G V RESERCH CENTERS PVT LTD											
N. 0	Formula type: Batch		Type:											
Class:	Resist cl.:		Consist.:		Vol. mass.:									
Batch:	Slump:		Exp.Cl:		Agg. diam.:									
Code	Constituent name	UM	1 m3	Theor.	%Moi	%Abs	Corr.	Batched	Diff.	Er%	Net/m3	Cns wat	Abs wat	
20MM	20MM	Kg	660	3960	0.00	M	0.00	3960	3934	-26	*-0.7	656	0	0
SAND 1	SAND 1	Kg	770	4620	1.50	M	0.00	4692	4679	-13	-0.3	780	72	0
10MM	10MM	Kg	440	2640	0.00	M	0.00	2640	2617	-23	-0.9	436	0	0
	Tot. agg.:	Kg	1870	11220				11292	11230	-62	-0.5	1872	72	0
CEMENT 2	CEMENT 2	Kg	70	420				420	415	-5	*-1.2	69		
CEMENT 3	CEMENT 3	Kg	290	1740				1740	1741	1	0.1	290		
WATER	WATER	Kg	175	1050				978	980	2	0.2	163		
ADDITIV E 1	ADDITIVE 1	Kg	1.50	9.00				9.00	9.10	0.10	1.1	1.52	9.00	
	Tot. mix:	Kg	2407	14439				14439	14375	-64		2396	81.01	
Water	Tot Cem.		2156		Cycle time (m:s)		11:13							
Aggregate	71	W/C ratio		0.000		Plant cycle time (m:s)		01:50						
Absorbed	0	W/C real		0.492		Discharge time (s)		36						
Batched	980					Mixing time (s)		21						
Recycled	0					Env. humidity		0.00						
Additives	9					Env.temp.°C		0						
Manual	0					min °C		0						
In truck	0					max °C		0						
Total	1060													