| Prepared by: | | T.Bhasker | | | |
|----------------|------------|------------------------|--------------------------------------|------------|-------------|
| Date: | | 22.5.21 | | | |
| Site: | | GVDC | | Date | |
| | | | | | |
| | Requisitio | | | Material | If material |
| Requisition No | n Date | Material Descscription | Purchase Manager - Remarks | delivered? | is not |
| 13225 | 17.5.21 | Laptop bag | Online purchase | | |
| 13209 | 15.4.21 | Sanitizer | Not to be ordered by MD instructions | | |

infrared thermometer Online purchased po to issue

| 13180 | 10.3.21 | PCC Cement | AS per Proect Manager Advice | |
|-------|---------|-------------------|------------------------------|--|
| 13214 | 20.4.21 | Ms plat patti and | Ready with supplier | |
| | | cutting blade | | |
| 13222 | 7.5.21 | Ball Valve | Delevered | |
| 13223 | 10.5.21 | Solid blocks | As per Proect Manager Advice | |
| 13224 | 10.5.21 | Pulse oximeter | on line purchase | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |