# PURCHASE DIVISION Advice for approval for credit to supplier

Date:		12/2/22	Prepared	d by	Ramy	2	Serial no.		0-2804
Supplier na	me	Andhra	Puma	SEM			HO inward	l no.	
Firm/Comp	any	Modi housin	T .		GUSH		HO receive	ed date	
PO/WO dat	e	05/2/2022	PO/WO	No.	85193		Scan ID.		
Sl no.		Bill no.		Bill		F	Bill amount		Original attached
1.	B	3789		07102	12022	37	548.06		Yes 🗆 No
2.		210		01(00		J	1		□ Yes □ No
3.				4					□ Yes □ No
4.									□ Yes □ No
Amount A	- Bills to	otal (Excluding Trans	port & H	amali Charg	ges):			30	648.00
Proof of del	ivery by	way of: DCs/bill	□ Steel r	eport  RM	C pour repor	rt 🗆 Soli	d block rep		
MRN							f delivery		□ Yes □ No
nos.:	0.1	a tie m				matche	SIVIKIN		
Amount B -	-Other (	Credits: Transportation	on charges	S					
Amount C -	Other I	Debits :							
Amount D (	D=A+B	3-C) – Amount to be	credited to	o the supplie	er:			32.	548.00
Amount E -	PO / W	O value:							548-15
Amount F -	Differe	ence (A – E):							
Quantity red	ceived a	s per PO /WO		JYes □	Excess receiv	ved 🗆 Sh	ort received	□ Part	received
Close PO /	WO			DYes []	No – wait for	r balance	material	Other	
Payment - c	lue date			2110	2/22				
Remarks:					Bill	_			
-				1					
Approve	ed by	Purchase Officer		chase nager	MD		Accour	ntant	Accounts Manager
Name:		Ramya		hoku					
Sign:		8		ROYED					
Date		12 10:2 /22	14	FEB 2022					
Approval li	mit	Upto 20k	Above 2	20k АВНАКА <del>Д</del>	Above 100	k	Upto 20k		Above 20k
					111	4 4 -1-		to to pro	mare IV for debit or cr

Notes: 1. In case amount to be credited **SSUPPRESACTIBE OF SET 1** does not match, accountants to prepare JV for debit or credit.

2. This set should only have 5 documents i.e., advice to credit to supplier, original bill, proof of delivery, original purchase order with barcode, original requisition. 3. Do not attach additional documents like weighment slips, RMC batch reports, duplicate documents, Eway bills, test reports, etc. 4. In Amount A, exclude transport, Hamali charges, etc., and instead include in Amount B. 5. This report must reach HO within one working day of approval by purchase officer/purchase manager.



## TAX INVOICE ANDHRA PUMPS & MOTORS

7-3-704, R.P. ROAD SECUNDERABAD - 500003

Phones: 040-27702157,23468039 Email: andhrapumps@gmail.com

**GSTIN** 

:36AEGPC7683H1ZB

PAN

:AEGPC7683H

UDYAM No

:TS-02-0020305 State Name : Telangana

State Code : 36

Bill No.

: B3789

**Bill Date** 

: 07/02/2022

Order No.

: 85193

**Order Date** 

: 05/02/2022

Bill Due Date : 08/05/2022

**Buyer Details:** 

MODI HOUSING PVT.LTD.

5-4-187/3&4, IIND FLOOR, M.G.ROAD, SECUNDERABAD. SITE: SILVER OAK VILLAS

PART-III

TURKAPALLY - 500078

GSTIN : 36AADCM5906D2ZO

PAN : AADCM5906D

Consignee Details: MODI HOUSING PVT.LTD.

5-4-187/3&4, IIND FLOOR, M.G.ROAD,

SECUNDERABAD. SITE: SILVER OAK VILLAS

TURKAPALLY - 500078 Telangana

Ottali	, iolaligana	000 , 00							
SL.	DESCRIPTION	MAKE	HSN	GST %	QTY UNIT	PRICE	DISC %	UNIT PRICE	AMOUNT
1	KIRLOSKAR NEO 35-1012 32MM 1HP 1PHASE	KIRLOSKAR	841370	12.00	1.00	14030.60	0.00	14030.60	14030.60
2	CONTROL PANEL	GENERAL	85369010	18.00	1.00 NOS	2500.00	0.00	2500.00	2500.00
3	HDPE PIPE PE100 PN 16 DN 40	PREMIER	39172110	18.00	26.00 mtr	126.00	0.00	126.00	3276.00
4	HDPE PIPE PE100 PN 16 DN 40	PREMIER	39172110	18.00	15.00 mtr	126.00	0.00	126.00	1890.00
5	MISC.ACCOSORIES	GENERAL	73071110	18.00	1.00	3000.00	0.00	3000.00	3000.00
6	3C X 2.5 SQ.MM SUB. CABLE	L&T	85446020	18.00	40.00	90.00	0.00	90.00	3600.00
1,	E2262400004	1 .							
/									



Total Invoice Amount: Rupees Thirty-Two Thousand Five Hundred Forty-Eight Only.

28296.60 **Total Taxable Value** 84.00 Kindly Make Payment Bill Wise 6.00% 841.84 Add:CGST : Kotak Mahindra Bank Our Bank 6.00% 841.84 Add:SGST Account No: 6512120212

90

IFSC CODE: KKBK0007529

Subject to Secunderabad Jurisdiction.

Total Outstanding Amount: 32548.00

Goods once sold or dispatched cannot be taken back. Interest @ 24% P.A. will be charged, if not paid within due date. Our responsibility ceases once the goods are delivered. Warranty of the goods will be provided by their Manufacturer only.

Add:SGST Less : ROUND OFF 0.00%

Add:CGST

32548.00

1283.94

1283.94

0.16

E. & O. E

Authorised Signatory

For ANDHRA PUMPS & MOTORS

9.00%


9.00%

Prepared By: NARASIMHA Printed from aceERP www.coraLin

Sale Responsible: NARASIMHA

AUTHORISED DISTRIBUTORS









### Purchase Order

Page(s) 1 Of 2

05-02-2022 12:57:13 PM

Orig



From Company: Modi Housing Pvt.Ltd

5-4-187/3 & 4, IInd Floor, M.G.Road, Secunderabad - 500003

G S T No.: 36AADCM5906D2Z0

#### Supplier Details

Andhra Pumps & Motors		Doc No	85193	
7-3-704, R.P.Road, Secunderabad - 500	Doc Date	05-02-2022	2	
		Quote No	NIL	
66568039/23468039	27702157	<b>Quote Date</b>	05-02-2022	
7702377715		SupplyType	Supply	

#### Kind Attn: Mr. Krishna,

Purchase Order for the Supply of following Items.

Item Name	Qty	Rate	Dis%	GST%	Amount
1 7183 - Plumbing - pumps - Submersible pump - other - nos NEO 35-1012/1HP-Single Phase	1.00	19,220.00	27.00	12.00	15,714.27
2 7182 - Plumbing - pumps - Pump Starter - NA - nos	1.00	2,500.00	0.00	18.00	2,950.00
3 7097 - Plumbing - HDPE - Pipe - other - mtrs 11/4" x 16kgs	26.00	126.00	0.00	18.00	3,865.68
4 7097 - Plumbing - HDPE - Pipe - other - mtrs 11/4" x 16kgs	15.00	126.00	0.00	18.00	2, <b>2</b> 30.2 <b>0</b>
5 7177 - Plumbing - pumps - Fittings - NA - Lumpsum Coupler,Ball Valve,NRV,Revelant Fittings	1.00	3,000.00	0.00	18.00	3,540.0 <b>0</b>
6 4696 - Electrical - wires - Copper flat wire - NA - mtrs 2.5 core-multistand wire	40.00	90.00	0.00	18.00	4,248.00
		Total Or	der Valu	e	32,548.1 <b>5</b>

Rupees: Thirty Two Thousand Five Hundred Fourty Eight and Paise Fifteen Only.

#### Terms and Conditions :-

Specification / Brand Item shall be of KIRLOSKER MAKE

After the delivery and production of the bill Payment Terms

Included in the above price Tax

Next Day Delivery Date

GVSH manufacturing facilities Pvt Ltd Delivery Location

Sy no: 193,197,198,201 & 202, Thurkapally village, Shamirpet mandal, Medchal-Malkajgiri Dist

Phone. Mr. Mallikarjun - 9440419149

Penality For Delay Nil

Born by Us Transportation Cost

1 year from the date of Purchase Warranty

Advance Paid

We reserve the right to reject the item not conforming to the quality and specifications . Above Order for GVSH Fixing of Borewell at site purpose. Other Terms

Completion Date

NIL

Measurment

NIL

Accepted the above Terms And Conditions

For Modi Housing Pvt.Ltd

For Andhra Pumps & Motors

Authorised Signat

Name:

Date : \_\_/\_\_/\_\_

## Purchase Order

Page(s) 2 Of 2

05-02-2022 12:57:13 PM

Security

NIL

Remarks

Original / Office Copy / Purchase Div.Copy

For Modi Housing Pvt.Ltd

Authorised Signatory

Name: 05/02/2012

Accepted the above Terms And Conditions

For Andhra Pumps & Motors

Name:

Date : \_\_/\_\_/\_\_\_

Requisition Form – submersible pump for borewell

				or prote par	np for borewell			
Company Name: Modi Housing Pvt I			td (SOV III)	Date:		03-02-2022		
Site & Phase : GVSH			-	Time:		16:30		
ier			no!	Req. No.		185131		
rial required befo	re date:	Urgent	As for.	ID No.		73515		
No Description			Size	Quantity	Units	Inward No	Date	
Submersible pump of recommended  1 HP/stages Neo 35-1012			1HP-single) phase	01	Nos	19,220/-	127+12/	
Starter panel for	pump			01	Nos	2,500/-	+18/ .	
2 Starter panel for pump  3 HDPE pipe – in borewell			11/4"-16 Kgs Per Sqcm	85 2	6Hm, feets	126/-	187	
HDPE pipe – under ground outside borewell			11/4"-16 Kgs Per Sqcm	50 15HT feets		126/-	18/.	
Coupler			11/4"	05	Nos			
6 Ball valve – Plason			11/4"	02	Nos	3,000/-	filting.	
Non return valve			11/4"	01	Nos	/ /	8-lems.	
2.5 core multi stand wire 241.			-	40	Meters	90/- +1	8/.	
9 Relevant GI fittings				01	Set			
ls: Depth of borewell	(ft).		=		100 ft			
	<u> </u>	(15 ft les	s than bore depth	) ft. :	85 ft	PAROV	AL	
	:					3 APPRO	and limits.	
ield of water:			10/193	',		and chiantity by	101	
E. Horizontal distance to storage tank ft.:								
ertical distance to	o storage tan	k ft.:			Z Approv	SI TOT TECH	tock	
ocation of borew	rell:			North East corner of GVSH site				
					1000 C Other			
ırks: Pump requir	red for fixing	at GVSI	H site Borewell pu	urpose				
red By	Mallikarjun			Approved	Approved by Sachin Malve			
& Date	03-02-2022	2		Sign. & Da	nte	03-02-2022		
	ier ial required before Des Submersible pur HP/stages Starter panel for HDPE pipe – in HDPE pipe – un borewell Coupler Ball valve – Plas Non return valve 2.5 core multi sta Relevant GI fitti is: epth of borewell epth for installat vater struck at ft. ield of water: forizontal distance to ocation of borewell ertical distance to ocation of borewell ircharge in ltrs pur ircharge in ltrs	Description  Submersible pump of recommed HP/stages  Starter panel for pump  HDPE pipe — in borewell  HDPE pipe — under ground borewell  Coupler  Ball valve — Plason  Non return valve  2.5 core multi stand wire  Relevant GI fittings  is:  epth of borewell (ft).  epth for installation of pump  //ater struck at ft.:  ield of water:  forizontal distance to storage to storage tan ocation of borewell:  ischarge in ltrs per hr:  rks: Pump required for fixing	Description  Submersible pump of recommended HP/stages  Starter panel for pump  HDPE pipe — in borewell  HDPE pipe — under ground outside borewell  Coupler  Ball valve — Plason  Non return valve  2.5 core multi stand wire  Relevant GI fittings  s: epth of borewell (ft). epth for installation of pump (15 ft les Vater struck at ft.: ield of water: forizontal distance to storage tank ft.: ocation of borewell: discharge in ltrs per hr: arks: Pump required for fixing at GVSI  red By  Mallikarjun  Mallikarjun  Mallikarjun	Description  Submersible pump of recommended HP/stages  Starter panel for pump  HDPE pipe – in borewell  HDPE pipe – under ground outside borewell  Coupler  Ball valve – Plason  Non return valve  2.5 core multi stand wire  Relevant GI fittings  Is:  epth of borewell (ft).  epth for installation of pump (15 ft less than bore depth vater struck at ft.:  ield of water:  orizontal distance to storage tank ft.:  ocation of borewell:  ischarge in ltrs per hr:  rks: Pump required for fixing at GVSH site Borewell purch of the storage and gas an	Time: rial required before date:  Urgent  Description  Size  Quantity  Submersible pump of recommended HP/stages  Starter panel for pump  HDPE pipe — in borewell  HDPE pipe — under ground outside borewell  Coupler  Ball valve — Plason  Non return valve  2.5 core multi stand wire  2.5 core multi stand wire  Per Sq cm  11/4"  01  2.5 core multi stand wire  2.5 core multi stand wire  2.6 core multi stand wire  2.7 core multi stand wire  2.8 core multi stand wire  2.9 core multi stand wire  2.1 core multi stand wire  3.8 core multi stand wire  40  Relevant GI fittings  50  11/4"  01  2.5 core multi stand wire  2.6 core multi stand wire  3.8 core multi stand wire  40  Relevant GI fittings  50  11/4"  11/4	Thase:  GVSH  ier  ier  ial required before date:  Urgent  Description  Description  Submersible pump of recommended HP/stages  HP/stages  HP/stages  HDPE pipe – in borewell  HDPE pipe – under ground outside  HDPE pipe – under ground outside  Ball valve – Plason  Nos  Non return valve  2.5 core multi stand wire  3.5 core multi stand wire  40 Meters  Relevant GI fittings  - 01 Nos  Starter panel for pump  - 01 Nos  Nos  Non return valve  11/4" 05 Nos  Nos  Non return valve  11/4" 01 Nos  2.5 core multi stand wire  2.5 core multi stand wire  3.5 core multi stand wire  3.5 core multi stand wire  3.5 core multi stand wire  3.6 core multi stand wire  3.7 core multi stand wire  3.8 core multi stand wire  3. core multi stand wire  4. core multi stand wire  5. core multi stand wire  6. core multi stand wire  6. core multi stand wire  7. core multi stand wire  8. core multi stand wire  9. core multi stand wire  10.0 core multi st	Time: 16:30  ler   Req. No. 185131  Description   Size   Quantity   Units   Inward No    Submersible pump of recommended   HP-single   Phase   O1   Nos   17,220    Starter panel for pump   O1   Nos   17,220    HDPE pipe – in borewell   H1/4".16 Kgs   Per Sqcm   Sqcm   Sqcm   Sqcm   Sqcm   Sqcm   Sqcm   Sqcm   Sqcm    HDPE pipe – under ground outside   11/4".16 Kgs   Per Sqcm   Sqcm	

Note: On receipt of material at site write inward number and date in last 2 columns.

